

Oversigt over integrities i simbas

Tabel: am_matrn_r_adresse

Ejer: sim

Integrity Nummer: 1 Oprettet: 24-jun-1993
 create integrity on am_matrn_r_adresse is adrstatus in ('f', '')

Tabel: arkiv

Ejer: sim

Integrity Nummer: 1 Oprettet: 19-jun-1993
 create integrity on arkiv is maalhenv in ('A', 'B', 'S', ' ') ✓

Tabel: bestilling

Ejer: sim

Integrity Nummer: 1 Oprettet: 12-jul-1993
 create integrity on bestilling is art in ('sag', 'ori', 'vej', 'mål')

Integrity Nummer: 2 Oprettet: 28-dec-1993
 create integrity on bestilling is status in ('bestilt', 'klar', 'arkiveret',
 'bortkommet', 'udlånt', 'ukendt')

Tabel: ejerlav

Ejer: sim

Integrity Nummer: 1 Oprettet: 19-jun-1993
 create integrity on ejerlav is laaskode in ('l', 'å')

Integrity Nummer: 2 Oprettet: 19-jun-1993
 create integrity on ejerlav is takort in ('j', 'n')

Integrity Nummer: 3 Oprettet: 19-jun-1993
 create integrity on ejerlav is fredskovsnot in ('a', '')

Tabel: flslod

Ejer: sim

Integrity Nummer: 1 Oprettet: 19-jun-1993
 create integrity on flslod is fase in ('i', 'u')

Tabel: grund

Ejer: sim

Integrity Nummer: 1 Oprettet: 19-jun-1993
 create integrity on grund is beregning in (' ', '-', 'o', 's')

Integrity Nummer: 2 Oprettet: 19-jun-1993
 create integrity on grund is areal >= 0

Integrity Nummer: 3 Oprettet: 19-jun-1993
 create integrity on grund is vejareal >= 0

Integrity Nummer: 4 Oprettet: 19-jun-1993
 create integrity on grund is vejkode in ('u', 'e', 'b')

Integrity Nummer: 5 Oprettet: 19-jun-1993
 create integrity on grund is vandareal >= 0

Integrity Nummer: 6 Oprettet: 19-jun-1993
 create integrity on grund is vandkode in ('i', 'e', 'b')

Integrity Nummer: 7 Oprettet: 19-jun-1993
 create integrity on grund is lodantal between 0 and 999

Integrity Nummer: 8 Oprettet: 19-jun-1993
 create integrity on grund is jordnot in ('D', 'J', '-', '')

Oversigt over integrities i simbas

Integrity Nummer: 9 Oprettet: 19-jun-1993
 create integrity on grund is skovnot in ('B','D','F','R','S','U','-',' ','I')

Integrity Nummer: 10 Oprettet: 19-jun-1993
 create integrity on grund is fredskovsareal >= 0

Integrity Nummer: 11 Oprettet: 19-jun-1993
 create integrity on grund is anvendstatus in (' ','-','A','B')

Tabel: hovednot

Ejer: sim

Integrity Nummer: 1 Oprettet: 19-jun-1993
 create integrity on hovednot is hovednot in ('L','M','F','S','A','B',' ','U')

Tabel: kommune

Ejer: sim

Integrity Nummer: 1 Oprettet: 19-jun-1993
 create integrity on kommune is kommunenr between 101 and 899

Integrity Nummer: 2 Oprettet: 19-jun-1993
 create integrity on kommune is tinglysnr between 1101 and 1190

Integrity Nummer: 3 Oprettet: 19-jun-1993
 create integrity on kommune is (amtsnr between 1302 and 1315) or amtsnr = 0

Integrity Nummer: 4 Oprettet: 19-jun-1993
 create integrity on kommune is kommunenr between 101 and 899

Integrity Nummer: 5 Oprettet: 19-jun-1993
 create integrity on kommune is (amtsnr between 1302 and 1315) or amtsnr = 0

Integrity Nummer: 6 Oprettet: 19-jun-1993
 create integrity on kommune is tinglysnr between 1101 and 1190

Tabel: lod

Ejer: sim

Integrity Nummer: 1 Oprettet: 19-jun-1993
 create integrity on lod is beregning in (' ','-','o','s')

Integrity Nummer: 2 Oprettet: 19-jun-1993
 create integrity on lod is vejkode in ('u','e','b')

Integrity Nummer: 3 Oprettet: 19-jun-1993
 create integrity on lod is vandkode in ('i','e','b')

Integrity Nummer: 4 Oprettet: 19-jun-1993
 create integrity on lod is haandtering in ('A','E','S')

Integrity Nummer: 5 Oprettet: 19-jun-1993
 create integrity on lod is lodnr between 0 and 999

Integrity Nummer: 6 Oprettet: 19-jun-1993
 create integrity on lod is areal >= 0

Integrity Nummer: 7 Oprettet: 19-jun-1993
 create integrity on lod is vejareal >= 0

Integrity Nummer: 8 Oprettet: 19-jun-1993
 create integrity on lod is vandareal >= 0

Tabel: matkort

Ejer: sim

Integrity Nummer: 1 Oprettet: 19-jun-1993
 create integrity on matkort is fase in ('i','u')

Oversigt over integrities i simbas

Integrity Nummer: 2 Oprettet: 19-jun-1993
 create integrity on matkort is lodnr between 0 and 999

Tabel: omraade

Ejer: sim

Integrity Nummer: 1 Oprettet: 19-jun-1993
 create integrity on omraade is kommunenr between 101 and 899

Tabel: sag

Ejer: sim

Integrity Nummer: 1 Oprettet: 19-jun-1993
 create integrity on sag is afslutaarsag in(' ', 'APP', 'HEN', 'KIB', 'AKT',
 'USP', 'TXT', 'DAT', 'X', 'INT')

Tabel: si_brev

Ejer: sim

Integrity Nummer: 1 Oprettet: 19-jun-1993
 create integrity on si_brev is brev in ('J', 'N', ' ')

Integrity Nummer: 2 Oprettet: 19-jun-1993
 create integrity on si_brev is matr_del in ('J', 'N', ' ')

Integrity Nummer: 3 Oprettet: 19-jun-1993
 create integrity on si_brev is postnr between 0 and 9999

Tabel: si_foef

Ejer: sim

Integrity Nummer: 1 Oprettet: 19-jun-1993
 create integrity on si_foef is foer in ('X', ' ')

Integrity Nummer: 2 Oprettet: 19-jun-1993
 create integrity on si_foef is efter in ('X', ' ')

Tabel: si_grund

Ejer: sim

Integrity Nummer: 1 Oprettet: 19-jun-1993
 create integrity on si_grund is lodantal between 0 and 999

Integrity Nummer: 2 Oprettet: 19-jun-1993
 create integrity on si_grund is vandareal >= 0

Integrity Nummer: 3 Oprettet: 19-jun-1993
 create integrity on si_grund is vandkode in ('i', 'e', 'b')

Integrity Nummer: 4 Oprettet: 19-jun-1993
 create integrity on si_grund is fredskovsareal >= 0

Tabel: si_kode_anvendstatus

Ejer: sim

Integrity Nummer: 1 Oprettet: 19-jun-1993
 create integrity on si_kode_anvendstatus is kode in (' ', '-', 'A', 'B')

Tabel: si_kode_areal

Ejer: sim

Integrity Nummer: 1 Oprettet: 19-jun-1993
 create integrity on si_kode_areal is kode in (' ', '+', '-', 'N', 'U')

Oversigt over integrities i simbas

Tabel: si_kode_beregn

Ejer: sim

Integrity Nummer: 1 Oprettet: 19-jun-1993
 create integrity on si_kode_beregn is kode in (' ','-','o','s')

Tabel: si_kode_haandtering

Ejer: sim

Integrity Nummer: 1 Oprettet: 19-jun-1993
 create integrity on si_kode_haandtering is kode in (' ','S')

Tabel: si_kode_hovednot

Ejer: sim

Integrity Nummer: 1 Oprettet: 19-jun-1993
 create integrity on si_kode_hovednot is kode in ('+A','+B','+L','+M','+S',
 '-2','-A','-F','-B','-L', '-M','-S','LB','MB','ML','')

Tabel: si_kode_jordnot

Ejer: sim

Integrity Nummer: 1 Oprettet: 19-jun-1993
 create integrity on si_kode_jordnot is kode in ('D','J','-','')

Tabel: si_kode_skovnot

Ejer: sim

Integrity Nummer: 1 Oprettet: 19-jun-1993
 create integrity on si_kode_skovnot is kode in ('B','D','F','I','R','S',
 'U',' ','-')

Tabel: si_kode_vejareal

Ejer: sim

Integrity Nummer: 1 Oprettet: 19-jun-1993
 create integrity on si_kode_vejareal is kode in (' ','U','N','B','+', '-','J')

Tabel: si_kort

Ejer: sim

Integrity Nummer: 1 Oprettet: 19-jun-1993
 create integrity on si_kort is lodnr between 0 and 999

Tabel: si_lod

Ejer: sim

Integrity Nummer: 1 Oprettet: 19-jun-1993
 create integrity on si_lod is lodnr between 0 and 999

Integrity Nummer: 2 Oprettet: 19-jun-1993
 create integrity on si_lod is beregning in (' ','-','o','s')

Integrity Nummer: 3 Oprettet: 19-jun-1993
 create integrity on si_lod is areal >= 0

Integrity Nummer: 4 Oprettet: 19-jun-1993
 create integrity on si_lod is vejareal >= 0

Integrity Nummer: 5 Oprettet: 19-jun-1993
 create integrity on si_lod is vejkode in ('u','e','b')

Integrity Nummer: 6 Oprettet: 19-jun-1993
 create integrity on si_lod is vandareal >= 0

Oversigt over integrities i simbas

Integrity Nummer: 7 Oprettet: 19-jun-1993
 create integrity on si_lod is vandkode in ('i','e','b')

Integrity Nummer: 8 Oprettet: 19-jun-1993
 create integrity on si_lod is haandtering in (' ','S')

Integrity Nummer: 9 Oprettet: 19-jun-1993
 create integrity on si_lod is skovnot in ('B','D','F','I','R','S','U',' ','-')

Tabel: si_matr

Ejer: sim

Integrity Nummer: 1 Oprettet: 19-jun-1993
 create integrity on si_matr is ftf in ('FRA','TIL','FOR')

Integrity Nummer: 2 Oprettet: 19-jun-1993
 create integrity on si_matr is delnr between 0 and 999 or delnr is null

Integrity Nummer: 3 Oprettet: 19-jun-1993
 create integrity on si_matr is beregning in (' ','-','o','s')

Integrity Nummer: 4 Oprettet: 19-jun-1993
 create integrity on si_matr is arealkode in (' ','+','-','N','U')

Integrity Nummer: 5 Oprettet: 19-jun-1993
 create integrity on si_matr is vejarealkode in (' ','U','N','B','+','-','J')

Integrity Nummer: 6 Oprettet: 19-jun-1993
 create integrity on si_matr is jordnot in ('D','J','-',' ')

Integrity Nummer: 7 Oprettet: 19-jun-1993
 create integrity on si_matr is tekst_status in ('R',' ')

Integrity Nummer: 8 Oprettet: 19-jun-1993
 create integrity on si_matr is afgift in ('J','N',' ')

Integrity Nummer: 9 Oprettet: 19-jun-1993
 create integrity on si_matr is gebyr in ('J','N',' ')

Integrity Nummer: 10 Oprettet: 19-jun-1993
 create integrity on si_matr is anvendstatus in (' ','-','A','B')

Integrity Nummer: 11 Oprettet: 19-jun-1993
 create integrity on si_matr is (geokommune between 101 and 899) or geokommune is null

Integrity Nummer: 12 Oprettet: 19-jun-1993
 create integrity on si_matr is hovednot in ('+A','+B','+L','+M','+S',' -2',' -A',' -F',' -B',' -L',' -M',' -S','LB','MB','ML',' ')

Integrity Nummer: 13 Oprettet: 19-jun-1993
 create integrity on si_matr is skovnot in ('B','D','F','I','R','S','U',' ','-')

Tabel: si_regn

Ejer: sim

Integrity Nummer: 1 Oprettet: 19-jun-1993
 create integrity on si_regn is betalingsform in (' ','T','F','D','B')

Tabel: si_regndeale

Ejer: sim

Integrity Nummer: 1 Oprettet: 19-jun-1993
 create integrity on si_regndeale is betalingsart in ('A','G')

Oversigt over integrities i simbas

Tabel: si_sagsoperationer

Ejer: sim

Integrity Nummer: 1 Oprettet: 04-jan-1994
 create integrity on si_sagsoperationer is operationsart in ('A', 'I', 'P', 'S')

Tabel: si_skovkonst_import

Ejer: sim

Integrity Nummer: 1 Oprettet: 19-jun-1993
 create integrity on si_skovkonst_import is skovnot in ('B', 'D', 'F', 'R', 'S',
 'U', 'I', '-', ' ')

Integrity Nummer: 2 Oprettet: 19-jun-1993
 create integrity on si_skovkonst_import is nyskovnot in ('D', 'F', 'R', 'S',
 '-')

Tabel: si_skovkonstatering

Ejer: sim

Integrity Nummer: 1 Oprettet: 19-jun-1993
 create integrity on si_skovkonstatering is skovnot in ('B', 'D', 'F', 'R', 'S',
 'U', 'I', '-', ' ')

Integrity Nummer: 2 Oprettet: 19-jun-1993
 create integrity on si_skovkonstatering is nyskovnot in ('D', 'F', 'R', 'S',
 '-')

Tabel: si_slut

Ejer: sim

Integrity Nummer: 1 Oprettet: 19-jun-1993
 create integrity on si_slut is maalhenv in ('A', 'B', 'S', ' ')

Integrity Nummer: 2 Oprettet: 19-jun-1993
 create integrity on si_slut is afslutaarsag in ('APP', 'DAT', 'HEN', 'INT',
 'TXT', 'USP', 'X')

Tabel: sl_brev

Ejer: sim

Integrity Nummer: 1 Oprettet: 19-jun-1993
 create integrity on sl_brev is brev in ('J', 'N', ' ')

Integrity Nummer: 2 Oprettet: 19-jun-1993
 create integrity on sl_brev is matr_del in ('J', 'N', ' ')

Integrity Nummer: 3 Oprettet: 19-jun-1993
 create integrity on sl_brev is postnr between 0 and 9999

Tabel: sl_foef

Ejer: sim

Integrity Nummer: 1 Oprettet: 19-jun-1993
 create integrity on sl_foef is foef in ('X', ' ')

Integrity Nummer: 2 Oprettet: 19-jun-1993
 create integrity on sl_foef is efter in ('X', ' ')

Tabel: sl_grund

Ejer: sim

Integrity Nummer: 1 Oprettet: 19-jun-1993
 create integrity on sl_grund is lodantal between 0 and 999

Oversigt over integrities i simbas

Integrity Nummer: 2 Oprettet: 19-jun-1993
 create integrity on sl_grund is vandareal >= 0

Integrity Nummer: 3 Oprettet: 19-jun-1993
 create integrity on sl_grund is vandkode in ('i','e','b')

Integrity Nummer: 4 Oprettet: 19-jun-1993
 create integrity on sl_grund is fredskovsareal >= 0

Tabel: sl_kort

Ejer: sim

Integrity Nummer: 1 Oprettet: 19-jun-1993
 create integrity on sl_kort is lodnr between 0 and 999

Tabel: sl_lod

Ejer: sim

Integrity Nummer: 1 Oprettet: 19-jun-1993
 create integrity on sl_lod is lodnr between 0 and 999

Integrity Nummer: 2 Oprettet: 19-jun-1993
 create integrity on sl_lod is beregning in (' ','-', 'o', 's')

Integrity Nummer: 3 Oprettet: 19-jun-1993
 create integrity on sl_lod is areal >= 0

Integrity Nummer: 4 Oprettet: 19-jun-1993
 create integrity on sl_lod is vejareal >= 0

Integrity Nummer: 5 Oprettet: 19-jun-1993
 create integrity on sl_lod is vejkode in ('u','e','b')

Integrity Nummer: 6 Oprettet: 19-jun-1993
 create integrity on sl_lod is vandareal >= 0

Integrity Nummer: 7 Oprettet: 19-jun-1993
 create integrity on sl_lod is vandkode in ('i','e','b')

Integrity Nummer: 8 Oprettet: 19-jun-1993
 create integrity on sl_lod is haandtering in (' ','S')

Integrity Nummer: 9 Oprettet: 19-jun-1993
 create integrity on sl_lod is skovnot in ('B', 'D', 'F', 'I', 'R', 'S', 'U', ' ', '-')

Tabel: sl_matr

Ejer: sim

Integrity Nummer: 1 Oprettet: 19-jun-1993
 create integrity on sl_matr is ftf in ('FRA', 'TIL', 'FOR')

Integrity Nummer: 2 Oprettet: 19-jun-1993
 create integrity on sl_matr is delnr between 0 and 999 or delnr is null

Integrity Nummer: 3 Oprettet: 19-jun-1993
 create integrity on sl_matr is beregning in (' ','-', 'o', 's')

Integrity Nummer: 4 Oprettet: 19-jun-1993
 create integrity on sl_matr is arealkode in (' ','+', '- ', 'N', 'U')

Integrity Nummer: 5 Oprettet: 19-jun-1993
 create integrity on sl_matr is vejarealkode in (' ','U', 'N', 'B', '+', '- ', 'J')

Integrity Nummer: 6 Oprettet: 19-jun-1993
 create integrity on sl_matr is hovednot in ('+A', '+B', '+L', '+M', '+S', '-2', '-A', '-F', '-B', '-L', '-M', '-S', 'LB', 'MB', 'ML', ' ')

Integrity Nummer: 7 Oprettet: 19-jun-1993
 create integrity on sl_matr is jordnot in ('D', 'J', '- ', ' ')

Oversigt over integrities i simbas

Integrity Nummer: 8 Oprettet: 19-jun-1993
 create integrity on sl_matr is tekst_status in ('R','')

Integrity Nummer: 9 Oprettet: 19-jun-1993
 create integrity on sl_matr is anvendstatus in (' ','-', 'A', 'B')

Integrity Nummer: 10 Oprettet: 19-jun-1993
 create integrity on sl_matr is (geokommune between 101 and 899) or geokommune is null

Integrity Nummer: 11 Oprettet: 19-jun-1993
 create integrity on sl_matr is skovnot in ('B', 'D', 'F', 'I', 'R', 'S', 'U', ' ', '-')

Tabel: sl_regning

Ejer: sim

Integrity Nummer: 1 Oprettet: 19-jun-1993
 create integrity on sl_regning is betalingsart in ('A','G')

Tabel: sl_sag

Ejer: sim

Integrity Nummer: 1 Oprettet: 19-jun-1993
 create integrity on sl_sag is betalingsform in (' ', 'T', 'F', 'D', 'B')

Integrity Nummer: 2 Oprettet: 19-jun-1993
 create integrity on sl_sag is maahenv in ('A', 'B', 'S', ' ')

Integrity Nummer: 3 Oprettet: 19-jun-1993
 create integrity on sl_sag is afslutaarsag in (' ', 'APP', 'DAT', 'HEN', 'INT', 'TXT', 'USP', 'X')

Tabel: sm_brev

Ejer: sim

Integrity Nummer: 1 Oprettet: 19-jun-1993
 create integrity on sm_brev is brev in ('J', 'N', ' ')

Integrity Nummer: 2 Oprettet: 19-jun-1993
 create integrity on sm_brev is matr_del in ('J', 'N', ' ')

Integrity Nummer: 3 Oprettet: 19-jun-1993
 create integrity on sm_brev is postnr between 0 and 9999

Tabel: sm_foef

Ejer: sim

Integrity Nummer: 1 Oprettet: 19-jun-1993
 create integrity on sm_foef is foer in ('X', ' ')

Integrity Nummer: 2 Oprettet: 19-jun-1993
 create integrity on sm_foef is efter in ('X', ' ')

Tabel: sm_grund

Ejer: sim

Integrity Nummer: 1 Oprettet: 19-jun-1993
 create integrity on sm_grund is lodantal between 0 and 999

Integrity Nummer: 2 Oprettet: 19-jun-1993
 create integrity on sm_grund is vandareal >= 0

Integrity Nummer: 3 Oprettet: 19-jun-1993
 create integrity on sm_grund is vandkode in ('i', 'e', 'b')

Integrity Nummer: 4 Oprettet: 19-jun-1993
 create integrity on sm_grund is fredskovsareal >= 0

Oversigt over integrities i simbas

Tabel: sm_kort

Ejer: sim

Integrity Nummer: 1 Oprettet: 19-jun-1993
 create integrity on sm_kort is lodnr between 0 and 999

Tabel: sm_lod

Ejer: sim

Integrity Nummer: 1 Oprettet: 19-jun-1993
 create integrity on sm_lod is lodnr between 0 and 999

Integrity Nummer: 2 Oprettet: 19-jun-1993
 create integrity on sm_lod is beregning in (' ', '-', 'o', 's')

Integrity Nummer: 3 Oprettet: 19-jun-1993
 create integrity on sm_lod is areal >= 0

Integrity Nummer: 4 Oprettet: 19-jun-1993
 create integrity on sm_lod is vejareal >= 0

Integrity Nummer: 5 Oprettet: 19-jun-1993
 create integrity on sm_lod is vejkode in ('u', 'e', 'b')

Integrity Nummer: 6 Oprettet: 19-jun-1993
 create integrity on sm_lod is vandareal >= 0

Integrity Nummer: 7 Oprettet: 19-jun-1993
 create integrity on sm_lod is vandkode in ('i', 'e', 'b')

Integrity Nummer: 8 Oprettet: 19-jun-1993
 create integrity on sm_lod is haandtering in (' ', 'S')

Integrity Nummer: 9 Oprettet: 19-jun-1993
 create integrity on sm_lod is skovnot in ('B', 'D', 'F', 'I', 'R', 'S', 'U', ' ', '-')

Tabel: sm_matr

Ejer: sim

Integrity Nummer: 1 Oprettet: 19-jun-1993
 create integrity on sm_matr is ftf in ('FRA', 'TIL', 'FOR')

Integrity Nummer: 2 Oprettet: 19-jun-1993
 create integrity on sm_matr is delnr between 0 and 999 or delnr is null

Integrity Nummer: 3 Oprettet: 19-jun-1993
 create integrity on sm_matr is beregning in (' ', '-', 'o', 's')

Integrity Nummer: 4 Oprettet: 19-jun-1993
 create integrity on sm_matr is arealkode in (' ', '+', '-', 'N', 'U')

Integrity Nummer: 5 Oprettet: 19-jun-1993
 create integrity on sm_matr is vejarealkode in (' ', 'U', 'N', 'B', '+', '-', 'J')

Integrity Nummer: 6 Oprettet: 19-jun-1993
 create integrity on sm_matr is hovednot in ('+A', '+B', '+L', '+M', '+S', '-2', '-A', '-F', '-B', '-L', '-M', '-S', 'LB', 'MB', 'ML', ' ')

Integrity Nummer: 7 Oprettet: 19-jun-1993
 create integrity on sm_matr is jordnot in ('D', 'J', '-', ' ')

Integrity Nummer: 8 Oprettet: 19-jun-1993
 create integrity on sm_matr is tekst_status in ('R', ' ')

Integrity Nummer: 9 Oprettet: 19-jun-1993
 create integrity on sm_matr is anvendstatus in (' ', '-', 'A', 'B')

Integrity Nummer: 10 Oprettet: 19-jun-1993
 create integrity on sm_matr is (geokommune between 101 and 899) or geokommune is null

Integrity Nummer: 11 Oprettet: 19-jun-1993
 create integrity on sm_matr is skovnot in ('B', 'D', 'F', 'I', 'R', 'S', 'U', ' ', '-')

Oversigt over integrities i simbas

Tabel: sm_regning

Ejer: sim

Integrity Nummer: 1 Oprettet: 19-jun-1993
 create integrity on sm_regning is betalingsart in ('A','G')

Tabel: sm_sag

Ejer: sim

Integrity Nummer: 1 Oprettet: 19-jun-1993
 create integrity on sm_sag is betalingsform in (' ','T','F','D','B')

Integrity Nummer: 2 Oprettet: 19-jun-1993
 create integrity on sm_sag is maalhenv in ('A','B','S',' ')

Integrity Nummer: 3 Oprettet: 19-jun-1993
 create integrity on sm_sag is afslutaarsag in ('APP', 'DAT', 'HEN', 'INT', 'TXT', 'USP', 'X')

Tabel: sr_afslutaarsag

Ejer: sim

Integrity Nummer: 1 Oprettet: 19-jun-1993
 create integrity on sr_afslutaarsag is kode in ('APP', 'DAT', 'HEN', 'INT', 'TXT', 'USP', 'X')

Tabel: sr_arkivmessage

Ejer: sim

Integrity Nummer: 1 Oprettet: 19-jun-1993
 create integrity on sr_arkivmessage is ok in ('X',' ')

Tabel: sr_fakt_rekv

Ejer: sim

Integrity Nummer: 1 Oprettet: 19-jun-1993
 create integrity on sr_fakt_rekv is behandlet in ('J','N',' ')

Tabel: sr_lokalitet

Ejer: sim

Integrity Nummer: 1 Oprettet: 19-jun-1993
 create integrity on sr_lokalitet is kommunenr between 101 and 899

Tabel: sr_sagsregi

Ejer: sim

Integrity Nummer: 1 Oprettet: 19-jun-1993
 create integrity on sr_sagsregi is postnr between 0 and 9999

Tabel: st_adresser

Ejer: sim

Integrity Nummer: 1 Oprettet: 19-jun-1993
 create integrity on st_adresser is postnr between 0 and 9999

Oversigt over integrities i simbas

Tabel: st_amter

Ejer: sim

Integrity Nummer: 1 Oprettet: 19-jun-1993
 create integrity on st_amter is (amtsnr between 1302 and 1315) or amtsnr = 0

Tabel: st_debitorer

Ejer: sim

Integrity Nummer: 1 Oprettet: 19-jun-1993
 create integrity on st_debitorer is postnr between 0 and 9999

Integrity Nummer: 2 Oprettet: 19-jun-1993
 create integrity on st_debitorer is opdatering in ('N','R','U','O', ' ')

Tabel: st_distrikter

Ejer: sim

Integrity Nummer: 1 Oprettet: 19-jun-1993
 create integrity on st_distrikter is kontor in (0,1,2)

Tabel: st_noteringstekster

Ejer: sim

Integrity Nummer: 1 Oprettet: 19-jun-1993
 create integrity on st_noteringstekster is type in ('anv','hoved','jord','skov')

Tabel: st_postdistr

Ejer: sim

Integrity Nummer: 1 Oprettet: 19-jun-1993
 create integrity on st_postdistr is postnr between 0 and 9999

Integrity Nummer: 2 Oprettet: 19-jun-1993
 create integrity on st_postdistr is postnr between 0 and 9999

Integrity Nummer: 3 Oprettet: 19-jun-1993
 create integrity on st_postdistr is postnr between 0 and 9999

Tabel: st_priser

Ejer: sim

Integrity Nummer: 1 Oprettet: 19-jun-1993
 create integrity on st_priser is betalingsart in ('A','G')

Tabel: st_tinglyssted

Ejer: sim

Integrity Nummer: 1 Oprettet: 19-jun-1993
 create integrity on st_tinglyssted is tinglysnr between 1101 and 1192

Integrity Nummer: 2 Oprettet: 19-jun-1993
 create integrity on st_tinglyssted is retskreds between 1101 and 1192
