

Post Danmark, Hovedkontoret  
Tietgentsgade 37, 2 sal  
1704 København V

10. marts 1997.

Filoversigt pr. magnetbånd for journaldata til Rigsarkivet.

Tape-biblioteksnavn: JOURLOG  
Tapelabel : ANSI  
Datarepræsentation : ASCII  
Tæthed : 1600.

Tape: JOUR01.

<u>Filnavn</u>	<u>postlgd.</u>	<u>bloklgd.</u>	<u>postantal</u>	<u>filsekvnsnr.</u>
AFDELING	70	700	17	1
AKTART	23	230	8	2
ANDRESAG	36	360	353	3
ARKIVER	37	370	19	4
ARKREGEL	50	500	1	5
BEMAERK	424	4240	11631	6
BILAGTAB	45	450	1	7
* BREVBIL	85	850	0	8
HISTORIK	52	520	16940	9
JOURBEM	414	4140	15	10
JOURBEMG	1586	1586	5	11
JOURPLAN	595	5950	330	12
KONTSORD	44	440	33438	13
NAVNEREG	115	1150	349	14
OMJLOGA	49	490	1770	15
OMJLOGS	41	410	16	16
POSTNR	49	490	1376	17
SAGER	830	8300	13274	18
SAGSTYPE	33	330	3	19
SOEGEORD	32	320	97961	20
* UGRPTAB	38	380	0	21
VISDOM	28	280	2	22

\* = I 1226 ENDLØBS.

Tape: JOUR02 + JOUR03

<u>Filnavn</u>	<u>postlgd.</u>	<u>bloklgd.</u>	<u>postantal</u>	<u>filsekvnsnr.</u>
JOURNALR	874	8740	66101	1 (spoleskift).

HISTORIK Historikregister

Register med data vedrørende ændringer i sagsbehandler og afdeling.

```

File Type:      Organization      Consecutive
                Location Type    Disk File
                Creation Type     Permanent File
                File Category

Storage:        Compressed Records? N
                Index Packing Density % 95  Alt Index Packing Density % 95
                Data Packing Density % 90
                Retention Period      Reorg for Growth % 0,0

Field Defaults: Modify Security Class  _____ Read Security Class _____
                Automatic Added By?   N Auto Added   Hi End   Low End
                Automatic Changed By? N Auto Changed Hi End   Low End

Other Options:  Default Function Name
                Read Only Access Type  Standard Performance
                COBOL Interface        RPG Interface
                Allow Query?           Y
    
```

Added On 15-03-1995 12:42:03:02 By HLS  
 Changed On 17-03-1995 14:34:14:20 By HLS

Field Summary: (Underlined field types indicate SAME AS definitions)

<u>Seq No.</u>	<u>Field Name</u>	<u>Occ</u>	<u>Type</u>	<u>Format</u>	<u>Pos</u>	<u>Len</u>	<u>Key</u>	<u>Read</u>	<u>Mod</u>
100	HISTORIK SUN		Alpha		1	9			
300	HISTORIK DATO		Alpha		10	6			
400	HISTORIK SAGSBEHANDLER		<u>Alpha</u>		16	3			
600	HISTORIK BEM		Alpha		19	34			

JOURBEM Journalplans bemærkninger

I dette register oprettes bemærkninger til journalplanen.

File Type:            Organization                    Consecutive  
                          Location Type                                Disk File  
                          Creation Type                                Permanent File  
                          File Category

Storage:            Compressed Records?            N  
                          Index Packing Density %    95    Alt Index Packing Density %    95  
                          Data Packing Density %    90  
                          Retention Period                                Reorg for Growth %    0,0

Field Defaults:    Modify Security Class            \_\_\_\_\_ Read Security Class \_\_\_\_\_  
                          Automatic Added By?            N    Auto Added            Hi End            Low End  
                          Automatic Changed By?        N    Auto Changed            Hi End            Low End

Other Options:    Default Function Name  
                          Read Only Access Type            Standard Performance  
                          COBOL Interface                                RPG Interface  
                          Allow Query?                                Y

Added On    15-03-1995 12:42:12:46            By HLS  
 Changed On 17-03-1995 14:34:14:99            By HLS

Field Summary:    (Underlined field types indicate SAME AS definitions)

<u>Seq No.</u>	<u>Field Name</u>	<u>Occ</u>	<u>Type</u>	<u>Format</u>	<u>Pos</u>	<u>Len</u>	<u>Key</u>	<u>Read</u>	<u>Mod</u>
100	JOURBEM SAGGRUPPE		<u>Alpha</u>		1	8			
200	JOURBEM LBNR		Alpha		9	5			
400	JOURBEM BEMAERKNING	5	Alpha		14	79			
500	JOURBEM DATO		Alpha		409	6			

JOURBEMG Generelle bemærkninger

Register med genereller bemærkninger til journalplanen.

File Type:            Organization                    Consecutive  
                          Location Type                                    Disk File  
                          Creation Type                                    Permanent File  
                          File Category

Storage:            Compressed Records?            N  
                          Index Packing Density %    95    Alt Index Packing Density %    95  
                          Data Packing Density %    90  
                          Retention Period                                    Reorg for Growth %    0,0

Field Defaults:    Modify Security Class            \_\_\_\_\_ Read Security Class \_\_\_\_\_  
                          Automatic Added By?            N    Auto Added            Hi End            Low End  
                          Automatic Changed By?        N    Auto Changed        Hi End            Low End

Other Options:    Default Function Name  
                          Read Only Access Type            Standard Performance  
                          COBOL Interface                                    RPG Interface  
                          Allow Query?                                    Y

Added On    15-03-1995 12:42:21:35    By HLS  
 Changed On 15-03-1995 15:49:50:64    By HLS

Field Summary:    (Underlined field types indicate SAME AS definitions)

<u>Seq No.</u>	<u>Field Name</u>	<u>Occ</u>	<u>Type</u>	<u>Format</u>	<u>Pos</u>	<u>Len</u>	<u>Key</u>	<u>Read</u>	<u>Mod</u>
100	JOURBEMG DATO		Alpha		1	6			
200	JOURBEMG BEMAERKNING	20	Alpha		7	79			

JOURNALR Journalregister

Data vedrørende akter (hændelser).

Akter registreres teknisk med et entydigt nummer (JUN), som beholdes uanset omjournalisering.

Knytningen til sagen sker via sagens entydige nummer (SUN), som er 0, hvor akten endnu ikke kan knyttes til en sag.

File Type:            Organization                    Consecutive  
                          Location Type                            Disk File  
                          Creation Type                            Permanent File  
                          File Category

Storage:            Compressed Records?            N  
                          Index Packing Density %    95    Alt Index Packing Density % 95  
                          Data Packing Density %    90  
                          Retention Period                            Reorg for Growth % 0,0

Field Defaults:    Modify Security Class            \_\_\_\_\_ Read Security Class \_\_\_\_\_  
                          Automatic Added By?            N    Auto Added            Hi End            Low End  
                          Automatic Changed By?        N    Auto Changed        Hi End            Low End

Other Options:    Default Function Name  
                          Read Only Access Type        Standard Performance  
                          COBOL Interface                            RPG Interface  
                          Allow Query?                                Y

Added On 15-03-1995 12:42:32:48    By HLS  
 Changed On 17-03-1995 14:34:16:80    By HLS

Field Summary:    (Underlined field types indicate SAME AS definitions)

Seq No.	Field Name	Occ	Type	Format	Pos	Len	Key	Read	Mod
3	JOURNALR AKTLBNR		Alpha		1	4			
5	JOURNALR SUN		Alpha		5	9			
10	JOURNALR JUN		Alpha		14	9			
400	JOURNALR JOURNALNUMMER		Alpha		23	20			
550	JOURNALR AKT TYPE		Alpha		43	2			
575	JOURNALR AKTENS ART		<u>Alpha</u>		45	3			
585	JOURNALR MODTAGET DEN		Alpha		48	6			
600	JOURNALR EKSTERN HENV	2	Alpha		54	6			
700	JOURNALR EMNEEKSTRAKT		Alpha		66	58			
1600	JOURNALR SAGSBEHANDLER		<u>Alpha</u>		124	3			
1700	JOURNALR AFDELING		<u>Alpha</u>		127	5			
2100	JOURNALR SVAR BREVNR		Alpha		132	9			
2150	JOURNALR SVAR PAA BREV		Alpha		141	4			
2200	JOURNALR AFSENDER JRNR		Alpha		145	27			
2300	JOURNALR AFSEND MODT		Alpha		172	30			
2310	JOURNALR ADRESSE	2	<u>Alpha</u>		202	30			
2320	JOURNALR POSTNR		<u>Alpha</u>		262	9			
2900	JOURNALR DOKUMENTNR		Alpha		271	5			
3000	JOURNALR BEM	6	Alpha		276	79			
3700	JOURNALR SECURITY		Alpha		750	4			
3900	JOURNALR KASSATION		Alpha		754	6			
4000	JOURNALR POSTLISTE DEN		Alpha		760	6			
4100	JOURNALR DATO OPR		Alpha		766	6			
4125	JOURNALR OPRETTET AF		Alpha		772	3			
4150	JOURNALR DATO RET		Alpha		775	6			
4175	JOURNALR RETTET AF		Alpha		781	3			

## JOURNALR Journalregister

<u>Seq No.</u>	<u>Field Name</u>	<u>Occ</u>	<u>Type</u>	<u>Format</u>	<u>Pos</u>	<u>Len</u>	<u>Key</u>	<u>Read</u>	<u>Mod</u>
4200	JOURNALR BREVDATO		Alpha		784	6			
4300	JOURNALR SVARDATO		Alpha		790	6			
4600	JOURNALR RESTANCEDATO		Alpha		796	6			
4800	JOURNALR AFSLUT		Alpha		802	6			
4900	JOURNALR GENOPTAG		Alpha		808	6			
5300	JOURNALR DOK OPRETTET		Y/N		814	1			
5400	JOURNALR ERINDR DATO		Alpha		815	6			
5500	JOURNALR ANKEDATO 1		Alpha		821	6			
5600	JOURNALR ANKEDATO 2		Alpha		827	6			
5700	JOURNALR AFGDATO 1		Alpha		833	6			
5800	JOURNALR AFGDATO 2		Alpha		839	6			
6100	JOURNALR NEXT BEMAERK		Alpha		845	5			
6200	JOURNALR ARKIVREGEL		<u>Alpha</u>		850	3			
6300	JOURNALR BEHANDLES		Y/N		853	1			
6600	JOURNALR BESVARET DEN		Alpha		854	6			
6700	JOURNALR DOK LBNR		Alpha		860	9			
6800	JOURNALR WP+ BIBLIOTEK		Alpha		869	6			





NAVNEREG Navneregister

Register over operatører, sagsbehandlere og evt. sædvanlige indsendermodtagere.

File Type:            Organization                            Consecutive  
                          Location Type                                Disk File  
                          Creation Type                                    Permanent File  
                          File Category

Storage:              Compressed Records?                            N  
                          Index Packing Density %    95    Alt Index Packing Density %    95  
                          Data Packing Density %    90  
                          Retention Period                                Reorg for Growth %    0,0

Field Defaults:    Modify Security Class                            \_\_\_\_\_ Read Security Class \_\_\_\_\_  
                          Automatic Added By?                            N Auto Added                            Hi End                            Low End  
                          Automatic Changed By?                            N Auto Changed                            Hi End                            Low End

Other Options:    Default Function Name  
                          Read Only Access Type                            Standard Performance  
                          COBOL Interface    RPG Interface  
                          Allow Query?    Y

Added On    15-03-1995 12:43:03:42                            By HLS  
 Changed On 15-03-1995 15:49:56:34                            By HLS

Field Summary:    (Underlined field types indicate SAME AS definitions)

<u>Seq No.</u>	<u>Field Name</u>	<u>Occ</u>	<u>Type</u>	<u>Format</u>	<u>Pos</u>	<u>Len</u>	<u>Key</u>	<u>Read</u>	<u>Mod</u>
200	NAVNEREG NUMMER		Alpha		1	3			
500	NAVNEREG NAVN		Alpha		4	30			
700	NAVNEREG AFDELING		<u>Alpha</u>		34	5			
800	NAVNEREG ADRESSE	2	Alpha		39	30			
900	NAVNEREG POSTNUMMER		<u>Alpha</u>		99	9			
1000	NAVNEREG KUN EGEN AFD		Y/N		108	1			
1100	NAVNEREG SYSTEMANSV		Y/N		109	1			
1200	NAVNEREG JOURNALANSV		Y/N		110	1			
1300	NAVNEREG JOURNALMED		Y/N		111	1			
1400	NAVNEREG SAGSBEHANDLER		Y/N		112	1			
1500	NAVNEREG MODT AFS		Y/N		113	1			
2900	NAVNEREG OPRET SAGER		Y/N		114	1			
3000	NAVNEREG SLETTET		Y/N		115	1			





AFDELING Afdelinger

Tabel med data om afdelinger.

```

File Type:      Organization      Consecutive
                Location Type     Disk File
                Creation Type     Permanent File
                File Category

Storage:        Compressed Records?  N
                Index Packing Density % 95  Alt Index Packing Density % 95
                Data Packing Density % 90
                Retention Period      Reorg for Growth % 0,0

Field Defaults: Modify Security Class  _____ Read Security Class _____
                Automatic Added By?   N Auto Added      Hi End      Low End
                Automatic Changed By? N Auto Changed   Hi End      Low End

Other Options:  Default Function Name
                Read Only Access Type  Standard Performance
                COBOL Interface        RPG Interface
                Allow Query?           Y
    
```

Added On 15-03-1995 12:39:30:68 By HLS  
 Changed On 15-03-1995 15:49:44:35 By HLS

Field Summary: (Underlined field types indicate SAME AS definitions)

<u>Seq No.</u>	<u>Field Name</u>	<u>Occ</u>	<u>Type</u>	<u>Format</u>	<u>Pos</u>	<u>Len</u>	<u>Key</u>	<u>Read</u>	<u>Mod</u>
100	AFDELING NUMMER		Alpha		1	5			
200	AFDELING BETEGNELSE		Alpha		6	25			
300	AFDELING I BRUG FLAG		Y/N		31	1			
400	AFDELING I BRUG AF		<u>Alpha</u>		32	3			
500	AFDELING NEXT BREVNR		Alpha		35	9			
600	AFDELING SECURITY		Alpha		44	4			
700	AFDELING FOERSTE BNR		Alpha		48	9			
800	AFDELING SIDSTE BNR		Alpha		57	9			
900	AFDELING LOVLIGE U JNR		Alpha		66	2			
1000	AFDELING AKTER U JNR		Alpha		68	2			
1100	AFDELING SLETTEMARK		<u>Y/N</u>		70	1			





SAGER Sagsregister

<u>Seq No.</u>	<u>Field Name</u>	<u>Occ</u>	<u>Type</u>	<u>Format</u>	<u>Pos</u>	<u>Len</u>	<u>Key</u>	<u>Read</u>	<u>Mod</u>
4800	SAGER SECURITY		Alpha		807	4			
4900	SAGER GAMMELT JNR		Alpha		811	20			

SAGSTYPE Sagstyper

Tabel med data om sagstyper.

```

File Type:      Organization      Consecutive
                Location Type     Disk File
                Creation Type     Permanent File
                File Category

Storage:        Compressed Records?  N
                Index Packing Density % 95  Alt Index Packing Density % 95
                Data Packing Density % 90
                Retention Period      Reorg for Growth % 0,0

Field Defaults: Modify Security Class  _____ Read Security Class _____
                Automatic Added By?   N Auto Added      Hi End      Low End
                Automatic Changed By? N Auto Changed    Hi End      Low End

Other Options:  Default Function Name  AJOUR SAGSTYPER
                Read Only Access Type  Standard Performance
                COBOL Interface        RPG Interface
                Allow Query?           Y
    
```

Added On 15-03-1995 12:44:26:19 By HLS  
 Changed On 17-03-1995 14:34:21:90 By HLS

Field Summary: (Underlined field types indicate SAME AS definitions)

<u>Seq No.</u>	<u>Field Name</u>	<u>Occ</u>	<u>Type</u>	<u>Format</u>	<u>Pos</u>	<u>Len</u>	<u>Key</u>	<u>Read</u>	<u>Mod</u>
100	SAGSTYPE NUMMER		Alpha		1	3			
200	SAGSTYPE BETEGNELSE		Alpha		4	30			





VISDOM Vidsomsoversigt

Tabel med data om visdomsmarkeringer i journalplan og sager.

```

File Type:      Organization      Consecutive
                Location Type     Disk File
                Creation Type     Permanent File
                File Category

Storage:        Compressed Records? N
                Index Packing Density % 95  Alt Index Packing Density % 95
                Data Packing Density % 90
                Retention Period      Reorg for Growth % 0,0

Field Defaults: Modify Security Class  _____ Read Security Class _____
                Automatic Added By?   N Auto Added   Hi End   Low End
                Automatic Changed By? N Auto Changed Hi End   Low End

Other Options:  Default Function Name  AJOUR VISDOM
                Read Only Access Type   Standard Performance
                COBOL Interface         RPG Interface
                Allow Query?            Y
    
```

Added On 15-03-1995 12:46:28:39 By HLS  
 Changed On 17-03-1995 14:34:23:88 By HLS

Field Summary: (Underlined field types indicate SAME AS definitions)

<u>Seq No.</u>	<u>Field Name</u>	<u>Occ</u>	<u>Type</u>	<u>Format</u>	<u>Pos</u>	<u>Len</u>	<u>Key</u>	<u>Read</u>	<u>Mod</u>
100	VISDOM NUMMER		Alpha		1	3			
200	VISDOM TEKST		Alpha		4	25			

AKTART Aktens art

Tabel over koder for aktens art.

File Type:            Organization                    Consecutive  
                          Location Type                                    Disk File  
                          Creation Type                                    Permanent File  
                          File Category

Storage:            Compressed Records?            N  
                          Index Packing Density %    95    Alt Index Packing Density %    95  
                          Data Packing Density %    90  
                          Retention Period                                    Reorg for Growth %    0,0

Field Defaults:    Modify Security Class            \_\_\_\_\_ Read Security Class \_\_\_\_\_  
                          Automatic Added By?            N Auto Added            Hi End            Low End  
                          Automatic Changed By?        N Auto Changed        Hi End            Low End

Other Options:    Default Function Name  
                          Read Only Access Type        Standard Performance  
                          COBOL Interface                                    RPG Interface  
                          Allow Query?                                    Y

Added On    15-03-1995 12:40:21:54    By HLS  
 Changed On 17-03-1995 14:34:08:57    By HLS

Field Summary:    (Underlined field types indicate SAME AS definitions)

<u>Seq No.</u>	<u>Field Name</u>	<u>Occ</u>	<u>Type</u>	<u>Format</u>	<u>Pos</u>	<u>Len</u>	<u>Key</u>	<u>Read</u>	<u>Mod</u>
100	AKTART NUMMER		Alpha		1	3			
200	AKTART TEKST		Alpha		4	20			



ARKIVER Arkiver

Tabel med data om arkiver.

```

File Type:      Organization           Consecutive
                Location Type         Disk File
                Creation Type         Permanent File
                File Category

Storage:        Compressed Records?    N
                Index Packing Density % 95  Alt Index Packing Density % 95
                Data Packing Density % 90
                Retention Period        Reorg for Growth % 0,0

Field Defaults: Modify Security Class   _____ Read Security Class _____
                Automatic Added By?    N Auto Added      Hi End      Low End
                Automatic Changed By?  N Auto Changed   Hi End      Low End

Other Options:  Default Function Name
                Read Only Access Type   Standard Performance
                COBOL Interface         RPG Interface
                Allow Query?           Y
    
```

Added On 15-03-1995 12:41:02:92 By HLS  
 Changed On 17-03-1995 14:34:10:59 By HLS

Field Summary: (Underlined field types indicate SAME AS definitions)

<u>Seq No.</u>	<u>Field Name</u>	<u>Occ</u>	<u>Type</u>	<u>Format</u>	<u>Pos</u>	<u>Len</u>	<u>Key</u>	<u>Read</u>	<u>Mod</u>
100	ARKIV NUMMER		Alpha		1	3			
200	ARKIV BETEGNELSE		Alpha		4	30			
300	ARKIV ANSVARLIG		<u>Alpha</u>		34	3			
400	ARKIVER SLETTEMARK		<u>Y/N</u>		37	1			

ARKREGEL Arkivregler

Tabel med data om arkivregler.

```

File Type:      Organization      Consecutive
                Location Type     Disk File
                Creation Type    Permanent File
                File Category

Storage:        Compressed Records?  N
                Index Packing Density % 95  Alt Index Packing Density % 95
                Data Packing Density % 90
                Retention Period      Reorg for Growth % 0,0

Field Defaults: Modify Security Class  _____ Read Security Class _____
                Automatic Added By?   N Auto Added      Hi End      Low End
                Automatic Changed By? N Auto Changed   Hi End      Low End

Other Options:  Default Function Name  AJOUR ARKREGEL
                Read Only Access Type   Standard Performance
                COBOL Interface         RPG Interface
                Allow Query?           Y
    
```

Added On 15-03-1995 12:41:11:71 By HLS  
 Changed On 17-03-1995 14:34:11:38 By HLS

Field Summary: (Underlined field types indicate SAME AS definitions)

<u>Seq No.</u>	<u>Field Name</u>	<u>Occ</u>	<u>Type</u>	<u>Format</u>	<u>Pos</u>	<u>Len</u>	<u>Key</u>	<u>Read</u>	<u>Mod</u>
100	ARKREGEL NUMMER		Alpha		1	3			
200	ARKREGEL BETEGNELSE		Alpha		4	30			
300	ARKREGEL KASSERES		Y/N		34	1			
400	ARKREGEL KASSATIONSTID		Alpha		35	3			
600	ARKREGEL VISDOM		Alpha		38	3			
700	ARKREGEL SAGSBEH TID		Alpha		41	3			
800	ARKREGEL TURN AROUND		Alpha		44	3			
900	ARKREGEL SAG SECURITY		Alpha		47	4			





