

2034

ORIG: KAO COPY:

000100*****
000200* DCLGEN TABLE(H8215.BEST) *
000300* LIBRARY(D7730.DB2COPY(B8215KA0)) *
000400* ACTION(REPLACE) *
000500* STRUCTURE(KAOREC) *
000600* QUOTE *
000700* ... IS THE DCLGEN COMMAND THAT MADE THE FOLLOWING STATEMENTS *
000800*****
000900 EXEC SQL DECLARE H8215.BEST TABLE
001000 (KAONUMSEL CHAR(4) NOT NULL,
001100 KAONAVOUTP CHAR(8) NOT NULL,
001200 KAODATTIL TIMESTAMP NOT NULL,
001300 KA0ANFCENT CHAR(1) NOT NULL,
001400 KA0ANFLOKA CHAR(8) NOT NULL,
001500 KA0KODPRILO CHAR(1) NOT NULL,
001600 KA0ANFEDI CHAR(10) NOT NULL,
001700 KA0KODPRIEDI CHAR(1) NOT NULL,
001800 KA0ANTLIN DECIMAL(6, 0) NOT NULL,
001900 KA0DATKOER DECIMAL(8, 0) NOT NULL,
002000 KA0DATOPDAT TIMESTAMP NOT NULL,
002100 KA0BRULOGON CHAR(8) NOT NULL,
002200 KA0KODFEJBC CHAR(3) NOT NULL,
002300 KA0OPDTV DECIMAL(3, 0) NOT NULL,
002400 KA0NUMFAK DECIMAL(4, 0) NOT NULL
002500) END-EXEC.
002600*****
002700* COBOL DECLARATION FOR TABLE H8215.BEST *
002800*****
002900 01 KAOREC.
003000 10 KAONUMSEL PIC X(4).
003100 10 KAONAVOUTP PIC X(8).
003200 10 KAODATTIL PIC X(26).
003300 10 KA0ANFCENT PIC X(1).
003400 10 KA0ANFLOKA PIC X(8).
003500 10 KA0KODPRILO PIC X(1).
003600 10 KA0ANFEDI PIC X(10).
003700 10 KA0KODPRIEDI PIC X(1).
003800 10 KA0ANTLIN PIC S999999V USAGE COMP-3.
003900 10 KA0DATKOER PIC S9999999V USAGE COMP-3.
004000 10 KA0DATOPDAT PIC X(26).
004100 10 KA0BRULOGON PIC X(8).
004200 10 KA0KODFEJBC PIC X(3).
004300 10 KA0OPDTV PIC S999V USAGE COMP-3.
004400 10 KA0NUMFAK PIC S9999V USAGE COMP-3.
004500*****
004600* THE NUMBER OF COLUMNS DESCRIBED BY THIS DECLARATION IS 15 *
004700*****

1	110	X-DEF.
1	4	X-DEF.
5	8	X-DEF.
13	26	X-DEF.
39	1	X-DEF.
40	8	X-DEF.
48	1	X-DEF.
49	10	X-DEF.
59	1	X-DEF.
60	4	PAKKET
64	5	PAKKET
69	26	X-DEF.
95	8	X-DEF.
103	3	X-DEF.
106	2	PAKKET
108	3	PAKKET

RA FILNR: 2034

Side 100.1

2043

LE C B O O K * * * B 8 2 1 5 K 0 1 * * *

START LENGTH FORMAT DEC 11.01.96 15.23.49 PAGE 1

ORIG: K01 COPY:

```
000100*****
000200* DCLGEN TABLE(H8215.VIRKSOMH) *
000300* LIBRARY(D7730.DB2COPY(B8215K01)) *
000400* ACTION(REPLACE) *
000500* STRUCTURE(K01REC) *
000600* QUOTE *
000700* ... IS THE DCLGEN COMMAND THAT MADE THE FOLLOWING STATEMENTS *
000800*****
000900* EXEC SQL DECLARE H8215.VIRKSOMH TABLE *
001000* ( K01NUMSEL CHAR(4) NOT NULL, *
001100* K01DEVIRK DECIMAL(10, 0) NOT NULL, *
001200* K01DATTIL TIMESTAMP NOT NULL, *
001300* K01NUMSE CHAR(8) NOT NULL, *
001400* K01NUMCPR DECIMAL(10, 0) NOT NULL, *
001500* K01DEVIRHO DECIMAL(10, 0) NOT NULL, *
001600* K01DATOPHOE DECIMAL(8, 0) NOT NULL, *
001700* K01IDEADRES DECIMAL(10, 0) NOT NULL, *
001800* K01IDEBRANC DECIMAL(6, 0) NOT NULL, *
001900* K01NUMKOMMU DECIMAL(3, 0) NOT NULL, *
002000* K01NUMAKTIE CHAR(10) NOT NULL, *
002100* K01TEKKONTA CHAR(35) NOT NULL, *
002200* K01BRULOGON CHAR(8) NOT NULL, *
002300* K01DATOPDAT TIMESTAMP NOT NULL, *
002400* K01OPDTV DECIMAL(3, 0) NOT NULL *
002500* ) END-EXEC. *
002600*****
002700* COBOL DECLARATION FOR TABLE H8215.VIRKSOMH *
002800*****
002900 01 K01REC. *
003000 10 K01NUMSEL PIC X(4). *
003100 10 K01DEVIRK PIC S999999999V USAGE COMP-3. *
003200 10 K01DATTIL PIC X(26). *
003300 10 K01NUMSE PIC X(8). *
003400 10 K01NUMCPR PIC S999999999V USAGE COMP-3. *
003500 10 K01DEVIRHO PIC S999999999V USAGE COMP-3. *
003600 10 K01DATOPHOE PIC S99999999V USAGE COMP-3. *
003700 10 K01IDEADRES PIC S999999999V USAGE COMP-3. *
003800 10 K01IDEBRANC PIC S999999V USAGE COMP-3. *
003900 10 K01NUMKOMMU PIC S999V USAGE COMP-3. *
004000 10 K01NUMAKTIE PIC X(10). *
004100 10 K01TEKKONTA PIC X(35). *
004200 10 K01BRULOGON PIC X(8). *
004300 10 K01DATOPDAT PIC X(26). *
004400 10 K01OPDTV PIC S999V USAGE COMP-3. *
004500*****
004600* THE NUMBER OF COLUMNS DESCRIBED BY THIS DECLARATION IS 15 *
004700*****
```

RA FILNR 2043

1	154	X-DEF.
1	4	X-DEF.
5	6	PAKKET
11	26	X-DEF.
37	8	X-DEF.
45	6	PAKKET
51	6	PAKKET
57	5	PAKKET
62	6	PAKKET
68	4	PAKKET
72	2	PAKKET
74	10	X-DEF.
84	35	X-DEF.
119	8	X-DEF.
127	26	X-DEF.
153	2	PAKKET

SIDE 1.1

3023

E C B O O K * * * B 8 2 1 5 K 6 3 * * *

START LENGTH FORMAT DEC 11.01.96 15.23.49 PAGE 1

ORIG: K63 COPY:

```

000100*****
000200* DCLGEN TABLE(H8215.VIRTRET)
000300* LIBRARY(D7730.DB2COPY(B8215K63))
000400* ACTION(REPLACE)
000500* STRUCTURE(K63REC)
000600* QUOTE
000700* ... IS THE DCLGEN COMMAND THAT MADE THE FOLLOWING STATEMENTS
000800*****
000900 EXEC SQL DECLARE H8215.VIRTRET TABLE
001000 ( K63NUMSEL CHAR(4) NOT NULL,
001100 K63DATIND TIMESTAMP NOT NULL,
001200 K63NUMREC DECIMAL(7, 0) NOT NULL,
001300 K63NUMSE CHAR(8) NOT NULL,
001400 K63RNUCPR CHAR(10) NOT NULL,
001500 K63NUMTELEF CHAR(17) NOT NULL,
001600 K63KODFAX CHAR(1) NOT NULL,
001700 K63BRULOGON CHAR(8) NOT NULL,
001800 K63DATOPDAT TIMESTAMP NOT NULL,
001900 K63FEJNRSE DECIMAL(3, 0) NOT NULL,
002000 K63FEJNRCPR DECIMAL(3, 0) NOT NULL,
002100 K63FEJNRTLF DECIMAL(3, 0) NOT NULL,
002200 K63FEJNRFAX DECIMAL(3, 0) NOT NULL,
002300 K63LEVLOGON CHAR(8) NOT NULL,
002400 K63KODANN CHAR(1) NOT NULL,
002500 K63OPDTV DECIMAL(3, 0) NOT NULL
002600 ) END-EXEC.
002700*****
002800* COBOL DECLARATION FOR TABLE H8215.VIRTRET
002900*****
003000 01 K63REC.
003100 10 K63NUMSEL PIC X(4).
003200 10 K63DATIND PIC X(26).
003300 10 K63NUMREC PIC S9999999V USAGE COMP-3.
003400 10 K63NUMSE PIC X(8).
003500 10 K63RNUCPR PIC X(10).
003600 10 K63NUMTELEF PIC X(17).
003700 10 K63KODFAX PIC X(1).
003800 10 K63BRULOGON PIC X(8).
003900 10 K63DATOPDAT PIC X(26).
004000 10 K63FEJNRSE PIC S999V USAGE COMP-3.
004100 10 K63FEJNRCPR PIC S999V USAGE COMP-3.
004200 10 K63FEJNRTLF PIC S999V USAGE COMP-3.
004300 10 K63FEJNRFAX PIC S999V USAGE COMP-3.
004400 10 K63LEVLOGON PIC X(8).
004500 10 K63KODANN PIC X(1).
004600 10 K63OPDTV PIC S999V USAGE COMP-3.
004700*****
004800* THE NUMBER OF COLUMNS DESCRIBED BY THIS DECLARATION IS 16
004900*****

```

RA FILNR 3023

63.1

1	123	X-DEF.
1	4	X-DEF.
5	26	X-DEF.
31	4	PAKKET
35	8	X-DEF.
43	10	X-DEF.
53	17	X-DEF.
70	1	X-DEF.
71	8	X-DEF.
79	26	X-DEF.
105	2	PAKKET
107	2	PAKKET
109	2	PAKKET
111	2	PAKKET
113	8	X-DEF.
121	1	X-DEF.
122	2	PAKKET

3024

IG: K64 COPY:

```
100*****
200* DCLGEN TABLE(H8215.AFDRET) *
300* LIBRARY(D7730.DB2COPY(B8215K64)) *
400* ACTION(REPLACE) *
500* STRUCTURE(K64REC) *
600* QUOTE *
700* ... IS THE DCLGEN COMMAND THAT MADE THE FOLLOWING STATEMENTS *
800*****
900 EXEC SQL DECLARE H8215.AFDRET TABLE
000 ( K64NUMSEL CHAR(4) NOT NULL,
100 K64DATIND TIMESTAMP NOT NULL,
200 K64NUMREC DECIMAL(7, 0) NOT NULL,
300 K64NUMSE CHAR(8) NOT NULL,
400 K64RNUCPR CHAR(10) NOT NULL,
500 K64RIDAFDEL CHAR(2) NOT NULL,
600 K64RNUKOM CHAR(3) NOT NULL,
700 K64RDAOPH CHAR(8) NOT NULL,
800 K64TEKKONTA CHAR(35) NOT NULL,
900 K64NAVFIRMA CHAR(35) NOT NULL,
000 K64NAVFOR CHAR(35) NOT NULL,
100 K64NAVEFTER CHAR(35) NOT NULL,
200 K64NAVCO CHAR(35) NOT NULL,
300 K64NAVVEJ CHAR(35) NOT NULL,
400 K64NAVBY CHAR(35) NOT NULL,
500 K64RNUPOST CHAR(4) NOT NULL,
600 K64RKODVEJ CHAR(4) NOT NULL,
700 K64BRULOGON CHAR(8) NOT NULL,
800 K64DATOPDAT TIMESTAMP NOT NULL,
900 K64FEJNRSE DECIMAL(3, 0) NOT NULL,
000 K64FEJNRCPR DECIMAL(3, 0) NOT NULL,
100 K64FEJNRAFD DECIMAL(3, 0) NOT NULL,
200 K64FEJNRKOM DECIMAL(3, 0) NOT NULL,
300 K64FEJNROPH DECIMAL(3, 0) NOT NULL,
400 K64FEJNRPOS DECIMAL(3, 0) NOT NULL,
500 K64FEJVEJN DECIMAL(3, 0) NOT NULL,
600 K64FEJKODVE DECIMAL(3, 0) NOT NULL,
700 K64LEVLOGON CHAR(8) NOT NULL,
800 K64KODANN CHAR(1) NOT NULL,
900 K64OPDTV DECIMAL(3, 0) NOT NULL
000 ) END-EXEC.
```

```
100*****
200* COBOL DECLARATION FOR TABLE H8215.AFDRET *
300*****
```

```
400 01 K64REC.
500 10 K64NUMSEL PIC X(4).
600 10 K64DATIND PIC X(26).
700 10 K64NUMREC PIC S9999999V USAGE COMP-3.
800 10 K64NUMSE PIC X(8).
900 10 K64RNUCPR PIC X(10).
000 10 K64RIDAFDEL PIC X(2).
100 10 K64RNUKOM PIC X(3).
200 10 K64RDAOPH PIC X(8).
300 10 K64TEKKONTA PIC X(35).
400 10 K64NAVFIRMA PIC X(35).
500 10 K64NAVFOR PIC X(35).
600 10 K64NAVEFTER PIC X(35).
700 10 K64NAVCO PIC X(35).
800 10 K64NAVVEJ PIC X(35).
```

1	379	X-DEF.
1	4	X-DEF.
5	26	X-DEF.
31	4	PAKKET
35	8	X-DEF.
43	10	X-DEF.
53	2	X-DEF.
55	3	X-DEF.
58	8	X-DEF.
66	35	X-DEF.
101	35	X-DEF.
136	35	X-DEF.
171	35	X-DEF.
206	35	X-DEF.
241	35	X-DEF.

RA FILNR 3024

64.1

C B O O K * * * B 8 2 1 5 K 6 4 * * *				START	LENGTH	FORMAT	DEC	11.01.96	15.23.49	PAGE	2
IG: K64 COPY:											
900	10	K64NAVBY	PIC X(35).	276	35	X-DEF.					
000	10	K64RNUPOST	PIC X(4).	311	4	X-DEF.					
100	10	K64RKODVEJ	PIC X(4).	315	4	X-DEF.					
200	10	K64BRULOGON	PIC X(8).	319	8	X-DEF.					
300	10	K64DATOPDAT	PIC X(26).	327	26	X-DEF.					
400	10	K64FEJNRSE	PIC S999V USAGE COMP-3.	353	2	PAKKET					
500	10	K64FEJNRCPR	PIC S999V USAGE COMP-3.	355	2	PAKKET					
600	10	K64FEJNRAFD	PIC S999V USAGE COMP-3.	357	2	PAKKET					
700	10	K64FEJNRKOM	PIC S999V USAGE COMP-3.	359	2	PAKKET					
800	10	K64FEJNRPH	PIC S999V USAGE COMP-3.	361	2	PAKKET					
900	10	K64FEJNRPOS	PIC S999V USAGE COMP-3.	363	2	PAKKET					
000	10	K64FEJVEJN	PIC S999V USAGE COMP-3.	365	2	PAKKET					
100	10	K64FEJKODVE	PIC S999V USAGE COMP-3.	367	2	PAKKET					
200	10	K64LEVLOGON	PIC X(8).	369	8	X-DEF.					
300	10	K64KODANN	PIC X(1).	377	1	X-DEF.					
400	10	K64OPDTV	PIC S999V USAGE COMP-3.	378	2	PAKKET					
500*****											
600* THE NUMBER OF COLUMNS DESCRIBED BY THIS DECLARATION IS 30 *											
700*****											

ORIG: K65 COPY:

```
00100*****
00200* DCLGEN TABLE(H8215.AFDTLRET)
00300* LIBRARY(D7730.DB2COPY(B8215K65))
00400* ACTION(REPLACE)
00500* STRUCTURE(K65REC)
00600* QUOTE
00700* ... IS THE DCLGEN COMMAND THAT MADE THE FOLLOWING STATEMENTS
00800*****
00900 EXEC SQL DECLARE H8215.AFDTLRET TABLE
01000 ( K65NUMSEL CHAR(4) NOT NULL,
01100 K65DATIND TIMESTAMP NOT NULL,
01200 K65NUMREC DECIMAL(7, 0) NOT NULL,
01300 K65RIDAFDEL CHAR(2) NOT NULL,
01400 K65NUMSE CHAR(8) NOT NULL,
01500 K65RNUCPR CHAR(10) NOT NULL,
01600 K65NUMTELEF CHAR(17) NOT NULL,
01700 K65KODFAX CHAR(1) NOT NULL,
01800 K65BRULOGON CHAR(8) NOT NULL,
01900 K65DATOPDAT TIMESTAMP NOT NULL,
02000 K65FEJNRSE DECIMAL(3, 0) NOT NULL,
02100 K65FEJNRCPR DECIMAL(3, 0) NOT NULL,
02200 K65FEJNRAFD DECIMAL(3, 0) NOT NULL,
02300 K65FEJNRTLFL DECIMAL(3, 0) NOT NULL,
02400 K65FEJNRFAX DECIMAL(3, 0) NOT NULL,
02500 K65LEVLOGON CHAR(8) NOT NULL,
02600 K65KODANN CHAR(1) NOT NULL,
02700 K65OPDTV DECIMAL(3, 0) NOT NULL
02800 ) END-EXEC
02900*****
03000* COBOL DECLARATION FOR TABLE H8215.AFDTLRET
03100*****
03200 01 K65REC.
03300 10 K65NUMSEL PIC X(4).
03400 10 K65DATIND PIC X(26).
03500 10 K65NUMREC PIC S9999999V USAGE COMP-3.
03600 10 K65RIDAFDEL PIC X(2).
03700 10 K65NUMSE PIC X(8).
03800 10 K65RNUCPR PIC X(10).
03900 10 K65NUMTELEF PIC X(17).
04000 10 K65KODFAX PIC X(1).
04100 10 K65BRULOGON PIC X(8).
04200 10 K65DATOPDAT PIC X(26).
04300 10 K65FEJNRSE PIC S999V USAGE COMP-3.
04400 10 K65FEJNRCPR PIC S999V USAGE COMP-3.
04500 10 K65FEJNRAFD PIC S999V USAGE COMP-3.
04600 10 K65FEJNRTLFL PIC S999V USAGE COMP-3.
04700 10 K65FEJNRFAX PIC S999V USAGE COMP-3.
04800 10 K65LEVLOGON PIC X(8).
04900 10 K65KODANN PIC X(1).
05000 10 K65OPDTV PIC S999V USAGE COMP-3.
05100*****
05200* THE NUMBER OF COLUMNS DESCRIBED BY THIS DECLARATION IS 18
05300*****
```

1	127	X-DEF.
1	4	X-DEF.
5	26	X-DEF.
31	4	PAKKET
35	2	X-DEF.
37	8	X-DEF.
45	10	X-DEF.
55	17	X-DEF.
72	1	X-DEF.
73	8	X-DEF.
81	26	X-DEF.
107	2	PAKKET
109	2	PAKKET
111	2	PAKKET
113	2	PAKKET
115	2	PAKKET
117	8	X-DEF.
125	1	X-DEF.
126	2	PAKKET

RA FILNR 3025

65.1

G: K67 COPY:

00	01	K67REC.			1	347	X-DEF.
00	10	K67NUMSEL	PIC X(4).		1	4	X-DEF.
00	10	K67DATIND	PIC X(26).		5	26	X-DEF.
00	10	K67NUMREC	PIC S9999999V USAGE COMP-3.		31	4	PAKKET
00	10	K67ARTDYR	PIC X(2).		35	2	X-DEF.
00	10	K67ARTBRUGS	PIC X(2).		37	2	X-DEF.
00	10	K67RIDCHR	PIC X(6).		39	6	X-DEF.
00	10	K67NUMSE	PIC X(8).		45	8	X-DEF.
00	10	K67RNUCPR	PIC X(10).		53	10	X-DEF.
00	10	K67NAVBRU	PIC X(35).		63	35	X-DEF.
00	10	K67NAVVEJ	PIC X(35).		98	35	X-DEF.
00	10	K67NAVBY	PIC X(35).		133	35	X-DEF.
00	10	K67RNUPOST	PIC X(4).		168	4	X-DEF.
00	10	K67RKODVEJ	PIC X(4).		172	4	X-DEF.
00	10	K67KODVETPR	PIC X(1).		176	1	X-DEF.
00	10	K67NUMINDJO	PIC X(34).		177	34	X-DEF.
00	10	K67RDAINDB	PIC X(8).		211	8	X-DEF.
00	10	K67RIDBES	PIC X(6).		219	6	X-DEF.
00	10	K67NUMPRAKS	PIC X(6).		225	6	X-DEF.
00	10	K67RDABESOP	PIC X(8).		231	8	X-DEF.
00	10	K67RDAOPH	PIC X(8).		239	8	X-DEF.
00	10	K67RANTDYR1	PIC X(7).		247	7	X-DEF.
00	10	K67RANTDYR2	PIC X(7).		254	7	X-DEF.
00	10	K67RDAGLFOR	PIC X(8).		261	8	X-DEF.
00	10	K67BRULOGON	PIC X(8).		269	8	X-DEF.
00	10	K67DATOPDAT	PIC X(26).		277	26	X-DEF.
00	10	K67FEJNRDYR	PIC S999V USAGE COMP-3.		303	2	PAKKET
00	10	K67FEJNRBRU	PIC S999V USAGE COMP-3.		305	2	PAKKET
00	10	K67FEJIDCHR	PIC S999V USAGE COMP-3.		307	2	PAKKET
00	10	K67FEJNRSE	PIC S999V USAGE COMP-3.		309	2	PAKKET
00	10	K67FEJNRCPR	PIC S999V USAGE COMP-3.		311	2	PAKKET
00	10	K67FEJVEJN	PIC S999V USAGE COMP-3.		313	2	PAKKET
00	10	K67FEJNRPOS	PIC S999V USAGE COMP-3.		315	2	PAKKET
00	10	K67FEJKODVE	PIC S999V USAGE COMP-3.		317	2	PAKKET
00	10	K67FEJNRVET	PIC S999V USAGE COMP-3.		319	2	PAKKET
00	10	K67FEJNRIND	PIC S999V USAGE COMP-3.		321	2	PAKKET
00	10	K67FEJNRBES	PIC S999V USAGE COMP-3.		323	2	PAKKET
00	10	K67FEJNRPRA	PIC S999V USAGE COMP-3.		325	2	PAKKET
00	10	K67FEJNRBOP	PIC S999V USAGE COMP-3.		327	2	PAKKET
00	10	K67FEJNROPH	PIC S999V USAGE COMP-3.		329	2	PAKKET
00	10	K67FEJNRDY1	PIC S999V USAGE COMP-3.		331	2	PAKKET
00	10	K67FEJNRDY2	PIC S999V USAGE COMP-3.		333	2	PAKKET
00	10	K67FEJNRCFR	PIC S999V USAGE COMP-3.		335	2	PAKKET
00	10	K67KODANN	PIC X(1).		337	1	X-DEF.
00	10	K67LEVLOGON	PIC X(8).		338	8	X-DEF.
00	10	K67OPDTV	PIC S999V USAGE COMP-3.		346	2	PAKKET

RA FILNR 3027

67.1

00 THE NUMBER OF COLUMNS DESCRIBED BY THIS DECLARATION IS 45

E C B O O K * * * B 8 2 1 5 K 6 6 * * * START LENGTH FORMAT DEC 11.01.96 15.23.49 PAGE 1

ORIG: K66 COPY:

```

00100*****
00200* DCLGEN TABLE(H8215.ADKOMRET)
00300* LIBRARY(D7730.DB2COPY(B8215K66))
00400* ACTION(REPLACE)
00500* STRUCTURE(K66REC)
00600* QUOTE
00700* ... IS THE DCLGEN COMMAND THAT MADE THE FOLLOWING STATEMENTS
00800*****
00900 EXEC SQL DECLARE H8215.ADKOMRET TABLE
01000 ( K66NUMSEL CHAR(4) NOT NULL,
01100 K66DATIND TIMESTAMP NOT NULL,
01200 K66NUMREC DECIMAL(7, 0) NOT NULL,
01300 K66NUMSE CHAR(8) NOT NULL,
01400 K66RNUCPR CHAR(10) NOT NULL,
01500 K66RNUEJD CHAR(7) NOT NULL,
01600 K66RNUKOM CHAR(3) NOT NULL,
01700 K66RDAOPH CHAR(8) NOT NULL,
01800 K66BRULOGON CHAR(8) NOT NULL,
01900 K66DATOPDAT TIMESTAMP NOT NULL,
02000 K66FEJNRSE DECIMAL(3, 0) NOT NULL,
02100 K66FEJNRCPR DECIMAL(3, 0) NOT NULL,
02200 K66FEJNREJD DECIMAL(3, 0) NOT NULL,
02300 K66FEJNRKOM DECIMAL(3, 0) NOT NULL,
02400 K66LEVLOGON CHAR(8) NOT NULL,
02500 K66FEJNROPH DECIMAL(3, 0) NOT NULL,
02600 K66KODANN CHAR(1) NOT NULL,
02700 K66OPDTV DECIMAL(3, 0) NOT NULL
02800 ) END-EXEC.
02900*****
03000* COBOL DECLARATION FOR TABLE H8215.ADKOMRET
03100*****
03200 01 K66REC.
03300 10 K66NUMSEL PIC X(4).
03400 10 K66DATIND PIC X(26).
03500 10 K66NUMREC PIC S9999999V USAGE COMP-3.
03600 10 K66NUMSE PIC X(8).
03700 10 K66RNUCPR PIC X(10).
03800 10 K66RNUEJD PIC X(7).
03900 10 K66RNUKOM PIC X(3).
04000 10 K66RDAOPH PIC X(8).
04100 10 K66BRULOGON PIC X(8).
04200 10 K66DATOPDAT PIC X(26).
04300 10 K66FEJNRSE PIC S999V USAGE COMP-3.
04400 10 K66FEJNRCPR PIC S999V USAGE COMP-3.
04500 10 K66FEJNREJD PIC S999V USAGE COMP-3.
04600 10 K66FEJNRKOM PIC S999V USAGE COMP-3.
04700 10 K66LEVLOGON PIC X(8).
04800 10 K66FEJNROPH PIC S999V USAGE COMP-3.
04900 10 K66KODANN PIC X(1).
05000 10 K66OPDTV PIC S999V USAGE COMP-3.
05100*****
05200* THE NUMBER OF COLUMNS DESCRIBED BY THIS DECLARATION IS 18
05300*****

```

1	125	X-DEF.
1	4	X-DEF.
5	26	X-DEF.
31	4	PAKKET
35	8	X-DEF.
43	10	X-DEF.
53	7	X-DEF.
60	3	X-DEF.
63	8	X-DEF.
71	8	X-DEF.
79	26	X-DEF.
105	2	PAKKET
107	2	PAKKET
109	2	PAKKET
111	2	PAKKET
113	8	X-DEF.
121	2	PAKKET
123	1	X-DEF.
124	2	PAKKET

RA FILNR 3026

66.1

3027

E C B O O K * * * B 8 2 1 5 K 6 7 * * *

START LENGTH FORMAT DEC 11.01.96 15.23.49 PAGE 1

ORIG: K67 COPY:

```
0100*****
0200* DCLGEN TABLE(H8215.BESRET) *
0300* LIBRARY(D7730.DB2COPY(B8215K67)) *
0400* ACTION(REPLACE) *
0500* STRUCTURE(K67REC) *
0600* QUOTE *
0700* ... IS THE DCLGEN COMMAND THAT MADE THE FOLLOWING STATEMENTS *
0800*****
0900 EXEC SQL DECLARE H8215.BESRET TABLE
1000 ( K67NUMSEL CHAR(4) NOT NULL,
1100 K67DATIND TIMESTAMP NOT NULL,
1200 K67NUMREC DECIMAL(7, 0) NOT NULL,
1300 K67ARTDYR CHAR(2) NOT NULL,
1400 K67ARTBRUGS CHAR(2) NOT NULL,
1500 K67RIDCHR CHAR(6) NOT NULL,
1600 K67NUMSE CHAR(8) NOT NULL,
1700 K67RNUCPR CHAR(10) NOT NULL,
1800 K67NAVBRU CHAR(35) NOT NULL,
1900 K67NAVVEJ CHAR(35) NOT NULL,
2000 K67NAVBY CHAR(35) NOT NULL,
2100 K67RNUPOST CHAR(4) NOT NULL,
2200 K67RKODVEJ CHAR(4) NOT NULL,
2300 K67KODVETPR CHAR(1) NOT NULL,
2400 K67NUMINDJO CHAR(34) NOT NULL,
2500 K67RDAINDB CHAR(8) NOT NULL,
2600 K67RIDBES CHAR(6) NOT NULL,
2700 K67NUMPRAKS CHAR(6) NOT NULL,
2800 K67RDABESOP CHAR(8) NOT NULL,
2900 K67RDAOPH CHAR(8) NOT NULL,
3000 K67RANTDYR1 CHAR(7) NOT NULL,
3100 K67RANTDYR2 CHAR(7) NOT NULL,
3200 K67RDAGLFOR CHAR(8) NOT NULL,
3300 K67BRULOGON CHAR(8) NOT NULL,
3400 K67DATOPDAT TIMESTAMP NOT NULL,
3500 K67FEJNRDYR DECIMAL(3, 0) NOT NULL,
3600 K67FEJNRBRU DECIMAL(3, 0) NOT NULL,
3700 K67FEJIDCHR DECIMAL(3, 0) NOT NULL,
3800 K67FEJNRSE DECIMAL(3, 0) NOT NULL,
3900 K67FEJNRCPR DECIMAL(3, 0) NOT NULL,
4000 K67FEJVEJN DECIMAL(3, 0) NOT NULL,
4100 K67FEJNRPOS DECIMAL(3, 0) NOT NULL,
4200 K67FEJKODVE DECIMAL(3, 0) NOT NULL,
4300 K67FEJNRVET DECIMAL(3, 0) NOT NULL,
4400 K67FEJNRIND DECIMAL(3, 0) NOT NULL,
4500 K67FEJNRBES DECIMAL(3, 0) NOT NULL,
4600 K67FEJNRPRA DECIMAL(3, 0) NOT NULL,
4700 K67FEJNRBOP DECIMAL(3, 0) NOT NULL,
4800 K67FEJNROPH DECIMAL(3, 0) NOT NULL,
4900 K67FEJNRDY1 DECIMAL(3, 0) NOT NULL,
5000 K67FEJNRDY2 DECIMAL(3, 0) NOT NULL,
5100 K67FEJNRGFR DECIMAL(3, 0) NOT NULL,
5200 K67KODANN CHAR(1) NOT NULL,
5300 K67LEVLOGON CHAR(8) NOT NULL,
5400 K67OPDTV DECIMAL(3, 0) NOT NULL,
5500 ) END-EXEC.
5600*****
5700* COBOL DECLARATION FOR TABLE H8215.BESRET *
5800*****
```

3028

E C B O O K * * * B 8 2 1 5 K 6 8 * * *

START LENGTH FORMAT DEC 11.01.96 15.23.49 PAGE 1

ORIG: K68 COPY:

```

00100*****
00200* DCLGEN TABLE(H8215.BESTLRET) *
00300* LIBRARY(D7730.DB2COPY(B8215K68)) *
00400* ACTION(REPLACE) *
00500* STRUCTURE(K68REC) *
00600* QUOTE *
00700* ... IS THE DCLGEN COMMAND THAT MADE THE FOLLOWING STATEMENTS *
00800*****
00900 EXEC SQL DECLARE H8215.BESTLRET TABLE *
01000 ( K68NUMSEL CHAR(4) NOT NULL, *
01100 K68DATIND TIMESTAMP NOT NULL, *
01200 K68NUMREC DECIMAL(7, 0) NOT NULL, *
01300 K68RIDCHR CHAR(6) NOT NULL, *
01400 K68NUMTELEF CHAR(17) NOT NULL, *
01500 K68KODFAX CHAR(1) NOT NULL, *
01600 K68BRULOGON CHAR(8) NOT NULL, *
01700 K68DATOPDAT TIMESTAMP NOT NULL, *
01800 K68FEJIDCHR DECIMAL(3, 0) NOT NULL, *
01900 K68FEJNRTLF DECIMAL(3, 0) NOT NULL, *
02000 K68FEJNRFAX DECIMAL(3, 0) NOT NULL, *
02100 K68LEVLOGON CHAR(8) NOT NULL, *
02200 K68KODANN CHAR(1) NOT NULL, *
02300 K68OPDTV DECIMAL(3, 0) NOT NULL *
02400 ) END-EXEC. *
02500*****
02600* COBOL DECLARATION FOR TABLE H8215.BESTLRET *
02700*****
02800 01 K68REC. *
02900 10 K68NUMSEL PIC X(4). *
03000 10 K68DATIND PIC X(26). *
03100 10 K68NUMREC PIC S9999999V USAGE COMP-3. *
03200 10 K68RIDCHR PIC X(6). *
03300 10 K68NUMTELEF PIC X(17). *
03400 10 K68KODFAX PIC X(1). *
03500 10 K68BRULOGON PIC X(8). *
03600 10 K68DATOPDAT PIC X(26). *
03700 10 K68FEJIDCHR PIC S999V USAGE COMP-3. *
03800 10 K68FEJNRTLF PIC S999V USAGE COMP-3. *
03900 10 K68FEJNRFAX PIC S999V USAGE COMP-3. *
04000 10 K68LEVLOGON PIC X(8). *
04100 10 K68KODANN PIC X(1). *
04200 10 K68OPDTV PIC S999V USAGE COMP-3. *
04300*****
04400* THE NUMBER OF COLUMNS DESCRIBED BY THIS DECLARATION IS 14 *
04500*****

```

RA FILNR 3028

1	109	X-DEF.
1	4	X-DEF.
5	26	X-DEF.
31	4	PAKKET
35	6	X-DEF.
41	17	X-DEF.
58	1	X-DEF.
59	8	X-DEF.
67	26	X-DEF.
93	2	PAKKET
95	2	PAKKET
97	2	PAKKET
99	8	X-DEF.
107	1	X-DEF.
108	2	PAKKET

68.1

ORIG: K70 COPY:

```
00100*****
00200* DCLGEN TABLE(H8215.MATRRET) *
00300* LIBRARY(D7730.DB2COPY(B8215K70)) *
00400* ACTION(REPLACE) *
00500* STRUCTURE(K70REC) *
00600* QUOTE *
00700* ... IS THE DCLGEN COMMAND THAT MADE THE FOLLOWING STATEMENTS *
00800*****
00900 EXEC SQL DECLARE H8215.MATRRET TABLE
01000 ( K70NUMSEL CHAR(4) NOT NULL,
01100 K70DATIND TIMESTAMP NOT NULL,
01200 K70NUMREC DECIMAL(7, 0) NOT NULL,
01300 K70RKOEJREL CHAR(7) NOT NULL,
01400 K70RNUMATRI CHAR(5) NOT NULL,
01500 K70BOGMATRI CHAR(3) NOT NULL,
01600 K70RNUNOTEJ CHAR(7) NOT NULL,
01700 K70RANAREM2 CHAR(9) NOT NULL,
01800 K70RANLODDE CHAR(4) NOT NULL,
01900 K70ORDAOPH CHAR(8) NOT NULL,
02000 K70BRULOGON CHAR(8) NOT NULL,
02100 K70DATOPDAT TIMESTAMP NOT NULL,
02200 K70FEJNREJL DECIMAL(3, 0) NOT NULL,
02300 K70FEJNRMAT DECIMAL(3, 0) NOT NULL,
02400 K70FEJNRBMA DECIMAL(3, 0) NOT NULL,
02500 K70FEJNRNOT DECIMAL(3, 0) NOT NULL,
02600 K70FEJNRAM2 DECIMAL(3, 0) NOT NULL,
02700 K70FEJNRALO DECIMAL(3, 0) NOT NULL,
02800 K70FEJNROPH DECIMAL(3, 0) NOT NULL,
02900 K70LEVLOGON CHAR(8) NOT NULL,
03000 K70KODANN CHAR(1) NOT NULL,
03100 K70OPDTV DECIMAL(3, 0) NOT NULL
03200 ) END-EXEC.
03300*****
03400* COBOL DECLARATION FOR TABLE H8215.MATRRET *
03500*****
03600 01 K70REC.
03700 10 K70NUMSEL PIC X(4).
03800 10 K70DATIND PIC X(26).
03900 10 K70NUMREC PIC S9999999V USAGE COMP-3.
04000 10 K70RKOEJREL PIC X(7).
04100 10 K70RNUMATRI PIC X(5).
04200 10 K70BOGMATRI PIC X(3).
04300 10 K70RNUNOTEJ PIC X(7).
04400 10 K70RANAREM2 PIC X(9).
04500 10 K70RANLODDE PIC X(4).
04600 10 K70ORDAOPH PIC X(8).
04700 10 K70BRULOGON PIC X(8).
04800 10 K70DATOPDAT PIC X(26).
04900 10 K70FEJNREJL PIC S999V USAGE COMP-3.
05000 10 K70FEJNRMAT PIC S999V USAGE COMP-3.
05100 10 K70FEJNRBMA PIC S999V USAGE COMP-3.
05200 10 K70FEJNRNOT PIC S999V USAGE COMP-3.
05300 10 K70FEJNRAM2 PIC S999V USAGE COMP-3.
05400 10 K70FEJNRALO PIC S999V USAGE COMP-3.
05500 10 K70FEJNROPH PIC S999V USAGE COMP-3.
05600 10 K70LEVLOGON PIC X(8).
05700 10 K70KODANN PIC X(1).
05800 10 K70OPDTV PIC S999V USAGE COMP-3.
```

RA FILE 3029

70.1

1	136	X-DEF.
1	4	X-DEF.
5	26	X-DEF.
31	4	PAKKET
35	7	X-DEF.
42	5	X-DEF.
47	3	X-DEF.
50	7	X-DEF.
57	9	X-DEF.
66	4	X-DEF.
70	8	X-DEF.
78	8	X-DEF.
86	26	X-DEF.
112	2	PAKKET
114	2	PAKKET
116	2	PAKKET
118	2	PAKKET
120	2	PAKKET
122	2	PAKKET
124	2	PAKKET
126	8	X-DEF.
134	1	X-DEF.
135	2	PAKKET

ORIG: K72 COPY:

```
000100*****
000200* DCLGEN TABLE(H8215.MERKERET) *
000300* LIBRARY(D7730.DB2COPY(B8215K72)) *
000400* ACTION(REPLACE) *
000500* STRUCTURE(K72REC) *
000600* QUOTE *
000700* ... IS THE DCLGEN COMMAND THAT MADE THE FOLLOWING STATEMENTS *
000800*****
000900 EXEC SQL DECLARE H8215.MERKERET TABLE
001000 ( K72NUMSEL CHAR(4) NOT NULL,
001100 K72DATIND TIMESTAMP NOT NULL,
001200 K72NUMREC DECIMAL(7, 0) NOT NULL,
001300 K72ARTDYR CHAR(2) NOT NULL,
001400 K72RIDCHR CHAR(6) NOT NULL,
001500 K72NUMFRAMA CHAR(4) NOT NULL,
001600 K72NUMTILMA CHAR(4) NOT NULL,
001700 K72RANMRK CHAR(5) NOT NULL,
001800 K72KODFARVE CHAR(2) NOT NULL,
001900 K72RDAUDMRK CHAR(8) NOT NULL,
002000 K72RNRUDMRK CHAR(2) NOT NULL,
002100 K72FEJNRDYR DECIMAL(3, 0) NOT NULL,
002200 K72FEJIDCHR DECIMAL(3, 0) NOT NULL,
002300 K72FEJNRFRA DECIMAL(3, 0) NOT NULL,
002400 K72FEJNRTIL DECIMAL(3, 0) NOT NULL,
002500 K72FEJNRANT DECIMAL(3, 0) NOT NULL,
002600 K72FEJNRFAR DECIMAL(3, 0) NOT NULL,
002700 K72FEJNRUDL DECIMAL(3, 0) NOT NULL,
002800 K72FEJNRUNR DECIMAL(3, 0) NOT NULL,
002900 K72LEVLOGON CHAR(8) NOT NULL,
003000 K72KODANN CHAR(1) NOT NULL,
003100 K72BRULOGON CHAR(8) NOT NULL,
003200 K72DATOPDAT TIMESTAMP NOT NULL,
003300 K72OPDTV DECIMAL(3, 0) NOT NULL
003400 ) END-EXEC.
```

003500*****
003600* COBOL DECLARATION FOR TABLE H8215.MERKERET *

```
003700*****
003800 01 K72REC.
003900 10 K72NUMSEL PIC X(4).
004000 10 K72DATIND PIC X(26).
004100 10 K72NUMREC PIC S9999999V USAGE COMP-3.
004200 10 K72ARTDYR PIC X(2).
004300 10 K72RIDCHR PIC X(6).
004400 10 K72NUMFRAMA PIC X(4).
004500 10 K72NUMTILMA PIC X(4).
004600 10 K72RANMRK PIC X(5).
004700 10 K72KODFARVE PIC X(2).
004800 10 K72RDAUDMRK PIC X(8).
004900 10 K72RNRUDMRK PIC X(2).
005000 10 K72FEJNRDYR PIC S999V USAGE COMP-3.
005100 10 K72FEJIDCHR PIC S999V USAGE COMP-3.
005200 10 K72FEJNRFRA PIC S999V USAGE COMP-3.
005300 10 K72FEJNRTIL PIC S999V USAGE COMP-3.
005400 10 K72FEJNRANT PIC S999V USAGE COMP-3.
005500 10 K72FEJNRFAR PIC S999V USAGE COMP-3.
005600 10 K72FEJNRUDL PIC S999V USAGE COMP-3.
005700 10 K72FEJNRUNR PIC S999V USAGE COMP-3.
005800 10 K72LEVLOGON PIC X(8).
```

RA FILNR 3030

72.1

1	128	X-DEF.
1	4	X-DEF.
5	26	X-DEF.
31	4	PAKKET
35	2	X-DEF.
37	6	X-DEF.
43	4	X-DEF.
47	4	X-DEF.
51	5	X-DEF.
56	2	X-DEF.
58	8	X-DEF.
66	2	X-DEF.
68	2	PAKKET
70	2	PAKKET
72	2	PAKKET
74	2	PAKKET
76	2	PAKKET
78	2	PAKKET
80	2	PAKKET
82	2	PAKKET
84	8	X-DEF.

2044

BOOK *** B 8 2 1 5 K 0 4 ***

START LENGTH FORMAT DEC 11.01.96 15.23.49 PAGE 1

K04 COPY:

```
0*****
0* DCLGEN TABLE(H8215.ADRESSE)
0* LIBRARY(D7730.DB2COPY(B8215K04))
0* ACTION(REPLACE)
0* STRUCTURE(K04REC)
0* QUOTE
0* ... IS THE DCLGEN COMMAND THAT MADE THE FOLLOWING STATEMENTS
0*****
0 EXEC SQL DECLARE H8215.ADRESSE TABLE
0 ( K04NUMSEL CHAR(4) NOT NULL,
0 K04IDEADRES DECIMAL(10, 0) NOT NULL,
0 K04NAVFIRMA CHAR(35) NOT NULL,
0 K04NAVFOR CHAR(35) NOT NULL,
0 K04NAVEFTER CHAR(35) NOT NULL,
0 K04NAVCO CHAR(35) NOT NULL,
0 K04NAVVEJ CHAR(35) NOT NULL,
0 K04NAVBY CHAR(35) NOT NULL,
0 K04NUMPOST DECIMAL(4, 0) NOT NULL,
0 K04KODVEJ DECIMAL(4, 0) NOT NULL,
0 K04FINNAVN CHAR(105) NOT NULL,
0 K04FINVEJN CHAR(35) NOT NULL,
0 K04BRULOGON CHAR(8) NOT NULL,
0 K04DATOPDAT TIMESTAMP NOT NULL,
0 K04OPDTV DECIMAL(3, 0) NOT NULL,
0 K04IDEADTIL DECIMAL(10, 0) NOT NULL,
0 K04SYSLEC1 DECIMAL(1, 0) NOT NULL,
0 K04SYSLEC2 DECIMAL(1, 0) NOT NULL,
0 K04NUMKOMMU DECIMAL(3, 0) NOT NULL,
0 K04NUMHUSBO CHAR(1) NOT NULL,
0 K04NAVETAGE CHAR(2) NOT NULL,
0 K04NAVSIDED CHAR(4) NOT NULL,
0 K04KODANADR CHAR(3) NOT NULL,
0 K04KODVEADR CHAR(1) NOT NULL,
0 K04IDESTED DECIMAL(10, 0) NOT NULL,
0 K04KODAKADR CHAR(1) NOT NULL,
0 K04DATADRBE DECIMAL(8, 0) NOT NULL,
0 K04NUMHUSNR DECIMAL(3, 0) NOT NULL
0 ) END-EXEC.
0*****
0* COBOL DECLARATION FOR TABLE H8215.ADRESSE
0*****
0 01 K04REC.
0 10 K04NUMSEL PIC X(4).
0 10 K04IDEADRES PIC S999999999V USAGE COMP-3.
0 10 K04NAVFIRMA PIC X(35).
0 10 K04NAVFOR PIC X(35).
0 10 K04NAVEFTER PIC X(35).
0 10 K04NAVCO PIC X(35).
0 10 K04NAVVEJ PIC X(35).
0 10 K04NAVBY PIC X(35).
0 10 K04NUMPOST PIC S9999V USAGE COMP-3.
0 10 K04KODVEJ PIC S9999V USAGE COMP-3.
0 10 K04FINNAVN PIC X(105).
0 10 K04FINVEJN PIC X(35).
0 10 K04BRULOGON PIC X(8).
0 10 K04DATOPDAT PIC X(26).
0 10 K04OPDTV PIC S999V USAGE COMP-3.
0 10 K04IDEADTIL PIC S9999999999V USAGE COMP-3.
```

1	437	X-DEF.
1	4	X-DEF.
5	6	PAKKET
11	35	X-DEF.
46	35	X-DEF.
81	35	X-DEF.
116	35	X-DEF.
151	35	X-DEF.
186	35	X-DEF.
221	3	PAKKET
224	3	PAKKET
227	105	X-DEF.
332	35	X-DEF.
367	8	X-DEF.
375	26	X-DEF.
401	2	PAKKET
403	6	PAKKET

RA FILNR 2044

SIDE 4.1

E C B O O K * * * B 8 2 1 5 K 7 2 * * * START LENGTH FORMAT DEC 11.01.96 15.23.49 PAGE 2

ORIG: K72 COPY:

05900	10 K72KODANN	PIC X(1).	92	1	X-DEF.
06000	10 K72BRULOGON	PIC X(8).	93	8	X-DEF.
06100	10 K72DATOPDAT	PIC X(26).	101	26	X-DEF.
06200	10 K72OPDTV	PIC S999V USAGE COMP-3.	127	2	PAKKET

06300*****
06400* THE NUMBER OF COLUMNS DESCRIBED BY THIS DECLARATION IS 24 *
06500*****

LE C B O O K * * * B 8 2 1 5 K 7 3 * * *

START LENGTH FORMAT DEC 11.01.96 15.23.49 PAGE 1

ORIG: K73 COPY:

```

000100*****
000200* DCLGEN TABLE(H8215.ERKLRET) *
000300* LIBRARY(D7730.DB2COPY(B8215K73)) *
000400* ACTION(REPLACE) *
000500* STRUCTURE(K73REC) *
000600* QUOTE *
000700* ... IS THE DCLGEN COMMAND THAT MADE THE FOLLOWING STATEMENTS *
000800*****

```

```

000900 EXEC SQL DECLARE H8215.ERKLRET TABLE
001000 ( K73NUMSEL CHAR(4) NOT NULL,
001100 K73DATIND TIMESTAMP NOT NULL,
001200 K73NUMREC DECIMAL(7, 0) NOT NULL,
001300 K73ARTDYR CHAR(2) NOT NULL,
001400 K73RIDCHR CHAR(6) NOT NULL,
001500 K73NUMFRAEE CHAR(4) NOT NULL,
001600 K73NUMTILEE CHAR(4) NOT NULL,
001700 K73RANTEJJKL CHAR(3) NOT NULL,
001800 K73RDAUDEJJK CHAR(8) NOT NULL,
001900 K73RNRUDEJJK CHAR(2) NOT NULL,
002000 K73BRULOGON CHAR(8) NOT NULL,
002100 K73DATOPDAT TIMESTAMP NOT NULL,
002200 K73FEJNRDYR DECIMAL(3, 0) NOT NULL,
002300 K73FEJIDCHR DECIMAL(3, 0) NOT NULL,
002400 K73FEJNRFRA DECIMAL(3, 0) NOT NULL,
002500 K73FEJNRTIL DECIMAL(3, 0) NOT NULL,
002600 K73FEJNRANT DECIMAL(3, 0) NOT NULL,
002700 K73FEJNRUDL DECIMAL(3, 0) NOT NULL,
002800 K73FEJNRUNR DECIMAL(3, 0) NOT NULL,
002900 K73LEVLOGON CHAR(8) NOT NULL,
003000 K73KODANN CHAR(1) NOT NULL,
003100 K73OPDTV DECIMAL(3, 0) NOT NULL,
003200 ) END-EXEC.

```

```

003300*****
003400* COBOL DECLARATION FOR TABLE H8215.ERKLRET *
003500*****

```

COBOL LINE	COBOL CODE	COBOL DATA	PIC	LENGTH	DEFINITION
003600	01	K73REC.			
003700	10	K73NUMSEL	PIC X(4).	1	X-DEF.
003800	10	K73DATIND	PIC X(26).	5	X-DEF.
003900	10	K73NUMREC	PIC S9999999V USAGE COMP-3.	31	PAKKET
004000	10	K73ARTDYR	PIC X(2).	35	X-DEF.
004100	10	K73RIDCHR	PIC X(6).	37	X-DEF.
004200	10	K73NUMFRAEE	PIC X(4).	43	X-DEF.
004300	10	K73NUMTILEE	PIC X(4).	47	X-DEF.
004400	10	K73RANTEJJKL	PIC X(3).	51	X-DEF.
004500	10	K73RDAUDEJJK	PIC X(8).	54	X-DEF.
004600	10	K73RNRUDEJJK	PIC X(2).	62	X-DEF.
004700	10	K73BRULOGON	PIC X(8).	64	X-DEF.
004800	10	K73DATOPDAT	PIC X(26).	72	X-DEF.
004900	10	K73FEJNRDYR	PIC S999V USAGE COMP-3.	98	PAKKET
005000	10	K73FEJIDCHR	PIC S999V USAGE COMP-3.	100	PAKKET
005100	10	K73FEJNRFRA	PIC S999V USAGE COMP-3.	102	PAKKET
005200	10	K73FEJNRTIL	PIC S999V USAGE COMP-3.	104	PAKKET
005300	10	K73FEJNRANT	PIC S999V USAGE COMP-3.	106	PAKKET
005400	10	K73FEJNRUDL	PIC S999V USAGE COMP-3.	108	PAKKET
005500	10	K73FEJNRUNR	PIC S999V USAGE COMP-3.	110	PAKKET
005600	10	K73LEVLOGON	PIC X(8).	112	X-DEF.
005700	10	K73KODANN	PIC X(1).	120	X-DEF.
005800	10	K73OPDTV	PIC S999V USAGE COMP-3.	121	PAKKET

RA FILNR

3031

73.1

303/

L E C B O O K * * * B 8 2 1 5 K 7 3 * * *

START LENGTH FORMAT DEC 11.01.96 15.23.49 PAGE 2

ORIG: K73 COPY:

005900*****
006000* THE NUMBER OF COLUMNS DESCRIBED BY THIS DECLARATION IS 22 *
006100*****

ORIG: K74 COPY:

```

00100*****
00200* DCLGEN TABLE(H8215.INVIRRET) *
00300* LIBRARY(D7730.DB2COPY(B8215K74)) *
00400* ACTION(REPLACE) *
00500* STRUCTURE(K74REC) *
00600* QUOTE *
00700* ... IS THE DCLGEN COMMAND THAT MADE THE FOLLOWING STATEMENTS *
00800*****
00900 EXEC SQL DECLARE H8215.INVIRRET TABLE
01000 ( K74NUMSEL CHAR(4) NOT NULL,
01100 K74DATIND TIMESTAMP NOT NULL,
01200 K74NUMREC DECIMAL(7, 0) NOT NULL,
01300 K74RDAGLFOR CHAR(8) NOT NULL,
01400 K74RNUCPR CHAR(10) NOT NULL,
01500 K74NUMSE CHAR(8) NOT NULL,
01600 K74TYPANSOE CHAR(1) NOT NULL,
01700 K74RNUANSOE CHAR(15) NOT NULL,
01800 K74TYPNRANS CHAR(1) NOT NULL,
01900 K74NUMLBANS DECIMAL(2, 0) NOT NULL,
02000 K74RDASELOP CHAR(8) NOT NULL,
02100 K74RNUREGNU CHAR(4) NOT NULL,
02200 K74RNUKONUM CHAR(10) NOT NULL,
02300 K74NAVFIRMA CHAR(35) NOT NULL,
02400 K74NAVFOR CHAR(35) NOT NULL,
02500 K74NAVEFTER CHAR(35) NOT NULL,
02600 K74NAVVEJ CHAR(35) NOT NULL,
02700 K74NAVBY CHAR(35) NOT NULL,
02800 K74RNUPOST CHAR(4) NOT NULL,
02900 K74NUMTELEF CHAR(17) NOT NULL,
03000 K74NUMTLF CHAR(17) NOT NULL,
03100 K74KODORDNI CHAR(1) NOT NULL,
03200 K74MARKONTR CHAR(1) NOT NULL,
03300 K74MARSTKRE CHAR(1) NOT NULL,
03400 K74MAROYKTR CHAR(1) NOT NULL,
03500 K74RDAMODTA CHAR(8) NOT NULL,
03600 K74FEJNRCPR DECIMAL(3, 0) NOT NULL,
03700 K74FEJNRSE DECIMAL(3, 0) NOT NULL,
03800 K74FEJNRDMO DECIMAL(3, 0) NOT NULL,
03900 K74FEJNRPOS DECIMAL(3, 0) NOT NULL,
04000 K74FEJNRGFR DECIMAL(3, 0) NOT NULL,
04100 K74FEJNRTAN DECIMAL(3, 0) NOT NULL,
04200 K74FEJNRANS DECIMAL(3, 0) NOT NULL,
04300 K74FEJNRSEL DECIMAL(3, 0) NOT NULL,
04400 K74FEJNRREG DECIMAL(3, 0) NOT NULL,
04500 K74FEJNRKON DECIMAL(3, 0) NOT NULL,
04600 K74FEJNRORD DECIMAL(3, 0) NOT NULL,
04700 K74FEJNRSTO DECIMAL(3, 0) NOT NULL,
04800 K74FEJNRQVY DECIMAL(3, 0) NOT NULL,
04900 K74FEJNRKTR DECIMAL(3, 0) NOT NULL,
05000 K74KODANN CHAR(1) NOT NULL,
05100 K74BRULOGON CHAR(8) NOT NULL,
05200 K74DATOPDAT TIMESTAMP NOT NULL,
05300 K74LEVLOGON CHAR(8) NOT NULL,
05400 K74OPDTV DECIMAL(3, 0) NOT NULL,
05500 K74NUMUDSK DECIMAL(7, 0) NOT NULL,
05600 ) END-EXEC.
05700*****
05800* COBOL DECLARATION FOR TABLE H8215.INVIRRET *

```

ORIG: K74 COPY:

005900*****

006000	01	K74REC.			1	403	X-DEF.
006100	10	K74NUMSEL	PIC X(4).		1	4	X-DEF.
006200	10	K74DATIND	PIC X(26).		5	26	X-DEF.
006300	10	K74NUMREC	PIC S9999999V USAGE COMP-3.		31	4	PAKKET
006400	10	K74RDAGLFOR	PIC X(8).		35	8	X-DEF.
006500	10	K74RNUCPR	PIC X(10).		43	10	X-DEF.
006600	10	K74NUMSE	PIC X(8).		53	8	X-DEF.
006700	10	K74TYPANSOE	PIC X(1).		61	1	X-DEF.
006800	10	K74RNUANSOE	PIC X(15).		62	15	X-DEF.
006900	10	K74TYPNRANS	PIC X(1).		77	1	X-DEF.
007000	10	K74NUMLBANS	PIC S99V USAGE COMP-3.		78	2	PAKKET
007100	10	K74RDASELOP	PIC X(8).		80	8	X-DEF.
007200	10	K74RNUREGNU	PIC X(4).		88	4	X-DEF.
007300	10	K74RNUKONUM	PIC X(10).		92	10	X-DEF.
007400	10	K74NAVFIKMA	PIC X(35).		102	35	X-DEF.
007500	10	K74NAVFOR	PIC X(35).		137	35	X-DEF.
007600	10	K74NAVEFTER	PIC X(35).		172	35	X-DEF.
007700	10	K74NAVVEJ	PIC X(35).		207	35	X-DEF.
007800	10	K74NAVBY	PIC X(35).		242	35	X-DEF.
007900	10	K74RNUPOST	PIC X(4).		277	4	X-DEF.
008000	10	K74NUMTELEF	PIC X(17).		281	17	X-DEF.
008100	10	K74NUMTLF	PIC X(17).		298	17	X-DEF.
008200	10	K74KODORDNI	PIC X(1).		315	1	X-DEF.
008300	10	K74MARKONTR	PIC X(1).		316	1	X-DEF.
008400	10	K74MARSTKRE	PIC X(1).		317	1	X-DEF.
008500	10	K74MAROYKTR	PIC X(1).		318	1	X-DEF.
008600	10	K74RDAMODTA	PIC X(8).		319	8	X-DEF.
008700	10	K74FEJNRCPK	PIC S999V USAGE COMP-3.		327	2	PAKKET
008800	10	K74FEJNRSE	PIC S999V USAGE COMP-3.		329	2	PAKKET
008900	10	K74FEJNRDMO	PIC S999V USAGE COMP-3.		331	2	PAKKET
009000	10	K74FEJNRPOS	PIC S999V USAGE COMP-3.		333	2	PAKKET
009100	10	K74FEJNRGFR	PIC S999V USAGE COMP-3.		335	2	PAKKET
009200	10	K74FEJNRRTAN	PIC S999V USAGE COMP-3.		337	2	PAKKET
009300	10	K74FEJNRANS	PIC S999V USAGE COMP-3.		339	2	PAKKET
009400	10	K74FEJNRSEL	PIC S999V USAGE COMP-3.		341	2	PAKKET
009500	10	K74FEJNRREG	PIC S999V USAGE COMP-3.		343	2	PAKKET
009600	10	K74FEJNRKON	PIC S999V USAGE COMP-3.		345	2	PAKKET
009700	10	K74FEJNRORD	PIC S999V USAGE COMP-3.		347	2	PAKKET
009800	10	K74FEJNRSTO	PIC S999V USAGE COMP-3.		349	2	PAKKET
009900	10	K74FEJNRQVY	PIC S999V USAGE COMP-3.		351	2	PAKKET
010000	10	K74FEJNRKTR	PIC S999V USAGE COMP-3.		353	2	PAKKET
010100	10	K74KODANN	PIC X(1).		355	1	X-DEF.
010200	10	K74BRULOGON	PIC X(8).		356	8	X-DEF.
010300	10	K74DATOPDAT	PIC X(26).		364	26	X-DEF.
010400	10	K74LEVLOGON	PIC X(8).		390	8	X-DEF.
010500	10	K74OPDTV	PIC S999V USAGE COMP-3.		398	2	PAKKET
010600	10	K74NUMUDSK	PIC S9999999V USAGE COMP-3.		400	4	PAKKET

010700*****

010800* THE NUMBER OF COLUMNS DESCRIBED BY THIS DECLARATION IS 46 *

010900*****

RA FILNR 3032

74.1

ORIG: K75 COPY:

```
00100*****
00200* DCLGEN TABLE(H8215.INEJERET) *
00300* LIBRARY(D7730.DB2COPY(B8215K75)) *
00400* ACTION(REPLACE) *
00500* STRUCTURE(K75REC) *
00600* QUOTE *
00700* ... IS THE DCLGEN COMMAND THAT MADE THE FOLLOWING STATEMENTS *
```

```
00800*****
00900 EXEC SQL DECLARE H8215.INEJERET TABLE
01000 ( K75NUMSEL CHAR(4) NOT NULL,
01100 K75DATIND TIMESTAMP NOT NULL,
01200 K75NUMREC DECIMAL(7, 0) NOT NULL,
01300 K75RDAGLFOR CHAR(8) NOT NULL,
01400 K75RNUCPR CHAR(10) NOT NULL,
01500 K75NUMSE CHAR(8) NOT NULL,
01600 K75TYPANSOE CHAR(1) NOT NULL,
01700 K75RNUANSOE CHAR(15) NOT NULL,
01800 K75TYPNRANS CHAR(1) NOT NULL,
01900 K75RNUEJD CHAR(7) NOT NULL,
02000 K75TEKEJEND CHAR(35) NOT NULL,
02100 K75NAVVEJ CHAR(35) NOT NULL,
02200 K75NAVBY CHAR(35) NOT NULL,
02300 K75RNUPOST CHAR(4) NOT NULL,
02400 K75RNUKOM CHAR(3) NOT NULL,
02500 K75RSUBFARE CHAR(6) NOT NULL,
02600 K75RSUEJDAR CHAR(6) NOT NULL,
02700 K75FEJNRKOM DECIMAL(3, 0) NOT NULL,
02800 K75FEJNREJD DECIMAL(3, 0) NOT NULL,
02900 K75FEJNREJA DECIMAL(3, 0) NOT NULL,
03000 K75FEJNRBFA DECIMAL(3, 0) NOT NULL,
03100 K75FEJNRPOS DECIMAL(3, 0) NOT NULL,
03200 K75KODANN CHAR(1) NOT NULL,
03300 K75BRULOGON CHAR(8) NOT NULL,
03400 K75DATOPDAT TIMESTAMP NOT NULL,
03500 K75LEVLOGON CHAR(8) NOT NULL,
03600 K75OPDTV DECIMAL(3, 0) NOT NULL
03700 ) END-EXEC.
```

```
03800*****
03900* COBOL DECLARATION FOR TABLE H8215.INEJERET *
```

```
04000*****
04100 01 K75REC.
04200 10 K75NUMSEL PIC X(4).
04300 10 K75DATIND PIC X(26).
04400 10 K75NUMREC PIC S99999999V USAGE COMP-3.
04500 10 K75RDAGLFOR PIC X(8).
04600 10 K75RNUCPR PIC X(10).
04700 10 K75NUMSE PIC X(8).
04800 10 K75TYPANSOE PIC X(1).
04900 10 K75RNUANSOE PIC X(15).
05000 10 K75TYPNRANS PIC X(1).
05100 10 K75RNUEJD PIC X(7).
05200 10 K75TEKEJEND PIC X(35).
05300 10 K75NAVVEJ PIC X(35).
05400 10 K75NAVBY PIC X(35).
05500 10 K75RNUPOST PIC X(4).
05600 10 K75RNUKOM PIC X(3).
05700 10 K75RSUBFARE PIC X(6).
05800 10 K75RSUEJDAR PIC X(6).
```

1	263	X-DEF.
1	4	X-DEF.
5	26	X-DEF.
31	4	PAKKET
35	8	X-DEF.
43	10	X-DEF.
53	8	X-DEF.
61	1	X-DEF.
62	15	X-DEF.
77	1	X-DEF.
78	7	X-DEF.
85	35	X-DEF.
120	35	X-DEF.
155	35	X-DEF.
190	4	X-DEF.
194	3	X-DEF.
197	6	X-DEF.
203	6	X-DEF.

RA FILNR 3033

75.1

3033

ORIG: K75 COPY:

05900	10 K75FEJNRKOM	PIC S999V USAGE COMP-3.	209	2	PAKKET
06000	10 K75FEJNREJD	PIC S999V USAGE COMP-3.	211	2	PAKKET
06100	10 K75FEJNREJA	PIC S999V USAGE COMP-3.	213	2	PAKKET
06200	10 K75FEJNRBFA	PIC S999V USAGE COMP-3.	215	2	PAKKET
06300	10 K75FEJNRPOS	PIC S999V USAGE COMP-3.	217	2	PAKKET
06400	10 K75KODANN	PIC X(1).	219	1	X-DEF.
06500	10 K75BRULOGON	PIC X(8).	220	8	X-DEF.
06600	10 K75DATOPDAT	PIC X(26).	228	26	X-DEF.
06700	10 K75LEVLOGON	PIC X(8).	254	8	X-DEF.
06800	10 K75OPDTV	PIC S999V USAGE COMP-3.	262	2	PAKKET

06900*****

07000* THE NUMBER OF COLUMNS DESCRIBED BY THIS DECLARATION IS 27 *

07100*****

ORIG: K76 COPY:

```
00100*****
00200* DCLGEN TABLE(H8215.INMAFRET) *
00300* LIBRARY(D7730.DB2COPY(B8215K76)) *
00400* ACTION(REPLACE) *
00500* STRUCTURE(K76REC) *
00600* QUOTE *
00700* ... IS THE DCLGEN COMMAND THAT MADE THE FOLLOWING STATEMENTS *
00800*****
00900 EXEC SQL DECLARE H8215.INMAFRET TABLE
01000 ( K76NUMSEL CHAR(4) NOT NULL,
01100 K76DATIND TIMESTAMP NOT NULL,
01200 K76NUMREC DECIMAL(7, 0) NOT NULL,
01300 K76RDAGLFOR CHAR(8) NOT NULL,
01400 K76TYPANSOE CHAR(1) NOT NULL,
01500 K76RNUANSOE CHAR(15) NOT NULL,
01600 K76TYPNRANS CHAR(1) NOT NULL,
01700 K76NUMSE CHAR(8) NOT NULL,
01800 K76RNUCPR CHAR(10) NOT NULL,
01900 K76RKOEJREL CHAR(7) NOT NULL,
02000 K76RNUMATRI CHAR(5) NOT NULL,
02100 K76BOGMATRI CHAR(3) NOT NULL,
02200 K76RNUFORPA CHAR(3) NOT NULL,
02300 K76FEJNREJL DECIMAL(3, 0) NOT NULL,
02400 K76FEJNRMAT DECIMAL(3, 0) NOT NULL,
02500 K76FEJNRBMA DECIMAL(3, 0) NOT NULL,
02600 K76FEJNRFOR DECIMAL(3, 0) NOT NULL,
02700 K76KODANN CHAR(1) NOT NULL,
02800 K76BRULOGON CHAR(8) NOT NULL,
02900 K76DATOPDAT TIMESTAMP NOT NULL,
03000 K76LEVLOGON CHAR(8) NOT NULL,
03100 K76OPDTV DECIMAL(3, 0) NOT NULL
03200 ) END-EXEC.
03300*****
03400* COBOL DECLARATION FOR TABLE H8215.INMAFRET *
03500*****
03600 01 K76REC.
03700 10 K76NUMSEL PIC X(4).
03800 10 K76DATIND PIC X(26).
03900 10 K76NUMREC PIC S9999999V USAGE COMP-3.
04000 10 K76RDAGLFOR PIC X(8).
04100 10 K76TYPANSOE PIC X(1).
04200 10 K76RNUANSOE PIC X(15).
04300 10 K76TYPNRANS PIC X(1).
04400 10 K76NUMSE PIC X(8).
04500 10 K76RNUCPR PIC X(10).
04600 10 K76RKOEJREL PIC X(7).
04700 10 K76RNUMATRI PIC X(5).
04800 10 K76BOGMATRI PIC X(3).
04900 10 K76RNUFORPA PIC X(3).
05000 10 K76FEJNREJL PIC S999V USAGE COMP-3.
05100 10 K76FEJNRMAT PIC S999V USAGE COMP-3.
05200 10 K76FEJNRBMA PIC S999V USAGE COMP-3.
05300 10 K76FEJNRFOR PIC S999V USAGE COMP-3.
05400 10 K76KODANN PIC X(1).
05500 10 K76BRULOGON PIC X(8).
05600 10 K76DATOPDAT PIC X(26).
05700 10 K76LEVLOGON PIC X(8).
05800 10 K76OPDTV PIC S999V USAGE COMP-3.
```

1	148	X-DEF.
1	4	X-DEF.
5	26	X-DEF.
31	4	PAKKET
35	8	X-DEF.
43	1	X-DEF.
44	15	X-DEF.
59	1	X-DEF.
60	8	X-DEF.
68	10	X-DEF.
78	7	X-DEF.
85	5	X-DEF.
90	3	X-DEF.
93	3	X-DEF.
96	2	PAKKET
98	2	PAKKET
100	2	PAKKET
102	2	PAKKET
104	1	X-DEF.
105	8	X-DEF.
113	26	X-DEF.
139	8	X-DEF.
147	2	PAKKET

RA FILNR 3034

76.1

3034

E C B O O K * * * B 8 2 1 5 K 7 6 * * *

START LENGTH FORMAT DEC 11.01.96 15.23.49 PAGE 2

ORIG: K76 COPY:

05900*****
06000* THE NUMBER OF COLUMNS DESCRIBED BY THIS DECLARATION IS 22 *
06100*****

3035

ORIG: K78 COPY:

```
00100*****
00200* DCLGEN TABLE(H8215.INARERET) *
00300* LIBRARY(D7730.DB2COPY(B8215K78)) *
00400* ACTION(REPLACE) *
00500* STRUCTURE(K78REC) *
00600* QUOTE *
00700* ... IS THE DCLGEN COMMAND THAT MADE THE FOLLOWING STATEMENTS *
00800*****
00900 EXEC SQL DECLARE H8215.INARERET TABLE
01000 ( K78NUMSEL CHAR(4) NOT NULL,
01100 K78DATIND TIMESTAMP NOT NULL,
01200 K78NUMREC DECIMAL(7, 0) NOT NULL,
01300 K78RDAGLFOR CHAR(8) NOT NULL,
01400 K78NUMSE CHAR(8) NOT NULL,
01500 K78RNUCPR CHAR(10) NOT NULL,
01600 K78TYPANSOE CHAR(1) NOT NULL,
01700 K78RNUANSOE CHAR(15) NOT NULL,
01800 K78TYPNRANS CHAR(1) NOT NULL,
01900 K78RANAREAL CHAR(6) NOT NULL,
02000 K78RTYAREAL CHAR(2) NOT NULL,
02100 K78FEJNRARE DECIMAL(3, 0) NOT NULL,
02200 K78FEJNRTYA DECIMAL(3, 0) NOT NULL,
02300 K78BRULOGON CHAR(8) NOT NULL,
02400 K78DATOPDAT TIMESTAMP NOT NULL,
02500 K78LEVLOGON CHAR(8) NOT NULL,
02600 K78KODANN CHAR(1) NOT NULL,
02700 K78OPDTV DECIMAL(3, 0) NOT NULL
02800 ) END-EXEC.
02900*****
03000* COBOL DECLARATION FOR TABLE H8215.INARERET *
03100*****
03200 01 K78REC.
03300 10 K78NUMSEL PIC X(4).
03400 10 K78DATIND PIC X(26).
03500 10 K78NUMREC PIC S9999999V USAGE COMP-3.
03600 10 K78RDAGLFOR PIC X(8).
03700 10 K78NUMSE PIC X(8).
03800 10 K78RNUCPR PIC X(10).
03900 10 K78TYPANSOE PIC X(1).
04000 10 K78RNUANSOE PIC X(15).
04100 10 K78TYPNRANS PIC X(1).
04200 10 K78RANAREAL PIC X(6).
04300 10 K78RTYAREAL PIC X(2).
04400 10 K78FEJNRARE PIC S999V USAGE COMP-3.
04500 10 K78FEJNRTYA PIC S999V USAGE COMP-3.
04600 10 K78BRULOGON PIC X(8).
04700 10 K78DATOPDAT PIC X(26).
04800 10 K78LEVLOGON PIC X(8).
04900 10 K78KODANN PIC X(1).
05000 10 K78OPDTV PIC S999V USAGE COMP-3.
05100*****
05200* THE NUMBER OF COLUMNS DESCRIBED BY THIS DECLARATION IS 18 *
05300*****
```

1	134	X-DEF.
1	4	X-DEF.
5	26	X-DEF.
31	4	PAKKET
35	8	X-DEF.
43	8	X-DEF.
51	10	X-DEF.
61	1	X-DEF.
62	15	X-DEF.
77	1	X-DEF.
78	6	X-DEF.
84	2	X-DEF.
86	2	PAKKET
88	2	PAKKET
90	8	X-DEF.
98	26	X-DEF.
124	8	X-DEF.
132	1	X-DEF.
133	2	PAKKET

RA FILNR 3035

78.1

2044

B O O K * * * B 8 2 1 5 K 0 4 * * *

START LENGTH FORMAT DEC 11.01.96 15.23.49 PAGE 2

K04 COPY:

10 K04SYSLEC1	PIC S9V USAGE COMP-3.	409	1	PAKKET
10 K04SYSLEC2	PIC S9V USAGE COMP-3.	410	1	PAKKET
10 K04NUMKOMMU	PIC S999V USAGE COMP-3.	411	2	PAKKET
10 K04NUMHUSBO	PIC X(1).	413	1	X-DEF.
10 K04NAVETAGE	PIC X(2).	414	2	X-DEF.
10 K04NAVSIDED	PIC X(4).	416	4	X-DEF.
10 K04KODANADR	PIC X(3).	420	3	X-DEF.
10 K04KODVEADR	PIC X(1).	423	1	X-DEF.
10 K04IDESTED	PIC S999999999V USAGE COMP-3.	424	6	PAKKET
10 K04KODAKADR	PIC X(1).	430	1	X-DEF.
10 K04DATADRBE	PIC S999999999V USAGE COMP-3.	431	5	PAKKET
10 K04NUMHUSNR	PIC S999V USAGE COMP-3.	436	2	PAKKET

* THE NUMBER OF COLUMNS DESCRIBED BY THIS DECLARATION IS 28 *

3036

IRIG: K82 COPY:

```
0100*****
0200* DCLGEN TABLE(H8215.INFORRET)
0300* LIBRARY(D7730.DB2COPY(B8215K82))
0400* ACTION(REPLACE)
0500* STRUCTURE(K82REC)
0600* QUOTE
0700* ... IS THE DCLGEN COMMAND THAT MADE THE FOLLOWING STATEMENTS
0800*****
0900 EXEC SQL DECLARE H8215.INFORRET TABLE
1000 ( K82NUMSEL CHAR(4) NOT NULL,
1100 K82DATIND TIMESTAMP NOT NULL,
1200 K82NUMREC DECIMAL(7, 0) NOT NULL,
1300 K82RDAGLFOR CHAR(8) NOT NULL,
1400 K82NUMSE CHAR(8) NOT NULL,
1500 K82RNUCPR CHAR(10) NOT NULL,
1600 K82TYPANSOE CHAR(1) NOT NULL,
1700 K82RNUANSOE CHAR(15) NOT NULL,
1800 K82TYPNRANS CHAR(1) NOT NULL,
1900 K82NUMMSKIT CHAR(3) NOT NULL,
2000 K82RNUFORPA CHAR(3) NOT NULL,
2100 K82RANARFOR CHAR(6) NOT NULL,
2200 K82FEJNRAFP DECIMAL(3, 0) NOT NULL,
2300 K82FEJNRFOR DECIMAL(3, 0) NOT NULL,
2400 K82FEJNRMSK DECIMAL(3, 0) NOT NULL,
2500 K82KODANN CHAR(1) NOT NULL,
2600 K82BRULOGON CHAR(8) NOT NULL,
2700 K82DATOPDAT TIMESTAMP NOT NULL,
2800 K82LEVLOGON CHAR(8) NOT NULL,
2900 K82OPDTV DECIMAL(3, 0) NOT NULL
3000 ) END-EXEC.
3100*****
3200* COBOL DECLARATION FOR TABLE H8215.INFORRET
3300*****
3400 01 K82REC.
3500 10 K82NUMSEL PIC X(4).
3600 10 K82DATIND PIC X(26).
3700 10 K82NUMREC PIC S9999999V USAGE COMP-3.
3800 10 K82RDAGLFOR PIC X(8).
3900 10 K82NUMSE PIC X(8).
4000 10 K82RNUCPR PIC X(10).
4100 10 K82TYPANSOE PIC X(1).
4200 10 K82RNUANSOE PIC X(15).
4300 10 K82TYPNRANS PIC X(1).
4400 10 K82NUMMSKIT PIC X(3).
4500 10 K82RNUFORPA PIC X(3).
4600 10 K82RANARFOR PIC X(6).
4700 10 K82FEJNRAFP PIC S999V USAGE COMP-3.
4800 10 K82FEJNRFOR PIC S999V USAGE COMP-3.
4900 10 K82FEJNRMSK PIC S999V USAGE COMP-3.
5000 10 K82KODANN PIC X(1).
5100 10 K82BRULOGON PIC X(8).
5200 10 K82DATOPDAT PIC X(26).
5300 10 K82LEVLOGON PIC X(8).
5400 10 K82OPDTV PIC S999V USAGE COMP-3.
5500*****
5600* THE NUMBER OF COLUMNS DESCRIBED BY THIS DECLARATION IS 20
5700*****
```

RA FILNR 3036

1	140	X-DEF.
1	4	X-DEF.
5	26	X-DEF.
31	4	PAKKET
35	8	X-DEF.
43	8	X-DEF.
51	10	X-DEF.
61	1	X-DEF.
62	15	X-DEF.
77	1	X-DEF.
78	3	X-DEF.
81	3	X-DEF.
84	6	X-DEF.
90	2	PAKKET
92	2	PAKKET
94	2	PAKKET
96	1	X-DEF.
97	8	X-DEF.
105	26	X-DEF.
131	8	X-DEF.
139	2	PAKKET

82.1

3037

ORIG: K9A COPY:

```
00100*****
00200* DCLGEN TABLE(H8215.GEN401)
00300* LIBRARY(D7730.DB2COPY(B8215K9A))
00400* STRUCTURE(K9AREC)
00500* QUOTE
00600* ... IS THE DCLGEN COMMAND THAT MADE THE FOLLOWING STATEMENTS
00700*****
00800 EXEC SQL DECLARE H8215.GEN401 TABLE
00900 ( K9ANUMSEL CHAR(4) NOT NULL,
01000 K9AIDKTYPE CHAR(3) NOT NULL,
01100 K9ADATOLEV DECIMAL(8, 0) NOT NULL,
01200 K9AGENLEV DECIMAL(5, 0) NOT NULL,
01300 K9AMVSID CHAR(4) NOT NULL,
01400 K9ASMFID CHAR(4) NOT NULL,
01500 K9AJOBNR CHAR(8) NOT NULL,
01600 K9AJOBNAVN CHAR(8) NOT NULL,
01700 K9AJOBSTEP CHAR(8) NOT NULL,
01800 K9APROCSTEP CHAR(8) NOT NULL,
01900 K9ASTART CHAR(1) NOT NULL,
02000 K9ALEVLOGON CHAR(8) NOT NULL,
02100 K9ADATOPDAT TIMESTAMP NOT NULL,
02200 K9AOPDTV DECIMAL(3, 0) NOT NULL
02300 ) END-EXEC.
02400*****
02500* COBOL DECLARATION FOR TABLE H8215.GEN401
02600*****
02700 01 K9AREC.
02800 10 K9ANUMSEL PIC X(4).
02900 10 K9AIDKTYPE PIC X(3).
03000 10 K9ADATOLEV PIC S99999999V USAGE COMP-3.
03100 10 K9AGENLEV PIC S999999V USAGE COMP-3.
03200 10 K9AMVSID PIC X(4).
03300 10 K9ASMFID PIC X(4).
03400 10 K9AJOBNR PIC X(8).
03500 10 K9AJOBNAVN PIC X(8).
03600 10 K9AJOBSTEP PIC X(8).
03700 10 K9APROCSTEP PIC X(8).
03800 10 K9ASTART PIC X(1).
03900 10 K9ALEVLOGON PIC X(8).
04000 10 K9ADATOPDAT PIC X(26).
04100 10 K9AOPDTV PIC S999V USAGE COMP-3.
04200*****
04300* THE NUMBER OF COLUMNS DESCRIBED BY THIS DECLARATION IS 14
04400*****
```

1	92	X-DEF.
1	4	X-DEF.
5	3	X-DEF.
8	5	PAKKET
13	3	PAKKET
16	4	X-DEF.
20	4	X-DEF.
24	8	X-DEF.
32	8	X-DEF.
40	8	X-DEF.
48	8	X-DEF.
56	1	X-DEF.
57	8	X-DEF.
65	26	X-DEF.
91	2	PAKKET

RA FILNR 3037

901.1

RIG: K9B COPY:

```

0100*****
0200* DCLGEN TABLE(H8215.GEN402)
0300* LIBRARY(D7730.DB2COPY(B8215K9B))
0400* STRUCTURE(K9BREC)
0500* QUOTE
0600* ... IS THE DCLGEN COMMAND THAT MADE THE FOLLOWING STATEMENTS
0700*****
0800 EXEC SQL DECLARE H8215.GEN402 TABLE
0900 ( K9BNUMSEL CHAR(4) NOT NULL,
1000 K9BIDKTYPE CHAR(3) NOT NULL,
1100 K9BDATOLEV DECIMAL(8, 0) NOT NULL,
1200 K9BGENLEV DECIMAL(5, 0) NOT NULL,
1300 K9BMVSIID CHAR(4) NOT NULL,
1400 K9BSMFID CHAR(4) NOT NULL,
1500 K9BJOBNR CHAR(8) NOT NULL,
1600 K9BJOBNAVN CHAR(8) NOT NULL,
1700 K9BJOBSTEP CHAR(8) NOT NULL,
1800 K9BPROCSTEP CHAR(8) NOT NULL,
1900 K9BSTART CHAR(1) NOT NULL,
2000 K9BLEVLOGON CHAR(8) NOT NULL,
2100 K9BDATOPDAT TIMESTAMP NOT NULL,
2200 K9BOPDTV DECIMAL(3, 0) NOT NULL
2300 ) END-EXEC.
2400*****
2500* COBOL DECLARATION FOR TABLE H8215.GEN402
2600*****
2700 01 K9BREC.
2800 10 K9BNUMSEL PIC X(4).
2900 10 K9BIDKTYPE PIC X(3).
3000 10 K9BDATOLEV PIC S99999999V USAGE COMP-3.
3100 10 K9BGENLEV PIC S999999V USAGE COMP-3.
3200 10 K9BMVSIID PIC X(4).
3300 10 K9BSMFID PIC X(4).
3400 10 K9BJOBNR PIC X(8).
3500 10 K9BJOBNAVN PIC X(8).
3600 10 K9BJOBSTEP PIC X(8).
3700 10 K9BPROCSTEP PIC X(8).
3800 10 K9BSTART PIC X(1).
3900 10 K9BLEVLOGON PIC X(8).
4000 10 K9BDATOPDAT PIC X(26).
4100 10 K9BOPDTV PIC S999V USAGE COMP-3.
4200*****
4300* THE NUMBER OF COLUMNS DESCRIBED BY THIS DECLARATION IS 14
4400*****

```

1	92	X-DEF.
1	4	X-DEF.
5	3	X-DEF.
8	5	PAKKET
13	3	PAKKET
16	4	X-DEF.
20	4	X-DEF.
24	8	X-DEF.
32	8	X-DEF.
40	8	X-DEF.
48	8	X-DEF.
56	1	X-DEF.
57	8	X-DEF.
65	26	X-DEF.
91	2	PAKKET

RA FILNR 3038

902.1

3039

E C B O O K * * * B 8 2 1 5 K 9 C * * *

START LENGTH FORMAT DEC 11.01.96 15.23.49 PAGE 1

RIG: K9C COPY:

```

0100*****
0200* DCLGEN TABLE(H8215.GEN501) *
0300* LIBRARY(D7730.DB2COPY(B8215K9C)) *
0400* ACTION(REPLACE) *
0500* STRUCTURE(K9CREC) *
0600* QUOTE *
0700* ... IS THE DCLGEN COMMAND THAT MADE THE FOLLOWING STATEMENTS *
0800*****
0900 EXEC SQL DECLARE H8215.GEN501 TABLE
1000 ( K9CNUMSEL CHAR(4) NOT NULL,
1100 K9CIDKTYPE CHAR(3) NOT NULL,
1200 K9CDATOLEV DECIMAL(8, 0) NOT NULL,
1300 K9CGENLEV DECIMAL(5, 0) NOT NULL,
1400 K9CMVSID CHAR(4) NOT NULL,
1500 K9CSMFID CHAR(4) NOT NULL,
1600 K9CJOBNR CHAR(8) NOT NULL,
1700 K9CJOBNAVN CHAR(8) NOT NULL,
1800 K9CJOBSTEP CHAR(8) NOT NULL,
1900 K9CPROCSTEP CHAR(8) NOT NULL,
2000 K9CSTART CHAR(1) NOT NULL,
2100 K9CLEVLOGON CHAR(8) NOT NULL,
2200 K9CDATOPDAT TIMESTAMP NOT NULL,
2300 K9COPDTV DECIMAL(3, 0) NOT NULL
2400 ) END-EXEC.
2500*****
2600* COBOL DECLARATION FOR TABLE H8215.GEN501 *
2700*****
2800 01 K9CREC.
2900 10 K9CNUMSEL PIC X(4).
3000 10 K9CIDKTYPE PIC X(3).
3100 10 K9CDATOLEV PIC S99999999V USAGE COMP-3.
3200 10 K9CGENLEV PIC S99999V USAGE COMP-3.
3300 10 K9CMVSID PIC X(4).
3400 10 K9CSMFID PIC X(4).
3500 10 K9CJOBNR PIC X(8).
3600 10 K9CJOBNAVN PIC X(8).
3700 10 K9CJOBSTEP PIC X(8).
3800 10 K9CPROCSTEP PIC X(8).
3900 10 K9CSTART PIC X(1).
4000 10 K9CLEVLOGON PIC X(8).
4100 10 K9CDATOPDAT PIC X(26).
4200 10 K9COPDTV PIC S999V USAGE COMP-3.
4300*****
4400* THE NUMBER OF COLUMNS DESCRIBED BY THIS DECLARATION IS 14 *
4500*****

```

RA FILNR 3039

1	92	X-DEF.
1	4	X-DEF.
5	3	X-DEF.
8	5	PAKKET
13	3	PAKKET
16	4	X-DEF.
20	4	X-DEF.
24	8	X-DEF.
32	8	X-DEF.
40	8	X-DEF.
48	8	X-DEF.
56	1	X-DEF.
57	8	X-DEF.
65	26	X-DEF.
91	2	PAKKET

ORIG: K9D COPY:

```

000100*****
000200* DCLGEN TABLE(H8215.GEN496)
000300* LIBRARY(D7730.DB2COPY(B8215K9D))
000400* ACTION(REPLACE)
000500* STRUCTURE(K9DREC)
000600* QUOTE
000700* ... IS THE DCLGEN COMMAND THAT MADE THE FOLLOWING STATEMENTS.
000800*****
000900 EXEC SQL DECLARE H8215.GEN496 TABLE
001000 ( K9DNUMSEL CHAR(4) NOT NULL,
001100 K9DIDKTYPE CHAR(3) NOT NULL,
001200 K9DDATOLEV DECIMAL(8, 0) NOT NULL,
001300 K9DGLENLEV DECIMAL(5, 0) NOT NULL,
001400 K9DMVSID CHAR(4) NOT NULL,
001500 K9DSMFID CHAR(4) NOT NULL,
001600 K9DJOBNR CHAR(8) NOT NULL,
001700 K9DJOBNAVN CHAR(8) NOT NULL,
001800 K9DJOBSTEP CHAR(8) NOT NULL,
001900 K9DPROCSTEP CHAR(8) NOT NULL,
002000 K9DSTART CHAR(1) NOT NULL,
002100 K9DLEVLOGON CHAR(8) NOT NULL,
002200 K9DDATOPDAT TIMESTAMP NOT NULL,
002300 K9DOPDTV DECIMAL(3, 0) NOT NULL
002400 ) END-EXEC.
002500*****
002600* COBOL DECLARATION FOR TABLE H8215.GEN496
002700*****
002800 01 K9DREC.
002900 10 K9DNUMSEL PIC X(4).
003000 10 K9DIDKTYPE PIC X(3).
003100 10 K9DDATOLEV PIC S99999999V USAGE COMP-3.
003200 10 K9DGLENLEV PIC S999999V USAGE COMP-3.
003300 10 K9DMVSID PIC X(4).
003400 10 K9DSMFID PIC X(4).
003500 10 K9DJOBNR PIC X(8).
003600 10 K9DJOBNAVN PIC X(8).
003700 10 K9DJOBSTEP PIC X(8).
003800 10 K9DPROCSTEP PIC X(8).
003900 10 K9DSTART PIC X(1).
004000 10 K9DLEVLOGON PIC X(8).
004100 10 K9DDATOPDAT PIC X(26).
004200 10 K9DOPDTV PIC S999V USAGE COMP-3.
004300*****
004400* THE NUMBER OF COLUMNS DESCRIBED BY THIS DECLARATION IS 14
004500*****

```

RA FILNR 3040

1	92	X-DEF.
1	4	X-DEF.
5	3	X-DEF.
8	5	PAKKET
13	3	PAKKET
16	4	X-DEF.
20	4	X-DEF.
24	8	X-DEF.
32	8	X-DEF.
40	8	X-DEF.
48	8	X-DEF.
56	1	X-DEF.
57	8	X-DEF.
65	26	X-DEF.
91	2	PAKKET

996.1

3041

LE C B O O K * * * B 8 2 1 5 K 9 E * * *

START LENGTH FORMAT DEC 11.01.96 15.23.49 PAGE 1

ORIG: K9E COPY:

```
000100*****
000200* DCLGEN TABLE(H8215.LEVDATE) *
000300* LIBRARY(D7730.DB2COPY(B8215K9E)) *
000400* ACTION(REPLACE) *
000500* STRUCTURE(K9EREC) *
000600* QUOTE *
000700* ... IS THE DCLGEN COMMAND THAT MADE THE FOLLOWING STATEMENTS *
000800*****
000900 EXEC SQL DECLARE H8215.LEVDATE TABLE
001000 ( K9ENUMSEL CHAR(4) NOT NULL,
001100 K9EIDKTYPE CHAR(3) NOT NULL,
001200 K9EDATOLEV DECIMAL(8, 0) NOT NULL,
001300 K9EGENLEV DECIMAL(5, 0) NOT NULL,
001400 K9EMVSID CHAR(4) NOT NULL,
001500 K9ESMFID CHAR(4) NOT NULL,
001600 K9EJOBNR CHAR(8) NOT NULL,
001700 K9EJOBNAVN CHAR(8) NOT NULL,
001800 K9EJOBSTEP CHAR(8) NOT NULL,
001900 K9EPROCSTEP CHAR(8) NOT NULL,
002000 K9ESTART CHAR(1) NOT NULL,
002100 K9ELEVLOGON CHAR(8) NOT NULL,
002200 K9EDATOPDAT TIMESTAMP NOT NULL,
002300 K9EOPDTV DECIMAL(3, 0) NOT NULL
002400 ) END-EXEC.
002500*****
002600* COBOL DECLARATION FOR TABLE H8215.LEVDATE *
002700*****
002800 01 K9EREC.
002900 10 K9ENUMSEL PIC X(4).
003000 10 K9EIDKTYPE PIC X(3).
003100 10 K9EDATOLEV PIC S99999999V USAGE COMP-3.
003200 10 K9EGENLEV PIC S99999V USAGE COMP-3.
003300 10 K9EMVSID PIC X(4).
003400 10 K9ESMFID PIC X(4).
003500 10 K9EJOBNR PIC X(8).
003600 10 K9EJOBNAVN PIC X(8).
003700 10 K9EJOBSTEP PIC X(8).
003800 10 K9EPROCSTEP PIC X(8).
003900 10 K9ESTART PIC X(1).
004000 10 K9ELEVLOGON PIC X(8).
004100 10 K9EDATOPDAT PIC X(26).
004200 10 K9EOPDTV PIC S999V USAGE COMP-3.
004300*****
004400* THE NUMBER OF COLUMNS DESCRIBED BY THIS DECLARATION IS 14 *
004500*****
```

1	92	X-DEF.
4		X-DEF.
5	3	X-DEF.
8	5	PAKKET
13	3	PAKKET
16	4	X-DEF.
20	4	X-DEF.
24	8	X-DEF.
32	8	X-DEF.
40	8	X-DEF.
48	8	X-DEF.
56	1	X-DEF.
57	8	X-DEF.
65	26	X-DEF.
91	2	PAKKET

RA FILAR 3041

ORIG: K9G COPY:

```

000100*****
000200* DCLGEN TABLE(H8215.GEN453) *
000300* LIBRARY(D7730.DB2COPY(B8215K9G)) *
000400* ACTION(REPLACE) *
000500* STRUCTURE(K9GREC) *
000600* QUOTE *
000700* ... IS THE DCLGEN COMMAND THAT MADE THE FOLLOWING STATEMENTS *
000800*****
000900 EXEC SQL DECLARE H8215.GEN453 TABLE
001000 ( K9GNUMSEL CHAR(4) NOT NULL,
001100 K9GIDKTYPE CHAR(3) NOT NULL,
001200 K9GDATOLEV DECIMAL(8, 0) NOT NULL,
001300 K9GGENLEV DECIMAL(5, 0) NOT NULL,
001400 K9GMVSID CHAR(4) NOT NULL,
001500 K9GSMFID CHAR(4) NOT NULL,
001600 K9GJOBNR CHAR(8) NOT NULL,
001700 K9GJOBNAVN CHAR(8) NOT NULL,
001800 K9GJOBSTEP CHAR(8) NOT NULL,
001900 K9GPROCSTEP CHAR(8) NOT NULL,
002000 K9GSTART CHAR(1) NOT NULL,
002100 K9GLEVLOGON CHAR(8) NOT NULL,
002200 K9GDATOPDAT TIMESTAMP NOT NULL,
002300 K9GOPDTV DECIMAL(3, 0) NOT NULL
002400 ) END-EXEC.
002500*****
002600* COBOL DECLARATION FOR TABLE H8215.GEN453 *
002700*****
002800 01 K9GREC.
002900 10 K9GNUMSEL PIC X(4).
003000 10 K9GIDKTYPE PIC X(3).
003100 10 K9GDATOLEV PIC S99999999V USAGE COMP-3.
003200 10 K9GGENLEV PIC S99999V USAGE COMP-3.
003300 10 K9GMVSID PIC X(4).
003400 10 K9GSMFID PIC X(4).
003500 10 K9GJOBNR PIC X(8).
003600 10 K9GJOBNAVN PIC X(8).
003700 10 K9GJOBSTEP PIC X(8).
003800 10 K9GPROCSTEP PIC X(8).
003900 10 K9GSTART PIC X(1).
004000 10 K9GLEVLOGON PIC X(8).
004100 10 K9GDATOPDAT PIC X(26).
004200 10 K9GOPDTV PIC S999V USAGE COMP-3.
004300*****
004400* THE NUMBER OF COLUMNS DESCRIBED BY THIS DECLARATION IS 14 *
004500*****

```

RA FILNR 3042

1	92	X-DEF.
1	4	X-DEF.
5	3	X-DEF.
8	5	PAKKET
13	3	PAKKET
16	4	X-DEF.
20	4	X-DEF.
24	8	X-DEF.
32	8	X-DEF.
40	8	X-DEF.
48	8	X-DEF.
56	1	X-DEF.
57	8	X-DEF.
65	26	X-DEF.
91	2	PAKKET

ORIG: K9J COPY:

```
000100*****
000200* DCLGEN TABLE(H8215.GEN410) *
000300*        LIBRARY(D7730.DB2COPY(B8215K9J)) *
000400*        STRUCTURE(K9JREC) *
000500*        QUOTE *
000600* ... IS THE DCLGEN COMMAND THAT MADE THE FOLLOWING STATEMENTS *
000700*****
000800        EXEC SQL DECLARE H8215.GEN410 TABLE
000900        ( K9JNUMSEL                    CHAR(4) NOT NULL,
001000        K9JIDKTYPE                    CHAR(3) NOT NULL,
001100        K9JDATOLEV                    DECIMAL(8, 0) NOT NULL,
001200        K9JGENLEV                    DECIMAL(5, 0) NOT NULL,
001300        K9JMVSID                    CHAR(4) NOT NULL,
001400        K9JSMFID                    CHAR(4) NOT NULL,
001500        K9JJOBNR                    CHAR(8) NOT NULL,
001600        K9JJOBNV                    CHAR(8) NOT NULL,
001700        K9JJOBSTEP                    CHAR(8) NOT NULL,
001800        K9JPROCSTEP                    CHAR(8) NOT NULL,
001900        K9JSTART                    CHAR(1) NOT NULL,
002000        K9JLEVLOGON                    CHAR(8) NOT NULL,
002100        K9JDATOPDAT                    TIMESTAMP NOT NULL,
002200        K9JOPDTV                    DECIMAL(3, 0) NOT NULL
002300        ) END-EXEC.
002400*****
002500* COBOL DECLARATION FOR TABLE H8215.GEN410 *
002600*****
002700 01 K9JREC.
002800        10 K9JNUMSEL                    PIC X(4).
002900        10 K9JIDKTYPE                    PIC X(3).
003000        10 K9JDATOLEV                    PIC S99999999V USAGE COMP-3.
003100        10 K9JGENLEV                    PIC S999999V USAGE COMP-3.
003200        10 K9JMVSID                    PIC X(4).
003300        10 K9JSMFID                    PIC X(4).
003400        10 K9JJOBNR                    PIC X(8).
003500        10 K9JJOBNV                    PIC X(8).
003600        10 K9JJOBSTEP                    PIC X(8).
003700        10 K9JPROCSTEP                    PIC X(8).
003800        10 K9JSTART                    PIC X(1).
003900        10 K9JLEVLOGON                    PIC X(8).
004000        10 K9JDATOPDAT                    PIC X(26).
004100        10 K9JOPDTV                    PIC S999V USAGE COMP-3.
004200*****
004300* THE NUMBER OF COLUMNS DESCRIBED BY THIS DECLARATION IS 14 *
004400*****
```

1	92	X-DEF.
1	4	X-DEF.
5	3	X-DEF.
8	5	PAKKET
13	3	PAKKET
16	4	X-DEF.
20	4	X-DEF.
24	8	X-DEF.
32	8	X-DEF.
40	8	X-DEF.
48	8	X-DEF.
56	1	X-DEF.
57	8	X-DEF.
65	26	X-DEF.
91	2	PAKKET

RA FILNR 3043

910.1

3044

LECB00K *** B 8 2 1 5 K 9 K *** START LENGTH FORMAT DEC 11.01.96 15.23.49 PAGE 1

ORIG: K9K COPY:

```

000100*****
000200* DCLGEN TABLE(H8215.GEN421) *
000300* LIBRARY(D7730.DB2COPY(B8215K9K)) *
000400* STRUCTURE(K9KREC) *
000500* QUOTE *
000600* ... IS THE DCLGEN COMMAND THAT MADE THE FOLLOWING STATEMENTS *
000700*****
000800 EXEC SQL DECLARE H8215.GEN421 TABLE
000900 ( K9KNUMSEL CHAR(4) NOT NULL,
001000 K9KIDKTYPE CHAR(3) NOT NULL,
001100 K9KDATOLEV DECIMAL(8, 0) NOT NULL,
001200 K9KGENLEV DECIMAL(5, 0) NOT NULL,
001300 K9KMVSID CHAR(4) NOT NULL,
001400 K9KSMFID CHAR(4) NOT NULL,
001500 K9KJOBNR CHAR(8) NOT NULL,
001600 K9KJOBNAVN CHAR(8) NOT NULL,
001700 K9KJOBSTEP CHAR(8) NOT NULL,
001800 K9KPROCSTEP CHAR(8) NOT NULL,
001900 K9KSTART CHAR(1) NOT NULL,
002000 K9KLEVLOGON CHAR(8) NOT NULL,
002100 K9KDATOPDAT TIMESTAMP NOT NULL,
002200 K9KOPDTV DECIMAL(3, 0) NOT NULL
002300 ) END-EXEC.
002400*****
002500* COBOL DECLARATION FOR TABLE H8215.GEN421 *
002600*****
002700 01 K9KREC.
002800 10 K9KNUMSEL PIC X(4).
002900 10 K9KIDKTYPE PIC X(3).
003000 10 K9KDATOLEV PIC S99999999V USAGE COMP-3.
003100 10 K9KGENLEV PIC S999999V USAGE COMP-3.
003200 10 K9KMVSID PIC X(4).
003300 10 K9KSMFID PIC X(4).
003400 10 K9KJOBNR PIC X(8).
003500 10 K9KJOBNAVN PIC X(8).
003600 10 K9KJOBSTEP PIC X(8).
003700 10 K9KPROCSTEP PIC X(8).
003800 10 K9KSTART PIC X(1).
003900 10 K9KLEVLOGON PIC X(8).
004000 10 K9KDATOPDAT PIC X(26).
004100 10 K9KOPDTV PIC S999V USAGE COMP-3.
004200*****
004300* THE NUMBER OF COLUMNS DESCRIBED BY THIS DECLARATION IS 14 *
004400*****

```

1	92	X-DEF.
1	4	X-DEF.
5	3	X-DEF.
8	5	PAKKET
13	3	PAKKET
16	4	X-DEF.
20	4	X-DEF.
24	8	X-DEF.
32	8	X-DEF.
40	8	X-DEF.
48	8	X-DEF.
56	1	X-DEF.
57	8	X-DEF.
65	26	X-DEF.
91	2	PAKKET

RA FILNR 3044

921.1

L E C B O O K * * * B 8 2 1 5 K 9 L * * *

START LENGTH FORMAT DEC 11.01.96 15.23.49 PAGE 1

ORIG: K9L COPY:

```

000100*****
000200* DCLGEN TABLE(H8215.GEN422) *
000300* LIBRARY(D7730.DB2COPY(B8215K9L)) *
000400* STRUCTURE(K9LREC) *
000500* QUOTE *
000600* ... IS THE DCLGEN COMMAND THAT MADE THE FOLLOWING STATEMENTS *
000700*****
000800 EXEC SQL DECLARE H8215.GEN422 TABLE
000900 ( K9LNUMSEL CHAR(4) NOT NULL,
001000 K9LIDKTYPE CHAR(3) NOT NULL,
001100 K9LDATOLEV DECIMAL(8, 0) NOT NULL,
001200 K9LGENLEV DECIMAL(5, 0) NOT NULL,
001300 K9LMVSIID CHAR(4) NOT NULL,
001400 K9LSMFID CHAR(4) NOT NULL,
001500 K9LJOBNR CHAR(8) NOT NULL,
001600 K9LJOBNAVN CHAR(8) NOT NULL,
001700 K9LJOBSTEP CHAR(8) NOT NULL,
001800 K9LPROCSTEP CHAR(8) NOT NULL,
001900 K9LSTART CHAR(1) NOT NULL,
002000 K9LLEVLOGON CHAR(8) NOT NULL,
002100 K9LDATOPDAT TIMESTAMP NOT NULL,
002200 K9LOPDTV DECIMAL(3, 0) NOT NULL
002300 ) END-EXEC.
002400*****
002500* COBOL DECLARATION FOR TABLE H8215.GEN422 *
002600*****
002700 01 K9LREC.
002800 10 K9LNUMSEL PIC X(4).
002900 10 K9LIDKTYPE PIC X(3).
003000 10 K9LDATOLEV PIC S99999999V USAGE COMP-3.
003100 10 K9LGENLEV PIC S999999V USAGE COMP-3.
003200 10 K9LMVSIID PIC X(4).
003300 10 K9LSMFID PIC X(4).
003400 10 K9LJOBNR PIC X(8).
003500 10 K9LJOBNAVN PIC X(8).
003600 10 K9LJOBSTEP PIC X(8).
003700 10 K9LPROCSTEP PIC X(8).
003800 10 K9LSTART PIC X(1).
003900 10 K9LLEVLOGON PIC X(8).
004000 10 K9LDATOPDAT PIC X(26).
004100 10 K9LOPDTV PIC S999V USAGE COMP-3.
004200*****
004300* THE NUMBER OF COLUMNS DESCRIBED BY THIS DECLARATION IS 14 *
004400*****

```

1	92	X-DEF.
1	4	X-DEF.
5	3	X-DEF.
8	5	PAKKE
13	3	PAKKE
16	4	X-DEF.
20	4	X-DEF.
24	8	X-DEF.
32	8	X-DEF.
40	8	X-DEF.
48	8	X-DEF.
56	1	X-DEF.
57	8	X-DEF.
65	26	X-DEF.
91	2	PAKKE

RA FILNR 3045

922.1

: K24 COPY:

```
0* DCLGEN TABLE(H8215.MATRIKEL)
0* LIBRARY(D7730.DB2COPY(B8215K24))
0* ACTION(REPLACE)
0* STRUCTURE(K24REC)
0* QUOTE
0* ... IS THE DCLGEN COMMAND THAT MADE THE FOLLOWING STATEMENTS
0* EXEC SQL DECLARE H8215.MATRIKEL TABLE
0* ( K24NUMSEL CHAR(4) NOT NULL,
0*   K24KODEJERL DECIMAL(7, 0) NOT NULL,
0*   K24NUMMATRI DECIMAL(5, 0) NOT NULL,
0*   K24BOGMATRI CHAR(3) NOT NULL,
0*   K24DATTIL TIMESTAMP NOT NULL,
0*   K24NUMNOTEJ DECIMAL(7, 0) NOT NULL,
0*   K24ANTAREM2 DECIMAL(9, 0) NOT NULL,
0*   K24ANTLODDE DECIMAL(4, 0) NOT NULL,
0*   K24DATOPHOE DECIMAL(8, 0) NOT NULL,
0*   K24BRULOGON CHAR(8) NOT NULL,
0*   K24DATOPDAT TIMESTAMP NOT NULL,
0*   K24OPDTV DECIMAL(3, 0) NOT NULL
0* ) END-EXEC.
0* COBOL DECLARATION FOR TABLE H8215.MATRIKEL
0* 01 K24REC.
0*   10 K24NUMSEL PIC X(4).
0*   10 K24KODEJERL PIC S9999999V USAGE COMP-3.
0*   10 K24NUMMATRI PIC S99999V USAGE COMP-3.
0*   10 K24BOGMATRI PIC X(3).
0*   10 K24DATTIL PIC X(26).
0*   10 K24NUMNOTEJ PIC S99999999V USAGE COMP-3.
0*   10 K24ANTAREM2 PIC S999999999V USAGE COMP-3.
0*   10 K24ANTLODDE PIC S99999V USAGE COMP-3.
0*   10 K24DATOPHOE PIC S99999999V USAGE COMP-3.
0*   10 K24BRULOGON PIC X(8).
0*   10 K24DATOPDAT PIC X(26).
0*   10 K24OPDTV PIC S9999V USAGE COMP-3.
0* THE NUMBER OF COLUMNS DESCRIBED BY THIS DECLARATION IS 12
```

RA FILNR 2045

1	93	X-DEF.
1	4	X-DEF.
5	4	PAKKET
9	3	PAKKET
12	3	X-DEF.
15	26	X-DEF.
41	4	PAKKET
45	5	PAKKET
50	3	PAKKET
53	5	PAKKET
58	8	X-DEF.
66	26	X-DEF.
92	2	PAKKET

Side 24.1

ORIG: K9M COPY:

```

000100*****
000200* DCLGEN TABLE(H8215.GEN423) *
000300* LIBRARY(D7730.DB2COPY(B8215K9M)) *
000400* STRUCTURE(K9MREC) *
000500* QUOTE *
000600* ... IS THE DCLGEN COMMAND THAT MADE THE FOLLOWING STATEMENTS *
000700*****
000800 EXEC SQL DECLARE H8215.GEN423 TABLE
000900 ( K9MNUMSEL CHAR(4) NOT NULL,
001000 K9MIDKTYPE CHAR(3) NOT NULL,
001100 K9MDATOLEV DECIMAL(8, 0) NOT NULL,
001200 K9MGENLEV DECIMAL(5, 0) NOT NULL,
001300 K9MMVSID CHAR(4) NOT NULL,
001400 K9MSMFID CHAR(4) NOT NULL,
001500 K9MJOBNR CHAR(8) NOT NULL,
001600 K9MJOBNAVN CHAR(8) NOT NULL,
001700 K9MJOBSTEP CHAR(8) NOT NULL,
001800 K9MPROCSTEP CHAR(8) NOT NULL,
001900 K9MSTART CHAR(1) NOT NULL,
002000 K9MLEVLOGON CHAR(8) NOT NULL,
002100 K9MDATOPDAT TIMESTAMP NOT NULL,
002200 K9MOPDTV DECIMAL(3, 0) NOT NULL
002300 ) END-EXEC.
002400*****
002500* COBOL DECLARATION FOR TABLE H8215.GEN423 *
002600*****
002700 01 K9MREC.
002800 10 K9MNUMSEL PIC X(4).
002900 10 K9MIDKTYPE PIC X(3).
003000 10 K9MDATOLEV PIC S99999999V USAGE COMP-3.
003100 10 K9MGENLEV PIC S999999V USAGE COMP-3.
003200 10 K9MMVSID PIC X(4).
003300 10 K9MSMFID PIC X(4).
003400 10 K9MJOBNR PIC X(8).
003500 10 K9MJOBNAVN PIC X(8).
003600 10 K9MJOBSTEP PIC X(8).
003700 10 K9MPROCSTEP PIC X(8).
003800 10 K9MSTART PIC X(1).
003900 10 K9MLEVLOGON PIC X(8).
004000 10 K9MDATOPDAT PIC X(26).
004100 10 K9MOPDTV PIC S999V USAGE COMP-3.
004200*****
004300* THE NUMBER OF COLUMNS DESCRIBED BY THIS DECLARATION IS 14 *
004400*****

```

1	92	X-DEF.
1	4	X-DEF.
5	3	X-DEF.
8	5	PAKKET
13	3	PAKKET
16	4	X-DEF.
20	4	X-DEF.
24	8	X-DEF.
32	8	X-DEF.
40	8	X-DEF.
48	8	X-DEF.
56	1	X-DEF.
57	8	X-DEF.
65	26	X-DEF.
91	2	PAKKET

RA FILNR 3046

923.1

3047

ORIG: K9N COPY:

```
000100*****
000200* DCLGEN TABLE(H8215.GEN424) *
000300* LIBRARY(D7730.DB2COPY(B8215K9N)) *
000400* STRUCTURE(K9NREC) *
000500* QUOTE *
000600* ... IS THE DCLGEN COMMAND THAT MADE THE FOLLOWING STATEMENTS *
000700*****
000800 EXEC SQL DECLARE H8215.GEN424 TABLE
000900 ( K9NNUMSEL CHAR(4) NOT NULL,
001000 K9NIDKTYPE CHAR(3) NOT NULL,
001100 K9NDATOLEV DECIMAL(8, 0) NOT NULL,
001200 K9NGENLEV DECIMAL(5, 0) NOT NULL,
001300 K9NMVSID CHAR(4) NOT NULL,
001400 K9NSMFID CHAR(4) NOT NULL,
001500 K9NJOBNR CHAR(8) NOT NULL,
001600 K9NJOBNAVN CHAR(8) NOT NULL,
001700 K9NJOBSTEP CHAR(8) NOT NULL,
001800 K9NPROCSTEP CHAR(8) NOT NULL,
001900 K9NSTART CHAR(1) NOT NULL,
002000 K9NLEVLOGON CHAR(8) NOT NULL,
002100 K9NDATOPDAT TIMESTAMP NOT NULL,
002200 K9NOPDTV DECIMAL(3, 0) NOT NULL
002300 ) END-EXEC.
002400*****
002500* COBOL DECLARATION FOR TABLE H8215.GEN424 *
002600*****
002700 01 K9NREC.
002800 10 K9NNUMSEL PIC X(4).
002900 10 K9NIDKTYPE PIC X(3).
003000 10 K9NDATOLEV PIC S99999999V USAGE COMP-3.
003100 10 K9NGENLEV PIC S99999V USAGE COMP-3.
003200 10 K9NMVSID PIC X(4).
003300 10 K9NSMFID PIC X(4).
003400 10 K9NJOBNR PIC X(8).
003500 10 K9NJOBNAVN PIC X(8).
003600 10 K9NJOBSTEP PIC X(8).
003700 10 K9NPROCSTEP PIC X(8).
003800 10 K9NSTART PIC X(1).
003900 10 K9NLEVLOGON PIC X(8).
004000 10 K9NDATOPDAT PIC X(26).
004100 10 K9NOPDTV PIC S999V USAGE COMP-3.
004200*****
004300* THE NUMBER OF COLUMNS DESCRIBED BY THIS DECLARATION IS 14 *
004400*****
```

1	92	X-DEF.
1	4	X-DEF.
5	3	X-DEF.
8	5	PAKKET
13	3	PAKKET
16	4	X-DEF.
20	4	X-DEF.
24	8	X-DEF.
32	8	X-DEF.
40	8	X-DEF.
48	8	X-DEF.
56	1	X-DEF.
57	8	X-DEF.
65	26	X-DEF.
91	2	PAKKET

RA FILMR 3047

924.1

ORIG: K90 COPY:

```

000100*****
000200* DCLGEN TABLE(H8215.GEN425)
000300* LIBRARY(D7730.DB2COPY(B8215K90))
000400* STRUCTURE(K90REC)
000500* QUOTE
000600* ... IS THE DCLGEN COMMAND THAT MADE THE FOLLOWING STATEMENTS
000700*****
000800 EXEC SQL DECLARE H8215.GEN425 TABLE
000900 ( K90NUMSEL CHAR(4) NOT NULL,
001000 K90IDKTYPE CHAR(3) NOT NULL,
001100 K90DATOLEV DECIMAL(8, 0) NOT NULL,
001200 K90GENLEV DECIMAL(5, 0) NOT NULL,
001300 K90MVSID CHAR(4) NOT NULL,
001400 K90SMFID CHAR(4) NOT NULL,
001500 K90JOBNR CHAR(8) NOT NULL,
001600 K90JOBNAVN CHAR(8) NOT NULL,
001700 K90JOBSTEP CHAR(8) NOT NULL,
001800 K90PROCSTEP CHAR(8) NOT NULL,
001900 K90START CHAR(1) NOT NULL,
002000 K90LEVLOGON CHAR(8) NOT NULL,
002100 K90DATOPDAT TIMESTAMP NOT NULL,
002200 K90OPDTV DECIMAL(3, 0) NOT NULL
002300 ) END-EXEC.
002400*****
002500* COBOL DECLARATION FOR TABLE H8215.GEN425
002600*****
002700 01 K90REC.
002800 10 K90NUMSEL PIC X(4).
002900 10 K90IDKTYPE PIC X(3).
003000 10 K90DATOLEV PIC S99999999V USAGE COMP-3.
003100 10 K90GENLEV PIC S999999V USAGE COMP-3.
003200 10 K90MVSID PIC X(4).
003300 10 K90SMFID PIC X(4).
003400 10 K90JOBNR PIC X(8).
003500 10 K90JOBNAVN PIC X(8).
003600 10 K90JOBSTEP PIC X(8).
003700 10 K90PROCSTEP PIC X(8).
003800 10 K90START PIC X(1).
003900 10 K90LEVLOGON PIC X(8).
004000 10 K90DATOPDAT PIC X(26).
004100 10 K90OPDTV PIC S999V USAGE COMP-3.
004200*****
004300* THE NUMBER OF COLUMNS DESCRIBED BY THIS DECLARATION IS 14
004400*****

```

1	92	X-DEF.
1	4	X-DEF.
5	3	X-DEF.
8	5	PAKKET
13	3	PAKKET
16	4	X-DEF.
20	4	X-DEF.
24	8	X-DEF.
32	8	X-DEF.
40	8	X-DEF.
48	8	X-DEF.
56	1	X-DEF.
57	8	X-DEF.
65	26	X-DEF.
91	2	PAKKET

RA FILNR 3048

925.1

ORIG: K9P COPY:

```
000100*****
000200* DCLGEN TABLE(H8215.GEN426) *
000300*    LIBRARY(D7730.DB2COPY(B8215K9P)) *
000400*    STRUCTURE(K9PREC) *
000500*    QUOTE *
000600* ... IS THE DCLGEN COMMAND THAT MADE THE FOLLOWING STATEMENTS *
000700*****
000800* EXEC SQL DECLARE H8215.GEN426 TABLE *
000900* ( K9PNUMSEL                    CHAR(4) NOT NULL, *
001000*    K9PIDKTYPE                CHAR(3) NOT NULL, *
001100*    K9PDATOLEV                DECIMAL(8, 0) NOT NULL, *
001200*    K9PGENLEV                DECIMAL(5, 0) NOT NULL, *
001300*    K9PMVSIID                CHAR(4) NOT NULL, *
001400*    K9PSMFID                CHAR(4) NOT NULL, *
001500*    K9PJOBNR                CHAR(8) NOT NULL, *
001600*    K9PJOBNAVN               CHAR(8) NOT NULL, *
001700*    K9PJOBSTEP               CHAR(8) NOT NULL, *
001800*    K9PPROCSTEP               CHAR(8) NOT NULL, *
001900*    K9PSTART                CHAR(1) NOT NULL, *
002000*    K9PLEVLOGON               CHAR(8) NOT NULL, *
002100*    K9PDATOPDAT               TIMESTAMP NOT NULL, *
002200*    K9POPDTV                DECIMAL(3, 0) NOT NULL *
002300* ) END-EXEC. *
002400*****
002500* COBOL DECLARATION FOR TABLE H8215.GEN426 *
002600*****
002700 01 K9PREC.
002800    10 K9PNUMSEL                PIC X(4).
002900    10 K9PIDKTYPE                PIC X(3).
003000    10 K9PDATOLEV                PIC S99999999V USAGE COMP-3.
003100    10 K9PGENLEV                PIC S999999V USAGE COMP-3.
003200    10 K9PMVSIID                PIC X(4).
003300    10 K9PSMFID                PIC X(4).
003400    10 K9PJOBNR                PIC X(8).
003500    10 K9PJOBNAVN                PIC X(8).
003600    10 K9PJOBSTEP                PIC X(8).
003700    10 K9PPROCSTEP                PIC X(8).
003800    10 K9PSTART                PIC X(1).
003900    10 K9PLEVLOGON                PIC X(8).
004000    10 K9PDATOPDAT                PIC X(26).
004100    10 K9POPDTV                PIC S999V USAGE COMP-3.
004200*****
004300* THE NUMBER OF COLUMNS DESCRIBED BY THIS DECLARATION IS 14 *
004400*****
```

1	92	X-DEF.
1	4	X-DEF.
5	3	X-DEF.
8	5	PAKKET
13	3	PAKKET
16	4	X-DEF.
20	4	X-DEF.
24	8	X-DEF.
32	8	X-DEF.
40	8	X-DEF.
48	8	X-DEF.
56	1	X-DEF.
57	8	X-DEF.
65	26	X-DEF.
91	2	PAKKET

RA FILNR 3049

926.1

ORIG: K9R COPY:

```
000100*****
000200* DCLGEN TABLE(H8215.GEN428) *
000300* LIBRARY(D7730.DB2COPY(B8215K9R)) *
000400* STRUCTURE(K9RREC) *
000500* QUOTE *
000600* ... IS THE DCLGEN COMMAND THAT MADE THE FOLLOWING STATEMENTS *
000700*****
000800 EXEC SQL DECLARE H8215.GEN428 TABLE
000900 ( K9RNUMSEL CHAR(4) NOT NULL,
001000 K9RIDKTYPE CHAR(3) NOT NULL,
001100 K9RDATALEV DECIMAL(8, 0) NOT NULL,
001200 K9RGENLEV DECIMAL(5, 0) NOT NULL,
001300 K9RMVSID CHAR(4) NOT NULL,
001400 K9RSMFID CHAR(4) NOT NULL,
001500 K9RJOBNR CHAR(8) NOT NULL,
001600 K9RJOBNAVN CHAR(8) NOT NULL,
001700 K9RJOBSTEP CHAR(8) NOT NULL,
001800 K9RPROCSTEP CHAR(8) NOT NULL,
001900 K9RSTART CHAR(1) NOT NULL,
002000 K9RLEVLOGON CHAR(8) NOT NULL,
002100 K9RDATOPDAT TIMESTAMP NOT NULL,
002200 K9ROPDTV DECIMAL(3, 0) NOT NULL
002300 ) END-EXEC.
002400*****
002500* COBOL DECLARATION FOR TABLE H8215.GEN428 *
002600*****
002700 01 K9RREC.
002800 10 K9RNUMSEL PIC X(4).
002900 10 K9RIDKTYPE PIC X(3).
003000 10 K9RDATALEV PIC S99999999V USAGE COMP-3.
003100 10 K9RGENLEV PIC S999999V USAGE COMP-3.
003200 10 K9RMVSID PIC X(4).
003300 10 K9RSMFID PIC X(4).
003400 10 K9RJOBNR PIC X(8).
003500 10 K9RJOBNAVN PIC X(8).
003600 10 K9RJOBSTEP PIC X(8).
003700 10 K9RPROCSTEP PIC X(8).
003800 10 K9RSTART PIC X(1).
003900 10 K9RLEVLOGON PIC X(8).
004000 10 K9RDATOPDAT PIC X(26).
004100 10 K9ROPDTV PIC S999V USAGE COMP-3.
004200*****
004300* THE NUMBER OF COLUMNS DESCRIBED BY THIS DECLARATION IS 14 *
004400*****
```

1	92	X-DEF.
1	4	X-DEF.
5	3	X-DEF.
8	5	PAKKET
13	3	PAKKET
16	4	X-DEF.
20	4	X-DEF.
24	8	X-DEF.
32	8	X-DEF.
40	8	X-DEF.
48	8	X-DEF.
56	1	X-DEF.
57	8	X-DEF.
65	26	X-DEF.
91	2	PAKKET

RA FILNR 3050

928.1

1	92	X-DEF.
1	4	X-DEF.
5	3	X-DEF.
8	5	PAKKET
13	3	PAKKET
16	4	X-DEF.
20	4	X-DEF.
24	8	X-DEF.
32	8	X-DEF.
40	8	X-DEF.
48	8	X-DEF.
56	1	X-DEF.
57	8	X-DEF.
65	26	X-DEF.
91	2	PAKKET

RA FILNR 3051

929.

E C B O O K * * * B 8 2 1 5 K 9 T * * *

ORIG: K9T COPY:

```
00100*****
00200* DCLGEN TABLE(H8215.GEN459)
00300* LIBRARY(D7730.DB2COPY(B8215K9T))
00400* ACTION(REPLACE)
00500* STRUCTURE(K9TREC)
00600* QUOTE
00700* ... IS THE DCLGEN COMMAND THAT MADE THE FOLLOWING STATEMENTS
00800*****
00900 EXEC SQL DECLARE H8215.GEN459 TABLE
01000 ( K9TNUMSEL CHAR(4) NOT NULL,
01100 K9TIDKTYPE CHAR(3) NOT NULL,
01200 K9TDATOLEV DECIMAL(8, 0) NOT NULL,
01300 K9TGENLEV DECIMAL(5, 0) NOT NULL,
01400 K9TMVSID CHAR(4) NOT NULL,
01500 K9TSMFID CHAR(4) NOT NULL,
01600 K9TJOBNR CHAR(8) NOT NULL,
01700 K9TJOBNAVN CHAR(8) NOT NULL,
01800 K9TJOBSTEP CHAR(8) NOT NULL,
01900 K9TPROCSTEP CHAR(8) NOT NULL,
02000 K9TSTART CHAR(1) NOT NULL,
02100 K9TLEVLOGON CHAR(8) NOT NULL,
02200 K9TDATOPDAT TIMESTAMP NOT NULL,
02300 K9TOPDTV DECIMAL(3, 0) NOT NULL,
02400 K9TDATKOER DECIMAL(8, 0) NOT NULL,
02500 K9TAARKORTA DECIMAL(4, 0) NOT NULL,
02600 K9TANTRECOK DECIMAL(8, 0) NOT NULL,
02700 K9TANTRECFJ DECIMAL(8, 0) NOT NULL,
02800 K9TKODINSTI CHAR(3) NOT NULL
02900 ) END-EXEC.
03000*****
03100* COBOL DECLARATION FOR TABLE H8215.GEN459
03200*****
03300 01 K9TREC.
03400 10 K9TNUMSEL PIC X(4).
03500 10 K9TIDKTYPE PIC X(3).
03600 10 K9TDATOLEV PIC S99999999V USAGE COMP-3.
03700 10 K9TGENLEV PIC S99999V USAGE COMP-3.
03800 10 K9TMVSID PIC X(4).
03900 10 K9TSMFID PIC X(4).
04000 10 K9TJOBNR PIC X(8).
04100 10 K9TJOBNAVN PIC X(8).
04200 10 K9TJOBSTEP PIC X(8).
04300 10 K9TPROCSTEP PIC X(8).
04400 10 K9TSTART PIC X(1).
04500 10 K9TLEVLOGON PIC X(8).
04600 10 K9TDATOPDAT PIC X(26).
04700 10 K9TOPDTV PIC S999V USAGE COMP-3.
04800 10 K9TDATKOER PIC S99999999V USAGE COMP-3.
04900 10 K9TAARKORTA PIC S9999V USAGE COMP-3.
05000 10 K9TANTRECOK PIC S99999999V USAGE COMP-3.
05100 10 K9TANTRECFJ PIC S99999999V USAGE COMP-3.
05200 10 K9TKODINSTI PIC X(3).
05300*****
05400* THE NUMBER OF COLUMNS DESCRIBED BY THIS DECLARATION IS 19
05500*****
```

RA FILNR 3052

1	113	X-DEF.
1	4	X-DEF.
5	3	X-DEF.
8	5	PAKKET
13	3	PAKKET
16	4	X-DEF.
20	4	X-DEF.
24	8	X-DEF.
32	8	X-DEF.
40	8	X-DEF.
48	8	X-DEF.
56	1	X-DEF.
57	8	X-DEF.
65	26	X-DEF.
91	2	PAKKET
93	5	PAKKET
98	3	PAKKET
101	5	PAKKET
106	5	PAKKET
111	3	X-DEF.

930.1

ORIG: K9U COPY:

```

000100*****
000200* DCLGEN TABLE(H8215.GEN412) *
000300* LIBRARY(D7730.DB2COPY(B8215K9U)) *
000400* ACTION(REPLACE) *
000500* STRUCTURE(K9UREC) *
000600* QUOTE *
000700* ... IS THE DCLGEN COMMAND THAT MADE THE FOLLOWING STATEMENTS *
000800*****
000900 EXEC SQL DECLARE H8215.GEN412 TABLE
001000 ( K9UNUMSEL CHAR(4) NOT NULL,
001100 K9UIDKTYPE CHAR(3) NOT NULL,
001200 K9UDATOLEV DECIMAL(8, 0) NOT NULL,
001300 K9UGENLEV DECIMAL(5, 0) NOT NULL,
001400 K9UMVSID CHAR(4) NOT NULL,
001500 K9USMFID CHAR(4) NOT NULL,
001600 K9UJOBNR CHAR(8) NOT NULL,
001700 K9UJOBNAVN CHAR(8) NOT NULL,
001800 K9UJOBSTEP CHAR(8) NOT NULL,
001900 K9UPROCSTEP CHAR(8) NOT NULL,
002000 K9USTART CHAR(1) NOT NULL,
002100 K9ULEVLOGON CHAR(8) NOT NULL,
002200 K9UDATOPDAT TIMESTAMP NOT NULL,
002300 K9UOPDTV DECIMAL(3, 0) NOT NULL
002400 ) END-EXEC.
002500*****
002600* COBOL DECLARATION FOR TABLE H8215.GEN412 *
002700*****
002800 01 K9UREC.
002900 10 K9UNUMSEL PIC X(4).
003000 10 K9UIDKTYPE PIC X(3).
003100 10 K9UDATOLEV PIC S99999999V USAGE COMP-3.
003200 10 K9UGENLEV PIC S99999V USAGE COMP-3.
003300 10 K9UMVSID PIC X(4).
003400 10 K9USMFID PIC X(4).
003500 10 K9UJOBNR PIC X(8).
003600 10 K9UJOBNAVN PIC X(8).
003700 10 K9UJOBSTEP PIC X(8).
003800 10 K9UPROCSTEP PIC X(8).
003900 10 K9USTART PIC X(1).
004000 10 K9ULEVLOGON PIC X(8).
004100 10 K9UDATOPDAT PIC X(26).
004200 10 K9UOPDTV PIC S999V USAGE COMP-3.
004300*****
004400* THE NUMBER OF COLUMNS DESCRIBED BY THIS DECLARATION IS 14 *
004500*****

```

RA FILNR 3053

1	92	X-DEF.
1	4	X-DEF.
5	3	X-DEF.
8	5	PAKKET
13	3	PAKKET
16	4	X-DEF.
20	4	X-DEF.
24	8	X-DEF.
32	8	X-DEF.
40	8	X-DEF.
48	8	X-DEF.
56	1	X-DEF.
57	8	X-DEF.
65	26	X-DEF.
91	2	PAKKET

912.1

3054

ORIG: K9V COPY:

```
000100*****
000200* DCLGEN TABLE(H8215.GEN430) *
000300* LIBRARY(D7730.DB2COPY(B8215K9V)) *
000400* ACTION(REPLACE) *
000500* STRUCTURE(K9VREC) *
000600* QUOTE *
000700* ... IS THE DCLGEN COMMAND THAT MADE THE FOLLOWING STATEMENTS *
000800*****
000900 EXEC SQL DECLARE H8215.GEN430 TABLE
001000 ( K9VNUMSEL CHAR(4) NOT NULL,
001100 K9VIDKTYPE CHAR(3) NOT NULL,
001200 K9VDATOLEV DECIMAL(8, 0) NOT NULL,
001300 K9VGENLEV DECIMAL(5, 0) NOT NULL,
001400 K9VMVSID CHAR(4) NOT NULL,
001500 K9VSMFID CHAR(4) NOT NULL,
001600 K9VJOBNR CHAR(8) NOT NULL,
001700 K9VJOBNAVN CHAR(8) NOT NULL,
001800 K9VJOBSTEP CHAR(8) NOT NULL,
001900 K9VPROCSTEP CHAR(8) NOT NULL,
002000 K9VSTART CHAR(1) NOT NULL,
002100 K9VLEVLOGON CHAR(8) NOT NULL,
002200 K9VDATOPDAT TIMESTAMP NOT NULL,
002300 K9VOPDTV DECIMAL(3, 0) NOT NULL
002400 ) END-EXEC.
002500*****
002600* COBOL DECLARATION FOR TABLE H8215.GEN430 *
002700*****
002800 01 K9VREC.
002900 10 K9VNUMSEL PIC X(4).
003000 10 K9VIDKTYPE PIC X(3).
003100 10 K9VDATOLEV PIC S99999999V USAGE COMP-3.
003200 10 K9VGENLEV PIC S999999V USAGE COMP-3.
003300 10 K9VMVSID PIC X(4).
003400 10 K9VSMFID PIC X(4).
003500 10 K9VJOBNR PIC X(8).
003600 10 K9VJOBNAVN PIC X(8).
003700 10 K9VJOBSTEP PIC X(8).
003800 10 K9VPROCSTEP PIC X(8).
003900 10 K9VSTART PIC X(1).
004000 10 K9VLEVLOGON PIC X(8).
004100 10 K9VDATOPDAT PIC X(26).
004200 10 K9VOPDTV PIC S999V USAGE COMP-3.
004300*****
004400* THE NUMBER OF COLUMNS DESCRIBED BY THIS DECLARATION IS 14 *
004500*****
```

RA FILNR 3054

1	92	X-DEF.
1	4	X-DEF.
5	3	X-DEF.
8	5	PAKKET
13	3	PAKKET
16	4	X-DEF.
20	4	X-DEF.
24	8	X-DEF.
32	8	X-DEF.
40	8	X-DEF.
48	8	X-DEF.
56	1	X-DEF.
57	8	X-DEF.
65	26	X-DEF.
91	2	PAKKET

ORIG: K9W COPY:

```
000100*****
000200* DCLGEN TABLE(H8215.GEN415) *
000300* LIBRARY(D7730.DB2COPY(B8215K9W)) *
000400* ACTION(REPLACE) *
000500* STRUCTURE(K9WREC) *
000600* QUOTE *
000700* ... IS THE DCLGEN COMMAND THAT MADE THE FOLLOWING STATEMENTS *
000800*****
000900 EXEC SQL DECLARE H8215.GEN415 TABLE
001000 ( K9WNUMSEL CHAR(4) NOT NULL,
001100 K9WIDKTYPE CHAR(3) NOT NULL,
001200 K9WDATOLEV DECIMAL(8, 0) NOT NULL,
001300 K9WGENLEV DECIMAL(5, 0) NOT NULL,
001400 K9WMVSIID CHAR(4) NOT NULL,
001500 K9WSMFID CHAR(4) NOT NULL,
001600 K9WJOBNR CHAR(8) NOT NULL,
001700 K9WJOBNAVN CHAR(8) NOT NULL,
001800 K9WJOBSTEP CHAR(8) NOT NULL,
001900 K9WPROCSTEP CHAR(8) NOT NULL,
002000 K9WSTART CHAR(1) NOT NULL,
002100 K9WLEVLOGON CHAR(8) NOT NULL,
002200 K9WDATOPDAT TIMESTAMP NOT NULL,
002300 K9WOPDTV DECIMAL(3, 0) NOT NULL
002400 ) END-EXEC.
002500*****
002600* COBOL DECLARATION FOR TABLE H8215.GEN415 *
002700*****
002800 01 K9WREC.
002900 10 K9WNUMSEL PIC X(4).
003000 10 K9WIDKTYPE PIC X(3).
003100 10 K9WDATOLEV PIC S99999999V USAGE COMP-3.
003200 10 K9WGENLEV PIC S99999V USAGE COMP-3.
003300 10 K9WMVSIID PIC X(4).
003400 10 K9WSMFID PIC X(4).
003500 10 K9WJOBNR PIC X(8).
003600 10 K9WJOBNAVN PIC X(8).
003700 10 K9WJOBSTEP PIC X(8).
003800 10 K9WPROCSTEP PIC X(8).
003900 10 K9WSTART PIC X(1).
004000 10 K9WLEVLOGON PIC X(8).
004100 10 K9WDATOPDAT PIC X(26).
004200 10 K9WOPDTV PIC S999V USAGE COMP-3.
004300*****
004400* THE NUMBER OF COLUMNS DESCRIBED BY THIS DECLARATION IS 14 *
004500*****
```

1	92	X-DEF.
1	4	X-DEF.
5	3	X-DEF.
8	5	PAKKET
13	3	PAKKET
16	4	X-DEF.
20	4	X-DEF.
24	8	X-DEF.
32	8	X-DEF.
40	8	X-DEF.
48	8	X-DEF.
56	1	X-DEF.
57	8	X-DEF.
65	26	X-DEF.
91	2	PAKKET

RA FILNR 3055
9/15.1

ORIG: KB6 COPY:

```
000100*****
000200* DCLGEN TABLE(H8215.UDTAGAFG) *
000300* LIBRARY(D7730.DB2COPY(B8215KB6)) *
000400* ACTION(REPLACE) *
000500* STRUCTURE(KB6REC) *
000600* QUOTE *
000700* ... IS THE DCLGEN COMMAND THAT MADE THE FOLLOWING STATEMENTS *
000800*****
000900 EXEC SQL DECLARE H8215.UDTAGAFG TABLE
001000 ( KB6NUMSEL CHAR(4) NOT NULL,
001100 KB6NUMSAG DECIMAL(6, 0) NOT NULL,
001200 KB6AARHOAAR DECIMAL(4, 0) NOT NULL,
001300 KB6ANTARAFG DECIMAL(7, 1) NOT NULL,
001400 KB6ANTDKVEG DECIMAL(7, 2) NOT NULL,
001500 KB6ANTDSVIN DECIMAL(7, 2) NOT NULL,
001600 KB6ANTDYAND DECIMAL(7, 2) NOT NULL,
001700 KB6ANTARRHU DECIMAL(7, 1) NOT NULL,
001800 KB6BRULOGON CHAR(8) NOT NULL,
001900 KB6DATOPDAT TIMESTAMP NOT NULL,
002000 KB6OPDTV DECIMAL(3, 0) NOT NULL
002100 ) END-EXEC.
002200*****
002300* COBOL DECLARATION FOR TABLE H8215.UDTAGAFG *
002400*****
002500 01 KB6REC.
002600 10 KB6NUMSEL PIC X(4).
002700 10 KB6NUMSAG PIC S999999V USAGE COMP-3.
002800 10 KB6AARHOAAR PIC S9999V USAGE COMP-3.
002900 10 KB6ANTARAFG PIC S999999V9 USAGE COMP-3.
003000 10 KB6ANTDKVEG PIC S999999V99 USAGE COMP-3.
003100 10 KB6ANTDSVIN PIC S999999V99 USAGE COMP-3.
003200 10 KB6ANTDYAND PIC S999999V99 USAGE COMP-3.
003300 10 KB6ANTARRHU PIC S999999V9 USAGE COMP-3.
003400 10 KB6BRULOGON PIC X(8).
003500 10 KB6DATOPDAT PIC X(26).
003600 10 KB6OPDTV PIC S999V USAGE COMP-3.
003700*****
003800* THE NUMBER OF COLUMNS DESCRIBED BY THIS DECLARATION IS 11 *
003900*****
```

RA FILNR 2046

1	67	X-DEF.
1	4	X-DEF.
5	4	PAKKET
9	3	PAKKET
12	4	PAKKET
16	4	PAKKET
20	4	PAKKET
24	4	PAKKET
28	4	PAKKET
32	8	X-DEF.
40	26	X-DEF.
66	2	PAKKET

SIDE 116.1

ORIG: K9X COPY;

```

000100*****
000200* DCLGEN TABLE(H8215.GEN477) *
000300* LIBRARY(D7730.DB2COPY(B8215K9X)) *
000400* ACTION(REPLACE) *
000500* STRUCTURE(K9XREC) *
000600* QUOTE *
000700* ... IS THE DCLGEN COMMAND THAT MADE THE FOLLOWING STATEMENTS *
000800*****
000900 EXEC SQL DECLARE H8215.GEN477 TABLE
001000 ( K9XNUMSEL CHAR(4) NOT NULL,
001100 K9XIDKTYPE CHAR(3) NOT NULL,
001200 K9XDATOLEV DECIMAL(8, 0) NOT NULL,
001300 K9XGENLEV DECIMAL(5, 0) NOT NULL,
001400 K9XMVSID CHAR(4) NOT NULL,
001500 K9XSMFID CHAR(4) NOT NULL,
001600 K9XJOBNR CHAR(8) NOT NULL,
001700 K9XJOBNAVN CHAR(8) NOT NULL,
001800 K9XJOBSTEP CHAR(8) NOT NULL,
001900 K9XPROCSTEP CHAR(8) NOT NULL,
002000 K9XSTART CHAR(1) NOT NULL,
002100 K9XLEVLOGON CHAR(8) NOT NULL,
002200 K9XDATOPDAT TIMESTAMP NOT NULL,
002300 K9XOPDTV DECIMAL(3, 0) NOT NULL
002400 ) END-EXEC.
002500*****
002600* COBOL DECLARATION FOR TABLE H8215.GEN477 *
002700*****
002800 01 K9XREC.
002900 10 K9XNUMSEL PIC X(4).
003000 10 K9XIDKTYPE PIC X(3).
003100 10 K9XDATOLEV PIC S99999999V USAGE COMP-3.
003200 10 K9XGENLEV PIC S99999V USAGE COMP-3.
003300 10 K9XMVSID PIC X(4).
003400 10 K9XSMFID PIC X(4).
003500 10 K9XJOBNR PIC X(8).
003600 10 K9XJOBNAVN PIC X(8).
003700 10 K9XJOBSTEP PIC X(8).
003800 10 K9XPROCSTEP PIC X(8).
003900 10 K9XSTART PIC X(1).
004000 10 K9XLEVLOGON PIC X(8).
004100 10 K9XDATOPDAT PIC X(26).
004200 10 K9XOPDTV PIC S999V USAGE COMP-3.
004300*****
004400* THE NUMBER OF COLUMNS DESCRIBED BY THIS DECLARATION IS 14 *
004500*****

```

1	92	X-DEF.
1	4	X-DEF.
5	3	X-DEF.
8	5	PAKKET
13	3	PAKKET
16	4	X-DEF.
20	4	X-DEF.
24	8	X-DEF.
32	8	X-DEF.
40	8	X-DEF.
48	8	X-DEF.
56	1	X-DEF.
57	8	X-DEF.
65	26	X-DEF.
91	2	PAKKET

RA FIUR 3056

E C B O O K * * * B 8 2 1 5 K 9 Y * * *

START LENGTH FORMAT DEC 11.01.96 15.23.49 PAGE 1

ORIG: K9Y COPY:

```

00100*****
00200* DCLGEN TABLE(H8215.GEN491) *
00300* LIBRARY(D7730.DB2COPY(B8215K9Y)) *
00400* ACTION(REPLACE) *
00500* STRUCTURE(K9YREC) *
00600* QUOTE *
00700* ... IS THE DCLGEN COMMAND THAT MADE THE FOLLOWING STATEMENTS *
00800*****
00900 EXEC SQL DECLARE H8215.GEN491 TABLE
01000 ( K9YNUMSEL CHAR(4) NOT NULL,
01100 K9YIDKTYPE CHAR(3) NOT NULL,
01200 K9YDATOLEV DECIMAL(8, 0) NOT NULL,
01300 K9YGENLEV DECIMAL(5, 0) NOT NULL,
01400 K9YMVSID CHAR(4) NOT NULL,
01500 K9YSMFID CHAR(4) NOT NULL,
01600 K9YJOBNR CHAR(8) NOT NULL,
01700 K9YJOBNAVN CHAR(8) NOT NULL,
01800 K9YJOBSTEP CHAR(8) NOT NULL,
01900 K9YPROCSTEP CHAR(8) NOT NULL,
02000 K9YSTART CHAR(1) NOT NULL,
02100 K9YLEVLOGON CHAR(8) NOT NULL,
02200 K9YDATOPDAT TIMESTAMP NOT NULL,
02300 K9YOPDTV DECIMAL(3, 0) NOT NULL
02400 ) END-EXEC.
02500*****
02600* COBOL DECLARATION FOR TABLE H8215.GEN491 *
02700*****
02800 01 K9YREC.
02900 10 K9YNUMSEL PIC X(4).
03000 10 K9YIDKTYPE PIC X(3).
03100 10 K9YDATOLEV PIC S99999999V USAGE COMP-3.
03200 10 K9YGENLEV PIC S99999V USAGE COMP-3.
03300 10 K9YMVSID PIC X(4).
03400 10 K9YSMFID PIC X(4).
03500 10 K9YJOBNR PIC X(8).
03600 10 K9YJOBNAVN PIC X(8).
03700 10 K9YJOBSTEP PIC X(8).
03800 10 K9YPROCSTEP PIC X(8).
03900 10 K9YSTART PIC X(1).
04000 10 K9YLEVLOGON PIC X(8).
04100 10 K9YDATOPDAT PIC X(26).
04200 10 K9YOPDTV PIC S999V USAGE COMP-3.
04300*****
04400* THE NUMBER OF COLUMNS DESCRIBED BY THIS DECLARATION IS 14 *
04500*****

```

RA FILNR 3057

1	92	X-DEF.
1	4	X-DEF.
5	3	X-DEF.
8	5	PAKKET
13	3	PAKKET
16	4	X-DEF.
20	4	X-DEF.
24	8	X-DEF.
32	8	X-DEF.
40	8	X-DEF.
48	8	X-DEF.
56	1	X-DEF.
57	8	X-DEF.
65	26	X-DEF.
91	2	PAKKET

L E C B O O K * * * B 8 2 1 5 K 9 Z * * *

START LENGTH FORMAT DEC 11.01.96 15.23.49 PAGE 1

ORIG: K9Z COPY:

```

000100*****
000200* DCLGEN TABLE(H8215.GEN456) *
000300* LIBRARY(D7730.DB2COPY(B8215K9Z)) *
000400* ACTION(REPLACE) *
000500* STRUCTURE(K9ZREC) *
000600* QUOTE *
000700* ... IS THE DCLGEN COMMAND THAT MADE THE FOLLOWING STATEMENTS *
000800*****
000900 EXEC SQL DECLARE H8215.GEN456 TABLE
001000 ( K9ZNUMSEL CHAR(4) NOT NULL,
001100 K9ZAARKORTA DECIMAL(4, 0) NOT NULL,
001200 K9ZIDKTYPE CHAR(3) NOT NULL,
001300 K9ZDATOLEV DECIMAL(8, 0) NOT NULL,
001400 K9ZGENLEV DECIMAL(5, 0) NOT NULL,
001500 K9ZMVSID CHAR(4) NOT NULL,
001600 K9ZSMFID CHAR(4) NOT NULL,
001700 K9ZJOBNR CHAR(8) NOT NULL,
001800 K9ZJOBNAVN CHAR(8) NOT NULL,
001900 K9ZJOBSTEP CHAR(8) NOT NULL,
002000 K9ZPROCSTEP CHAR(8) NOT NULL,
002100 K9ZSTART CHAR(1) NOT NULL,
002200 K9ZLEVLOGON CHAR(8) NOT NULL,
002300 K9ZDATOPDAT TIMESTAMP NOT NULL,
002400 K9ZOPDTV DECIMAL(3, 0) NOT NULL,
002500 K9ZKODINSTI CHAR(3) NOT NULL
002600 ) END-EXEC.
002700*****
002800* COBOL DECLARATION FOR TABLE H8215.GEN456 *
002900*****
003000 01 K9ZREC.
003100 10 K9ZNUMSEL PIC X(4).
003200 10 K9ZAARKORTA PIC S9999V USAGE COMP-3.
003300 10 K9ZIDKTYPE PIC X(3).
003400 10 K9ZDATOLEV PIC S999999999V USAGE COMP-3.
003500 10 K9ZGENLEV PIC S99999V USAGE COMP-3.
003600 10 K9ZMVSID PIC X(4).
003700 10 K9ZSMFID PIC X(4).
003800 10 K9ZJOBNR PIC X(8).
003900 10 K9ZJOBNAVN PIC X(8).
004000 10 K9ZJOBSTEP PIC X(8).
004100 10 K9ZPROCSTEP PIC X(8).
004200 10 K9ZSTART PIC X(1).
004300 10 K9ZLEVLOGON PIC X(8).
004400 10 K9ZDATOPDAT PIC X(26).
004500 10 K9ZOPDTV PIC S999V USAGE COMP-3.
004600 10 K9ZKODINSTI PIC X(3).
004700*****
004800* THE NUMBER OF COLUMNS DESCRIBED BY THIS DECLARATION IS 16 *
004900*****

```

RA FILNR 3058

1	98	X-DEF.
1	4	X-DEF.
5	3	PAKKET
8	3	X-DEF.
11	5	PAKKET
16	3	PAKKET
19	4	X-DEF.
23	4	X-DEF.
27	8	X-DEF.
35	8	X-DEF.
43	8	X-DEF.
51	8	X-DEF.
59	1	X-DEF.
60	8	X-DEF.
68	26	X-DEF.
94	2	PAKKET
96	3	X-DEF.

956.1

E C B O O K * * * B 8 2 1 5 K 9 0 * * *

START LENGTH FORMAT DEC 11.01.96 15.23.49 PAGE 1

ORIG: K90 COPY:

```

000100*****
000200* DCLGEN TABLE(H8215.UDTRDATO) *
000300* LIBRARY(D7730.DB2COPY(B8215K90)) *
000400* ACTION(REPLACE) *
000500* STRUCTURE(K90REC) *
000600* QUOTE *
000700* ... IS THE DCLGEN COMMAND THAT MADE THE FOLLOWING STATEMENTS *
000800*****
000900 EXEC SQL DECLARE H8215.UDTRDATO TABLE
001000 ( K90NUMSEL CHAR(4) NOT NULL,
001100 K90DATUD1AN DECIMAL(8, 0) NOT NULL,
001200 K90DATUD2AN DECIMAL(8, 0) NOT NULL,
001300 K90GENNRAN DECIMAL(5, 0) NOT NULL,
001400 K90DATUD1CP DECIMAL(8, 0) NOT NULL,
001500 K90DATUD2CP DECIMAL(8, 0) NOT NULL,
001600 K90GENNRCP DECIMAL(5, 0) NOT NULL,
001700 K90DATUD1SE DECIMAL(8, 0) NOT NULL,
001800 K90DATUD2SE DECIMAL(8, 0) NOT NULL,
001900 K90GENNRSE DECIMAL(5, 0) NOT NULL,
002000 K90DATUD1AR DECIMAL(8, 0) NOT NULL,
002100 K90DATUD2AR DECIMAL(8, 0) NOT NULL,
002200 K90GENNRAR DECIMAL(5, 0) NOT NULL,
002300 K90DATOPDAT TIMESTAMP NOT NULL,
002400 K90OPDTV DECIMAL(3, 0) NOT NULL,
002500 K90NUMGKORT DECIMAL(5, 0) NOT NULL,
002600 K90DATUDKOR DECIMAL(8, 0) NOT NULL,
002700 K90DAT2KOR DECIMAL(8, 0) NOT NULL,
002800 K90DATDYCPR TIMESTAMP NOT NULL,
002900 K90DATHACPR TIMESTAMP NOT NULL,
003000 K90DATLSCPR TIMESTAMP NOT NULL,
003100 K90DATRSCPR TIMESTAMP NOT NULL,
003200 K90DATUSCPR TIMESTAMP NOT NULL,
003300 K90DATVICPR TIMESTAMP NOT NULL,
003400 ) END-EXEC.
003500*****
003600* COBOL DECLARATION FOR TABLE H8215.UDTRDATO *
003700*****
003800 01 K90REC.
003900 10 K90NUMSEL PIC X(4).
004000 10 K90DATUD1AN PIC S99999999V USAGE COMP-3.
004100 10 K90DATUD2AN PIC S99999999V USAGE COMP-3.
004200 10 K90GENNRAN PIC S99999V USAGE COMP-3.
004300 10 K90DATUD1CP PIC S99999999V USAGE COMP-3.
004400 10 K90DATUD2CP PIC S99999999V USAGE COMP-3.
004500 10 K90GENNRCP PIC S99999V USAGE COMP-3.
004600 10 K90DATUD1SE PIC S99999999V USAGE COMP-3.
004700 10 K90DATUD2SE PIC S99999999V USAGE COMP-3.
004800 10 K90GENNRSE PIC S99999V USAGE COMP-3.
004900 10 K90DATUD1AR PIC S99999999V USAGE COMP-3.
005000 10 K90DATUD2AR PIC S99999999V USAGE COMP-3.
005100 10 K90GENNRAR PIC S99999V USAGE COMP-3.
005200 10 K90DATOPDAT PIC X(26).
005300 10 K90OPDTV PIC S999V USAGE COMP-3.
005400 10 K90NUMGKORT PIC S99999V USAGE COMP-3.
005500 10 K90DATUDKOR PIC S99999999V USAGE COMP-3.
005600 10 K90DAT2KOR PIC S99999999V USAGE COMP-3.
005700 10 K90DATDYCPR PIC X(26).
005800 10 K90DATHACPR PIC X(26).

```

RIA FILNR 3059

1	253	X-DEF.
1	4	X-DEF.
5	5	PAKKET
10	5	PAKKET
15	3	PAKKET
18	5	PAKKET
23	5	PAKKET
28	3	PAKKET
31	5	PAKKET
36	5	PAKKET
41	3	PAKKET
44	5	PAKKET
49	5	PAKKET
54	3	PAKKET
57	26	X-DEF.
83	2	PAKKET
85	3	PAKKET
88	5	PAKKET
93	5	PAKKET
98	26	X-DEF.
124	26	X-DEF.

3059

LECB00K *** B 8 2 1 5 K 9 0 *** START LENGTH FORMAT DEC 11.01.96 15.23.49 PAGE 2
ORIG: K90 COPY:

005900	10 K90DATLSCPR	PIC X(26).	150	26	X-DEF.
006000	10 K90DATRSCPR	PIC X(26).	176	26	X-DEF.
006100	10 K90DATUSCPR	PIC X(26).	202	26	X-DEF.
006200	10 K90DATVICPR	PIC X(26).	228	26	X-DEF.

006300*****
006400* THE NUMBER OF COLUMNS DESCRIBED BY THIS DECLARATION IS 24 *
006500*****

3060

ORIG: K98 COPY:

```
000100*****
000200* DCLGEN TABLE(H8215.KVIT) *
000300*        LIBRARY(D7730.DB2COPY(B8215K98)) *
000400*        STRUCTURE(K98REC) *
000500*        QUOTE *
000600* ... IS THE DCLGEN COMMAND THAT MADE THE FOLLOWING STATEMENTS *
000700*****
000800        EXEC SQL DECLARE H8215.KVIT TABLE
000900        ( K98NUMSEL        CHAR(4) NOT NULL,
001000        K98IDKTYPE       CHAR(3) NOT NULL,
001100        K98ART            CHAR(5) NOT NULL,
001200        K98ANTALLAS       DECIMAL(9, 0) NOT NULL,
001300        K98ANTALOK        DECIMAL(9, 0) NOT NULL,
001400        K98ANTALAFV       DECIMAL(9, 0) NOT NULL,
001500        K98MVSID         CHAR(4) NOT NULL,
001600        K98SMFID         CHAR(4) NOT NULL,
001700        K98JOBNR         CHAR(8) NOT NULL,
001800        K98JOBNAVN        CHAR(8) NOT NULL,
001900        K98JOBSTEP       CHAR(8) NOT NULL,
002000        K98PROCSTEP       CHAR(8) NOT NULL,
002100        K98DATOPDAT       TIMESTAMP NOT NULL,
002200        K98OPDTV         DECIMAL(3, 0) NOT NULL
002300        ) END-EXEC.
002400*****
002500* COBOL DECLARATION FOR TABLE H8215.KVIT *
002600*****
002700 01 K98REC.
002800    10 K98NUMSEL        PIC X(4).
002900    10 K98IDKTYPE       PIC X(3).
003000    10 K98ART           PIC X(5).
003100    10 K98ANTALLAS       PIC S999999999V USAGE COMP-3.
003200    10 K98ANTALOK       PIC S999999999V USAGE COMP-3.
003300    10 K98ANTALAFV       PIC S999999999V USAGE COMP-3.
003400    10 K98MVSID        PIC X(4).
003500    10 K98SMFID        PIC X(4).
003600    10 K98JOBNR         PIC X(8).
003700    10 K98JOBNAVN       PIC X(8).
003800    10 K98JOBSTEP       PIC X(8).
003900    10 K98PROCSTEP       PIC X(8).
004000    10 K98DATOPDAT     PIC X(26).
004100    10 K98OPDTV        PIC S999V USAGE COMP-3.
004200*****
004300* THE NUMBER OF COLUMNS DESCRIBED BY THIS DECLARATION IS 14 *
004400*****
```

1	95	X-DEF.
1	4	X-DEF.
5	3	X-DEF.
8	5	X-DEF.
13	5	PAKKET
18	5	PAKKET
23	5	PAKKET
28	4	X-DEF.
32	4	X-DEF.
36	8	X-DEF.
44	8	X-DEF.
52	8	X-DEF.
60	8	X-DEF.
68	26	X-DEF.
94	2	PAKKET

RA FILAR 3060

98.1

ORIG: KB7 COPY:

```
000100*****
000200* DCLGEN TABLE(H8215.UDTAGMOD) *
000300* LIBRARY(D7730.DB2COPY(B8215KB7)) *
000400* ACTION(REPLACE) *
000500* STRUCTURE(KB7REC) *
000600* QUOTE *
000700* ... IS THE DCLGEN COMMAND THAT MADE THE FOLLOWING STATEMENTS *
000800*****
000900* EXEC SQL DECLARE H8215.UDTAGMOD TABLE *
001000* ( KB7NUMSEL CHAR(4) NOT NULL, *
001100* KB7NUMSAG DECIMAL(6, 0) NOT NULL, *
001200* KB7AARHOAAR DECIMAL(4, 0) NOT NULL, *
001300* KB7ANTARMOD DECIMAL(7, 1) NOT NULL, *
001400* KB7ANTARUDT DECIMAL(7, 1) NOT NULL, *
001500* KB7BRULOGON CHAR(8) NOT NULL, *
001600* KB7DATOPDAT TIMESTAMP NOT NULL, *
001700* KB7OPDTV DECIMAL(3, 0) NOT NULL *
001800* ) END-EXEC. *
001900*****
002000* COBOL DECLARATION FOR TABLE H8215.UDTAGMOD *
002100*****
002200 01 KB7REC. *
002300 10 KB7NUMSEL PIC X(4). *
002400 10 KB7NUMSAG PIC S999999V USAGE COMP-3. *
002500 10 KB7AARHOAAR PIC S9999V USAGE COMP-3. *
002600 10 KB7ANTARMOD PIC S999999V9 USAGE COMP-3. *
002700 10 KB7ANTARUDT PIC S999999V9 USAGE COMP-3. *
002800 10 KB7BRULOGON PIC X(8). *
002900 10 KB7DATOPDAT PIC X(26). *
003000 10 KB7OPDTV PIC S999V USAGE COMP-3. *
003100*****
003200* THE NUMBER OF COLUMNS DESCRIBED BY THIS DECLARATION IS 8 *
003300*****
```

RA FILNR 2047

1	55	X-DEF.
1	4	X-DEF.
5	4	PAKKET
9	3	PAKKET
12	4	PAKKET
16	4	PAKKET
20	8	X-DEF.
28	26	X-DEF.
54	2	PAKKET

1 810E 117.1

L E C B O O K * * * B 8 2 1 5 K B 8 * * *

START LENGTH FORMAT DEC 11.01.96 15.23.49 PAGE 1

ORIG: KB8 COPY:

```

000100*****
000200* DCLGEN TABLE(H8215.AFGIVMOD) *
000300* LIBRARY(D7730.DB2COPY(B8215KB8)) *
000400* ACTION(REPLACE) *
000500* STRUCTURE(KB8REC) *
000600* QUOTE *
000700* ... IS THE DCLGEN COMMAND THAT MADE THE FOLLOWING STATEMENTS *
000800*****
000900 EXEC SQL DECLARE H8215.AFGIVMOD TABLE
001000 ( KB8NUMSEL CHAR(4) NOT NULL,
001100 KB8NUMSAG DECIMAL(6, 0) NOT NULL,
001200 KB8AARH0AAR DECIMAL(4, 0) NOT NULL,
001300 KB8NUMSAGMO DECIMAL(6, 0) NOT NULL,
001400 KB8BRULOGON CHAR(8) NOT NULL,
001500 KB8DATOPDAT TIMESTAMP NOT NULL,
001600 KB8OPDTV DECIMAL(3, 0) NOT NULL
001700 ) END-EXEC.
001800*****
001900* COBOL DECLARATION FOR TABLE H8215.AFGIVMOD *
002000*****
002100 01 KB8REC.
002200 10 KB8NUMSEL PIC X(4).
002300 10 KB8NUMSAG PIC S999999V USAGE COMP-3.
002400 10 KB8AARH0AAR PIC S9999V USAGE COMP-3.
002500 10 KB8NUMSAGMO PIC S999999V USAGE COMP-3.
002600 10 KB8BRULOGON PIC X(8).
002700 10 KB8DATOPDAT PIC X(26).
002800 10 KB8OPDTV PIC S999V USAGE COMP-3.
002900*****
003000* THE NUMBER OF COLUMNS DESCRIBED BY THIS DECLARATION IS 7 *
003100*****

```

RA FILNR 2048

1	51	X-DEF.
1	4	X-DEF.
5	4	PAKKET
9	3	PAKKET
12	4	PAKKET
16	8	X-DEF.
24	26	X-DEF.
50	2	PAKKET

SIDE 118.1

LE C B O O K * * * B 8 2 1 5 K B 9 * * * START LENGTH FORMAT DEC 11.01.96 15.23.49 PAGE 1
ORIG: KB9 COPY:

```
000100*****
000200* DCLGEN TABLE(H8215.PRODADR) *
000300* LIBRARY(D7730.DB2COPY(B8215KB9)) *
000400* ACTION(REPLACE) *
000500* STRUCTURE(KB9REC) *
000600* QUOTE *
000700* ... IS THE DCLGEN COMMAND THAT MADE THE FOLLOWING STATEMENTS *
000800*****
000900 EXEC SQL DECLARE H8215.PRODADR TABLE
001000 ( KB9NUMSEL CHAR(4) NOT NULL,
001100 KB9NUMSAG DECIMAL(6, 0) NOT NULL,
001200 KB9AARH0AAR DECIMAL(4, 0) NOT NULL,
001300 KB9EFFFIRMA CHAR(35) NOT NULL,
001400 KB9EFFFOR CHAR(35) NOT NULL,
001500 KB9EFEFTER CHAR(35) NOT NULL,
001600 KB9EFVEJ CHAR(35) NOT NULL,
001700 KB9EFBY CHAR(35) NOT NULL,
001800 KB9EFPOST DECIMAL(4, 0) NOT NULL,
001900 KB9EFPOSBY CHAR(35) NOT NULL,
002000 KB9BRULOGON CHAR(8) NOT NULL,
002100 KB9DATOPDAT TIMESTAMP NOT NULL,
002200 KB9OPDTV DECIMAL(3, 0) NOT NULL
002300 ) END-EXEC.
002400*****
002500* COBOL DECLARATION FOR TABLE H8215.PRODADR *
002600*****
002700 01 KB9REC.
002800 10 KB9NUMSEL PIC X(4).
002900 10 KB9NUMSAG PIC S999999V USAGE COMP-3.
003000 10 KB9AARH0AAR PIC S9999V USAGE COMP-3.
003100 10 KB9EFFFIRMA PIC X(35).
003200 10 KB9EFFFOR PIC X(35).
003300 10 KB9EFEFTER PIC X(35).
003400 10 KB9EFVEJ PIC X(35).
003500 10 KB9EFBY PIC X(35).
003600 10 KB9EFPOST PIC S9999V USAGE COMP-3.
003700 10 KB9EFPOSBY PIC X(35).
003800 10 KB9BRULOGON PIC X(8).
003900 10 KB9DATOPDAT PIC X(26).
004000 10 KB9OPDTV PIC S999V USAGE COMP-3.
004100*****
004200* THE NUMBER OF COLUMNS DESCRIBED BY THIS DECLARATION IS 13 *
004300*****
```

RA FILNR 2049

1	260	X-DEF.
1	4	X-DEF.
5	4	PAKKET
9	3	PAKKET
12	35	X-DEF.
47	35	X-DEF.
82	35	X-DEF.
117	35	X-DEF.
152	35	X-DEF.
187	3	PAKKET
190	35	X-DEF.
225	8	X-DEF.
233	26	X-DEF.
259	2	PAKKET

SIDE 119.1

L E C B O O K * * * B 8 2 1 5 K C 6 * * *

START LENGTH FORMAT DEC 11.01.96 15.23.49 PAGE 1

ORIG: KC6 COPY:

```

000100*****
000200* DCLGEN TABLE(H8215.EJDUKEND) *
000300* LIBRARY(D7730.DB2COPY(B8215KC6)) *
000400* ACTION(REPLACE) *
000500* STRUCTURE(KC6REC) *
000600* QUOTE *
000700* ... IS THE DCLGEN COMMAND THAT MADE THE FOLLOWING STATEMENTS *
000800*****
000900 EXEC SQL DECLARE H8215.EJDUKEND TABLE
001000 ( KC6NUMSEL CHAR(4) NOT NULL,
001100 KC6NUMKOMMU DECIMAL(3, 0) NOT NULL,
001200 KC6NUMEJEND DECIMAL(7, 0) NOT NULL,
001300 KC6DATUDTRA DECIMAL(8, 0) NOT NULL,
001400 KC6DATOPDAT TIMESTAMP NOT NULL,
001500 KC6BRULOGON CHAR(8) NOT NULL,
001600 KC6OPDTV DECIMAL(3, 0) NOT NULL,
001700 KC6KODEESR CHAR(1) NOT NULL
001800 ) END-EXEC.
001900*****
002000* COBOL DECLARATION FOR TABLE H8215.EJDUKEND *
002100*****
002200 01 KC6REC.
002300 10 KC6NUMSEL PIC X(4).
002400 10 KC6NUMKOMMU PIC S999V USAGE COMP-3.
002500 10 KC6NUMEJEND PIC S9999999V USAGE COMP-3.
002600 10 KC6DATUDTRA PIC S99999999V USAGE COMP-3.
002700 10 KC6DATOPDAT PIC X(26).
002800 10 KC6BRULOGON PIC X(8).
002900 10 KC6OPDTV PIC S999V USAGE COMP-3.
003000 10 KC6KODEESR PIC X(1).
003100*****
003200* THE NUMBER OF COLUMNS DESCRIBED BY THIS DECLARATION IS 8 *
003300*****

```

RA FILNR 2050

1	52	X-DEF.
1	4	X-DEF.
5	2	PAKKET
7	4	PAKKET
11	5	PAKKET
16	26	X-DEF.
42	8	X-DEF.
50	2	PAKKET
52	1	X-DEF.

SIDE 126.1

ORIG: KC7 COPY:

000100*****
000200* DCLGEN TABLE(H8215.KORAREAL) *
000300* LIBRARY(D7730.DB2COPY(B8215KC7)) *
000400* ACTION(REPLACE) *
000500* STRUCTURE(KC7REC) *
000600* QUOTE *
000700* ... IS THE DCLGEN COMMAND THAT MADE THE FOLLOWING STATEMENTS *
000800*****
000900 EXEC SQL DECLARE H8215.KORAREAL TABLE *
001000 (KC7NUMSEL CHAR(4) NOT NULL, *
001100 KC7NUMKOMMU DECIMAL(3, 0) NOT NULL, *
001200 KC7NUMJEND DECIMAL(7, 0) NOT NULL, *
001300 KC7KORAREAL DECIMAL(11, 0) NOT NULL, *
001400 KC7DATOPDAT TIMESTAMP NOT NULL, *
001500 KC7BRULOGON CHAR(8) NOT NULL, *
001600 KC7OPDTV DECIMAL(3, 0) NOT NULL *
001700) END-EXEC. *
001800*****
001900* COBOL DECLARATION FOR TABLE H8215.KORAREAL *
002000*****
002100 01 KC7REC. *
002200 10 KC7NUMSEL PIC X(4). *
002300 10 KC7NUMKOMMU PIC S999V USAGE COMP-3. *
002400 10 KC7NUMJEND PIC S9999999V USAGE COMP-3. *
002500 10 KC7KORAREAL PIC S9999999999V USAGE COMP-3. *
002600 10 KC7DATOPDAT PIC X(26). *
002700 10 KC7BRULOGON PIC X(8). *
002800 10 KC7OPDTV PIC S999V USAGE COMP-3. *
002900*****
003000* THE NUMBER OF COLUMNS DESCRIBED BY THIS DECLARATION IS 7 *
003100*****

RA FILNR 2051

1	52	X-DEF.
1	4	X-DEF.
5	2	PAKKET
7	4	PAKKET
11	6	PAKKET
17	26	X-DEF. side 122.1
43	8	X-DEF.
51	2	PAKKET

ORIG: KA1 COPY:

```
000100*****
000200* DCLGEN TABLE(H8215.BESTLIN) *
000300* LIBRARY(D7730.DB2COPY(B8215KA1)) *
000400* ACTION(REPLACE) *
000500* STRUCTURE(KA1REC) *
000600* QUOTE *
000700* ... IS THE DCLGEN COMMAND THAT MADE THE FOLLOWING STATEMENTS *
000800*****
000900 EXEC SQL DECLARE H8215.BESTLIN TABLE
001000 ( KAINUMSEL CHAR(4) NOT NULL,
001100 KAINAVOUTP CHAR(8) NOT NULL,
001200 KAIDATTIL TIMESTAMP NOT NULL,
001300 KAILINNAVUD DECIMAL(2, 0) NOT NULL,
001400 KAINAVUDTR CHAR(30) NOT NULL,
001500 KA1BRULOGON CHAR(8) NOT NULL,
001600 KA1DATOPDAT TIMESTAMP NOT NULL,
001700 KA1OPDTV DECIMAL(3, 0) NOT NULL
001800 ) END-EXEC.
001900*****
002000* COBOL DECLARATION FOR TABLE H8215.BESTLIN *
002100*****
002200 01 KA1REC.
002300 10 KAINUMSEL PIC X(4).
002400 10 KAINAVOUTP PIC X(8).
002500 10 KAIDATTIL PIC X(26).
002600 10 KAILINNAVUD PIC S99V USAGE COMP-3.
002700 10 KAINAVUDTR PIC X(30).
002800 10 KA1BRULOGON PIC X(8).
002900 10 KA1DATOPDAT PIC X(26).
003000 10 KA1OPDTV PIC S999V USAGE COMP-3.
003100*****
003200* THE NUMBER OF COLUMNS DESCRIBED BY THIS DECLARATION IS 8 *
003300*****
```

1	106	X-DEF.
1	4	X-DEF.
5	8	X-DEF.
13	26	X-DEF.
39	2	PAKKET
41	30	X-DEF.
71	8	X-DEF.
79	26	X-DEF.
105	2	PAKKET

RA FILNR 2035

Side 101.1

ORIG: KDO COPY:

```
000100*****
000200* DCLGEN TABLE(H8215.UNDTVIRK)
000300* LIBRARY(D7730.DB2COPY(B8215KDO))
000400* ACTION(REPLACE)
000500* STRUCTURE(KDOREC)
000600* QUOTE
000700* ... IS THE DCLGEN COMMAND THAT MADE THE FOLLOWING STATEMENTS
000800*****
000900 EXEC SQL DECLARE H8215.UNDTVIRK TABLE
001000 ( KDONUMSEL CHAR(4) NOT NULL,
001100 KDOIDEVIRK DECIMAL(10, 0) NOT NULL,
001200 KDOAARPLTIL DECIMAL(4, 0) NOT NULL,
001300 KDONUMSE CHAR(8) NOT NULL,
001400 KDONUMCPR DECIMAL(10, 0) NOT NULL,
001500 KDOMARUDNGL CHAR(1) NOT NULL,
001600 KDOMARKSLET CHAR(1) NOT NULL,
001700 KDOBRULOGON CHAR(8) NOT NULL,
001800 KDODATOPDAT TIMESTAMP NOT NULL,
001900 KDOOPDTV DECIMAL(3, 0) NOT NULL
002000 ) END-EXEC.
002100*****
002200* COBOL DECLARATION FOR TABLE H8215.UNDTVIRK
002300*****
002400 01 KDOREC.
002500 10 KDONUMSEL PIC X(4).
002600 10 KDOIDEVIRK PIC S999999999V USAGE COMP-3.
002700 10 KDOAARPLTIL PIC S9999V USAGE COMP-3.
002800 10 KDONUMSE PIC X(8).
002900 10 KDONUMCPR PIC S999999999V USAGE COMP-3.
003000 10 KDOMARUDNGL PIC X(1).
003100 10 KDOMARKSLET PIC X(1).
003200 10 KDOBRULOGON PIC X(8).
003300 10 KDODATOPDAT PIC X(26).
003400 10 KDOOPDTV PIC S999V USAGE COMP-3.
003500*****
003600* THE NUMBER OF COLUMNS DESCRIBED BY THIS DECLARATION IS 10
003700*****
```

RA FILNR 2052

1	65	X-DEF.	
1	4	X-DEF.	
5	6	PAKKET	side 130.1
11	3	PAKKET	
14	8	X-DEF.	
22	6	PAKKET	
28	1	X-DEF.	
29	1	X-DEF.	
30	8	X-DEF.	
38	26	X-DEF.	
64	2	PAKKET	

ORIG: KDI COPY:

```
000100*****
000200* DCLGEN TABLE(H8215.NOGLLETAL) *
000300* LIBRARY(D7730.DB2COPY(B8215KDI)) *
000400* ACTION(REPLACE) *
000500* STRUCTURE(KDI1REC) *
000600* QUOTE *
000700* ... IS THE DCLGEN COMMAND THAT MADE THE FOLLOWING STATEMENTS *
000800*****
000900 EXEC SQL DECLARE H8215.NOGLLETAL TABLE
001000 ( KDI1NUMSEL CHAR(4) NOT NULL,
001100 KDI1DEVIRK DECIMAL(10, 0) NOT NULL,
001200 KDI1AARPLTIL DECIMAL(4, 0) NOT NULL,
001300 KDI1NUMUDNGL DECIMAL(10, 0) NOT NULL,
001400 KDI1NUMSE CHAR(8) NOT NULL,
001500 KDI1NUMCPR DECIMAL(10, 0) NOT NULL,
001600 KDI1KODARPOP DECIMAL(2, 0) NOT NULL,
001700 KDI1KODARNGL DECIMAL(2, 0) NOT NULL,
001800 KDI1ANTARBED DECIMAL(9, 1) NOT NULL,
001900 KDI1DYRENHHA DECIMAL(5, 1) NOT NULL,
002000 KDI1DYRENHSV DECIMAL(7, 2) NOT NULL,
002100 KDI1DYRENHKV DECIMAL(7, 2) NOT NULL,
002200 KDI1DYRENHAN DECIMAL(7, 2) NOT NULL,
002300 KDI1TYPVIRK CHAR(1) NOT NULL,
002400 KDI1NUMAMT DECIMAL(3, 0) NOT NULL,
002500 KDI1MARDYGLR CHAR(1) NOT NULL,
002600 KDI1MARHARMP CHAR(1) NOT NULL,
002700 KDI1KODHEKST CHAR(1) NOT NULL,
002800 KDI1DATGLRST DECIMAL(8, 0) NOT NULL,
002900 KDI1ANTVIADR DECIMAL(3, 0) NOT NULL,
003000 KDI1TEKKONTA CHAR(35) NOT NULL,
003100 KDI1NAVFIKMA CHAR(35) NOT NULL,
003200 KDI1NAVFOR CHAR(35) NOT NULL,
003300 KDI1SOGNANGL CHAR(70) NOT NULL,
003400 KDI1NAVVEJ CHAR(35) NOT NULL,
003500 KDI1NAVBY CHAR(35) NOT NULL,
003600 KDI1NUMPOST DECIMAL(4, 0) NOT NULL,
003700 KDI1TEKPOSBY CHAR(35) NOT NULL,
003800 KDI1NUMTELEF CHAR(17) NOT NULL,
003900 KDI1DATNGLFV DECIMAL(8, 0) NOT NULL,
004000 KDI1BRULOGON CHAR(8) NOT NULL,
004100 KDI1DATOPDAT TIMESTAMP NOT NULL,
004200 KDI1OPDTV DECIMAL(3, 0) NOT NULL
004300 ) END-EXEC.
004400*****
004500* COBOL DECLARATION FOR TABLE H8215.NOGLLETAL *
004600*****
004700 01 KDI1REC.
004800 10 KDI1NUMSEL PIC X(4).
004900 10 KDI1DEVIRK PIC S999999999V USAGE COMP-3.
005000 10 KDI1AARPLTIL PIC S9999V USAGE COMP-3.
005100 10 KDI1NUMUDNGL PIC S999999999V USAGE COMP-3.
005200 10 KDI1NUMSE PIC X(8).
005300 10 KDI1NUMCPR PIC S9999999999V USAGE COMP-3.
005400 10 KDI1KODARPOP PIC S99V USAGE COMP-3.
005500 10 KDI1KODARNGL PIC S99V USAGE COMP-3.
005600 10 KDI1ANTARBED PIC S999999999V9 USAGE COMP-3.
005700 10 KDI1DYRENHHA PIC S99999V9 USAGE COMP-3.
005800 10 KDI1DYRENHSV PIC S999999V99 USAGE COMP-3.
```

RA FILNR 2053

SIDG 131.1

1	411	X-DEF.	
1	4	X-DEF.	
5	6	PAKKET	
11	3	PAKKET	
14	6	PAKKET	
20	8	X-DEF.	
28	6	PAKKET	
34	2	PAKKET	
36	2	PAKKET	
38	5	PAKKET	1
43	3	PAKKET	1
46	4	PAKKET	2

L E C B O O K * * * B 8 2 1 5 K D 1 * * *

START LENGTH FORMAT DEC 11.01.96 15.23.49 PAGE

ORIG: KDI COPY:

005900	10	KDIDYRENHKV	PIC S99999V99 USAGE COMP-3.	50	4	PAKKET	2
006000	10	KDIDYRENHAN	PIC S99999V99 USAGE COMP-3.	54	4	PAKKET	2
006100	10	KDITYPVIRK	PIC X(1).	58	1	X-DEF.	
006200	10	KDINUMAMT	PIC S999V USAGE COMP-3.	59	2	PAKKET	
006300	10	KDIMARDYGLR	PIC X(1).	61	1	X-DEF.	
006400	10	KDIMARHARMP	PIC X(1).	62	1	X-DEF.	
006500	10	KDIKODHEKST	PIC X(1).	63	1	X-DEF.	
006600	10	KDIDATGLRST	PIC S99999999V USAGE COMP-3.	64	5	PAKKET	
006700	10	KDIANTVIADR	PIC S999V USAGE COMP-3.	69	2	PAKKET	
006800	10	KDITEKKONTA	PIC X(35).	71	35	X-DEF.	
006900	10	KDINAVFIRMA	PIC X(35).	106	35	X-DEF.	
007000	10	KDINAVFOR	PIC X(35).	141	35	X-DEF.	
007100	10	KDISOGNANGL	PIC X(70).	176	70	X-DEF.	
007200	10	KDINAVVEJ	PIC X(35).	246	35	X-DEF.	
007300	10	KDINAVBY	PIC X(35).	281	35	X-DEF.	
007400	10	KDINUMPOST	PIC S9999V USAGE COMP-3.	316	3	PAKKET	
007500	10	KDITEKPOSBY	PIC X(35).	319	35	X-DEF.	
007600	10	KDINUMTELEF	PIC X(17).	354	17	X-DEF.	
007700	10	KDIDATNGLFV	PIC S99999999V USAGE COMP-3.	371	5	PAKKET	
007800	10	KDIBRULOGON	PIC X(8).	376	8	X-DEF.	
007900	10	KDIDATOPDAT	PIC X(26).	384	26	X-DEF.	
008000	10	KDIOPDTV	PIC S999V USAGE COMP-3.	410	2	PAKKET	

008100*****

008200* THE NUMBER OF COLUMNS DESCRIBED BY THIS DECLARATION IS 33 *

008300*****

L E C B O O K * * * B 8 2 1 5 K D 2 * * *

START LENGTH FORMAT DEC 11.01.96 15.23.49 PAGE 1

ORIG: KD2 COPY:

```

000100*****
000200* DCLGEN TABLE(H8215.REGSKEMA) *
000300* LIBRARY(D7730.DB2COPY(B8215KD2)) *
000400* ACTION(REPLACE) *
000500* STRUCTURE(KD2REC) *
000600* QUOTE *
000700* DBCSDELIM(NO) *
000800* ... IS THE DCLGEN COMMAND THAT MADE THE FOLLOWING STATEMENTS *
000900*****
001000 EXEC SQL DECLARE H8215.REGSKEMA TABLE
001100 ( KD2NUMSEL CHAR(4) NOT NULL,
001200 KD2IDESKEMA DECIMAL(10, 0) NOT NULL,
001300 KD2DATTIL TIMESTAMP NOT NULL,
001400 KD2NUMUDNGL DECIMAL(10, 0) NOT NULL,
001500 KD2AARPLTIL DECIMAL(4, 0) NOT NULL,
001600 KD2NUMLBRNT DECIMAL(2, 0) NOT NULL,
001700 KD2NAVNAV CHAR(71) NOT NULL,
001800 KD2NAVADRSS CHAR(71) NOT NULL,
001900 KD2NUMPOST DECIMAL(4, 0) NOT NULL,
002000 KD2TEKQSBY CHAR(35) NOT NULL,
002100 KD2NUMSE CHAR(8) NOT NULL,
002200 KD2NUMCPR DECIMAL(10, 0) NOT NULL,
002300 KD2NUMTELEF CHAR(17) NOT NULL,
002400 KD2DYRENHKV DECIMAL(7, 2) NOT NULL,
002500 KD2DYRENHSV DECIMAL(7, 2) NOT NULL,
002600 KD2DYRENHAN DECIMAL(7, 2) NOT NULL,
002700 KD2DYRENHIA DECIMAL(7, 2) NOT NULL,
002800 KD2ANTARGOD DECIMAL(10, 1) NOT NULL,
002900 KD2ANTBBEHV DECIMAL(6, 0) NOT NULL,
003000 KD2ANTNTHAN DECIMAL(6, 0) NOT NULL,
003100 KD2ANTNTORG DECIMAL(6, 0) NOT NULL,
003200 KD2ANTNTTOT DECIMAL(6, 0) NOT NULL,
003300 KD2ANTMINUP DECIMAL(4, 1) NOT NULL,
003400 KD2ANTOPNUP DECIMAL(4, 1) NOT NULL,
003500 KD2MARIUDF1 CHAR(1) NOT NULL,
003600 KD2MARIUDF2 CHAR(1) NOT NULL,
003700 KD2MARIUDF3 CHAR(1) NOT NULL,
003800 KD2MARIUDF4 CHAR(1) NOT NULL,
003900 KD2MARIUDF5 CHAR(1) NOT NULL,
004000 KD2MARIUDF6 CHAR(1) NOT NULL,
004100 KD2TEKIUDF6 CHAR(67) NOT NULL,
004200 KD2MARNDISK CHAR(1) NOT NULL,
004300 KD2DATUNDNT DECIMAL(8, 0) NOT NULL,
004400 KD2MARUNDNT CHAR(1) NOT NULL,
004500 KD2MAREKSBE CHAR(1) NOT NULL,
004600 KD2MAREKSMA CHAR(1) NOT NULL,
004700 KD2MARINDBF CHAR(1) NOT NULL,
004800 KD2DATMODTA DECIMAL(8, 0) NOT NULL,
004900 KD2DATREGIS DECIMAL(8, 0) NOT NULL,
005000 KD2MARSKMNR CHAR(1) NOT NULL,
005100 KD2MARNTANN CHAR(1) NOT NULL,
005200 KD2BRULOGON CHAR(8) NOT NULL,
005300 KD2DATOPDAT TIMESTAMP NOT NULL,
005400 KD2OPDTV DECIMAL(3, 0) NOT NULL,
005500 ) END-EXEC.
005600*****
005700* COBOL DECLARATION FOR TABLE H8215.REGSKEMA *
005800*****

```

ORIG: KD2 COPY:

005900	01	KD2REC.			1	433	X-DEF.	
006000		10 KD2NUMSEL	PIC X(4).		1		X-DEF.	
006100		10 KD2IDESKEMA	PIC S9999999999V USAGE COMP-3.		5		PAKKET	
006200		10 KD2DATTIL	PIC X(26).		11	26	X-DEF.	
006300		10 KD2NUMUDNGL	PIC S9999999999V USAGE COMP-3.		37		PAKKET	
006400		10 KD2AARPLTIL	PIC S9999V USAGE COMP-3.		43		PAKKET	
006500		10 KD2NUMLBRNT	PIC S99V USAGE COMP-3.		46		PAKKET	
006600		10 KD2NAVAVN	PIC X(71).		48	71	X-DEF.	
006700		10 KD2NAVADRSS	PIC X(71).		119	71	X-DEF.	
006800		10 KD2NUMPOST	PIC S9999V USAGE COMP-3.		190		PAKKET	
006900		10 KD2TEKPOSBY	PIC X(35).		193	35	X-DEF.	
007000		10 KD2NUMSE	PIC X(8).		228		X-DEF.	
007100		10 KD2NUMCPR	PIC S9999999999V USAGE COMP-3.		236		PAKKET	
007200		10 KD2NUMTELEF	PIC X(17).		242	17	X-DEF.	
007300		10 KD2DYRENHVK	PIC S999999V99 USAGE COMP-3.		259		PAKKET	2
007400		10 KD2DYRENHSV	PIC S999999V99 USAGE COMP-3.		263		PAKKET	2
007500		10 KD2DYRENHAN	PIC S999999V99 USAGE COMP-3.		267		PAKKET	2
007600		10 KD2DYRENHIA	PIC S999999V99 USAGE COMP-3.		271		PAKKET	2
007700		10 KD2ANTARGOD	PIC S9999999999V99 USAGE COMP-3.		275		PAKKET	1
007800		10 KD2ANTBBEHV	PIC S999999V99 USAGE COMP-3.		281		PAKKET	
007900		10 KD2ANTNTHAN	PIC S999999V99 USAGE COMP-3.		285		PAKKET	
008000		10 KD2ANTNTORG	PIC S999999V99 USAGE COMP-3.		289		PAKKET	
008100		10 KD2ANTNTTOT	PIC S999999V99 USAGE COMP-3.		293		PAKKET	
008200		10 KD2ANTMINUP	PIC S9999V99 USAGE COMP-3.		297		PAKKET	1
008300		10 KD2ANTOPNUP	PIC S9999V99 USAGE COMP-3.		300		PAKKET	1
008400		10 KD2MARIUDF1	PIC X(1).		303		X-DEF.	
008500		10 KD2MARIUDF2	PIC X(1).		304		X-DEF.	
008600		10 KD2MARIUDF3	PIC X(1).		305		X-DEF.	
008700		10 KD2MARIUDF4	PIC X(1).		306		X-DEF.	
008800		10 KD2MARIUDF5	PIC X(1).		307		X-DEF.	
008900		10 KD2MARIUDF6	PIC X(1).		308		X-DEF.	
009000		10 KD2TEKIUDF6	PIC X(67).		309	67	X-DEF.	
009100		10 KD2MARNDISK	PIC X(1).		376		X-DEF.	
009200		10 KD2DATUNDNT	PIC S9999999999V USAGE COMP-3.		377		PAKKET	
009300		10 KD2MARUNDNT	PIC X(1).		382		X-DEF.	
009400		10 KD2MAREKSBE	PIC X(1).		383		X-DEF.	
009500		10 KD2MAREKSMA	PIC X(1).		384		X-DEF.	
009600		10 KD2MARINDBF	PIC X(1).		385		X-DEF.	
009700		10 KD2DATMODTA	PIC S9999999999V USAGE COMP-3.		386		PAKKET	
009800		10 KD2DATREGIS	PIC S9999999999V USAGE COMP-3.		391		PAKKET	
009900		10 KD2MARSKMNR	PIC X(1).		396		X-DEF.	
010000		10 KD2MARNTANN	PIC X(1).		397		X-DEF.	
010100		10 KD2BRULOGON	PIC X(8).		398		X-DEF.	
010200		10 KD2DATOPDAT	PIC X(26).		406	26	X-DEF.	
010300		10 KD2OPDTV	PIC S999V99 USAGE COMP-3.		432		PAKKET	

010400*****
010500* THE NUMBER OF COLUMNS DESCRIBED BY THIS DECLARATION IS 44 *
010600*****

RA PIGNR 2054

SIDE 132.1

2055

ORIG: KD3 COPY:

000100*****
000200* DCLGEN TABLE(H8215.HAEND) *
000300* LIBRARY(D7730.DB2COPY(B8215KD3)) *
000400* ACTION(REPLACE) *
000500* STRUCTURE(KD3REC) *
000600* QUOTE *
000700* ... IS THE DCLGEN COMMAND THAT MADE THE FOLLOWING STATEMENTS *
000800*****
000900 EXEC SQL DECLARE H8215.HAEND TABLE *
001000 (KD3NUMSEL CHAR(4) NOT NULL, *
001100 KD3NUMUDNGL DECIMAL(10, 0) NOT NULL, *
001200 KD3AARPLTIL DECIMAL(4, 0) NOT NULL, *
001300 KD3NUMLBHND DECIMAL(3, 0) NOT NULL, *
001400 KD3DATHNDLS DECIMAL(8, 0) NOT NULL, *
001500 KD3TEKHNDLS CHAR(34) NOT NULL, *
001600 KD3KODSTNGL CHAR(3) NOT NULL, *
001700 KD3NUMDOKU DECIMAL(3, 0) NOT NULL, *
001800 KD3DATBREV DECIMAL(8, 0) NOT NULL, *
001900 KD3TYPDOKUM CHAR(1) NOT NULL, *
002000 KD3MARBREV CHAR(1) NOT NULL, *
002100 KD3MARBEMRK CHAR(1) NOT NULL, *
002200 KD3ANTKTRES DECIMAL(3, 0) NOT NULL, *
002300 KD3DATOPDAT TIMESTAMP NOT NULL, *
002400 KD3BRULOGON CHAR(8) NOT NULL, *
002500 KD3OPDTV DECIMAL(3, 0) NOT NULL, *
002600 KD3DATOPRET TIMESTAMP NOT NULL *
002700) END-EXEC. *
002800*****
002900* COBOL DECLARATION FOR TABLE H8215.HAEND *
003000*****
003100 01 KD3REC. *
003200 10 KD3NUMSEL PIC X(4). *
003300 10 KD3NUMUDNGL PIC S999999999V USAGE COMP-3. *
003400 10 KD3AARPLTIL PIC S9999V USAGE COMP-3. *
003500 10 KD3NUMLBHND PIC S999V USAGE COMP-3. *
003600 10 KD3DATHNDLS PIC S99999999V USAGE COMP-3. *
003700 10 KD3TEKHNDLS PIC X(34). *
003800 10 KD3KODSTNGL PIC X(3). *
003900 10 KD3NUMDOKU PIC S999V USAGE COMP-3. *
004000 10 KD3DATBREV PIC S99999999V USAGE COMP-3. *
004100 10 KD3TYPDOKUM PIC X(1). *
004200 10 KD3MARBREV PIC X(1). *
004300 10 KD3MARBEMRK PIC X(1). *
004400 10 KD3ANTKTRES PIC S999V USAGE COMP-3. *
004500 10 KD3DATOPDAT PIC X(26). *
004600 10 KD3BRULOGON PIC X(8). *
004700 10 KD3OPDTV PIC S999V USAGE COMP-3. *
004800 10 KD3DATOPRET PIC X(26). *
004900*****
005000* THE NUMBER OF COLUMNS DESCRIBED BY THIS DECLARATION IS 17 *
005100*****

1	131	X-DEF.
1	4	X-DEF.
5	6	PAKKET
11	3	PAKKET
14	2	PAKKET
16	5	PAKKET
21	34	X-DEF.
55	3	X-DEF.
58	2	PAKKET
60	5	PAKKET
65	1	X-DEF.
66	1	X-DEF.
67	1	X-DEF.
68	2	PAKKET
70	26	X-DEF.
96	8	X-DEF.
104	2	PAKKET
106	26	X-DEF.

RA FILNR 2055

SIDE 133.1

ORIG: KD4 COPY:

```
000100*****
000200* DCLGEN TABLE(H8215.HAENDBEM) *
000300* LIBRARY(D7730.DB2COPY(B8215KD4)) *
000400* ACTION(REPLACE) *
000500* STRUCTURE(KD4REC) *
000600* QUOTE *
000700* ... IS THE DCLGEN COMMAND THAT MADE THE FOLLOWING STATEMENTS *
000800*****
000900 EXEC SQL DECLARE H8215.HAENDBEM TABLE
001000 ( KD4NUMSEL CHAR(4) NOT NULL,
001100 KD4NUMUDNGL DECIMAL(10, 0) NOT NULL,
001200 KD4AARPLTIL DECIMAL(4, 0) NOT NULL,
001300 KD4NUMLBHND DECIMAL(3, 0) NOT NULL,
001400 KD4NUMBELIN DECIMAL(3, 0) NOT NULL,
001500 KD4TEKBELIN CHAR(74) NOT NULL,
001600 KD4DATOPDAT TIMESTAMP NOT NULL,
001700 KD4BRULOGON CHAR(8) NOT NULL,
001800 KD4OPDTV DECIMAL(3, 0) NOT NULL
001900 ) END-EXEC.
002000*****
002100* COBOL DECLARATION FOR TABLE H8215.HAENDBEM *
002200*****
002300 01 KD4REC.
002400 10 KD4NUMSEL PIC X(4).
002500 10 KD4NUMUDNGL PIC S999999999V USAGE COMP-3.
002600 10 KD4AARPLTIL PIC S9999V USAGE COMP-3.
002700 10 KD4NUMLBHND PIC S999V USAGE COMP-3.
002800 10 KD4NUMBELIN PIC S999V USAGE COMP-3.
002900 10 KD4TEKBELIN PIC X(74).
003000 10 KD4DATOPDAT PIC X(26).
003100 10 KD4BRULOGON PIC X(8).
003200 10 KD4OPDTV PIC S999V USAGE COMP-3.
003300*****
003400* THE NUMBER OF COLUMNS DESCRIBED BY THIS DECLARATION IS 9 *
003500*****
```

RA FILNR 2056

1	127	X-DEF.
1	4	X-DEF.
5	6	PAKKET
11	3	PAKKET
14	2	PAKKET
16	2	PAKKET
18	74	X-DEF.
92	26	X-DEF.
118	8	X-DEF.
126	2	PAKKET

9705 134.1

ORIG: KD5 COPY:

```
000100*****
000200* DCLGEN TABLE(H8215.SYSKONST) *
000300* LIBRARY(D7730.DB2COPY(B8215KD5)) *
000400* ACTION(REPLACE) *
000500* STRUCTURE(KD5REC) *
000600* QUOTE *
000700* ... IS THE DCLGEN COMMAND THAT MADE THE FOLLOWING STATEMENTS *
000800*****
000900 EXEC SQL DECLARE H8215.SYSKONST TABLE
001000 ( KD5NUMSEL CHAR(4) NOT NULL,
001100 KD5DATFIL TIMESTAMP NOT NULL,
001200 KD5ANTDGRK1 DECIMAL(3, 0) NOT NULL,
001300 KD5ANTDGRK2 DECIMAL(3, 0) NOT NULL,
001400 KD5ANTDGHVS DECIMAL(3, 0) NOT NULL,
001500 KD5ANTDGHIS DECIMAL(3, 0) NOT NULL,
001600 KD5ANTDGNAL DECIMAL(3, 0) NOT NULL,
001700 KD5AARPLFIL DECIMAL(4, 0) NOT NULL,
001800 KD5DATUDSEN DECIMAL(8, 0) NOT NULL,
001900 KD5DATNGLR1 DECIMAL(8, 0) NOT NULL,
002000 KD5DATNGLR2 DECIMAL(8, 0) NOT NULL,
002100 KD5DATNGLR3 DECIMAL(8, 0) NOT NULL,
002200 KD5BRULOGON CHAR(8) NOT NULL,
002300 KD5DATOPDAT TIMESTAMP NOT NULL,
002400 KD5OPDTV DECIMAL(3, 0) NOT NULL
002500 ) END-EXEC.
002600*****
002700* COBOL DECLARATION FOR TABLE H8215.SYSKONST *
002800*****
002900 01 KD5REC.
003000 10 KD5NUMSEL PIC X(4).
003100 10 KD5DATFIL PIC X(26).
003200 10 KD5ANTDGRK1 PIC S999V USAGE COMP-3.
003300 10 KD5ANTDGRK2 PIC S999V USAGE COMP-3.
003400 10 KD5ANTDGHVS PIC S999V USAGE COMP-3.
003500 10 KD5ANTDGHIS PIC S999V USAGE COMP-3.
003600 10 KD5ANTDGNAL PIC S999V USAGE COMP-3.
003700 10 KD5AARPLFIL PIC S999V USAGE COMP-3.
003800 10 KD5DATUDSEN PIC S99999999V USAGE COMP-3.
003900 10 KD5DATNGLR1 PIC S99999999V USAGE COMP-3.
004000 10 KD5DATNGLR2 PIC S99999999V USAGE COMP-3.
004100 10 KD5DATNGLR3 PIC S99999999V USAGE COMP-3.
004200 10 KD5BRULOGON PIC X(8).
004300 10 KD5DATOPDAT PIC X(26).
004400 10 KD5OPDTV PIC S999V USAGE COMP-3.
004500*****
004600* THE NUMBER OF COLUMNS DESCRIBED BY THIS DECLARATION IS 15 *
004700*****
```

1	99	X-DEF.
1	4	X-DEF.
5	26	X-DEF.
31	2	PAKKET
33	2	PAKKET
35	2	PAKKET
37	2	PAKKET
39	2	PAKKET
41	3	PAKKET
44	5	PAKKET
49	5	PAKKET
54	5	PAKKET
59	5	PAKKET
64	8	X-DEF.
72	26	X-DEF.
98	2	PAKKET

RA FILNR 2057

SIDE 135.1

ORIG: KD7 COPY:

```

000100*****
000200* DCLGEN TABLE(H8215.SAG) *
000300* LIBRARY(D7730.DB2COPY(B8215KD7)) *
000400* ACTION(REPLACE) *
000500* STRUCTURE(KD7REC) *
000600* QUOTE *
000700* ... IS THE DCLGEN COMMAND THAT MADE THE FOLLOWING STATEMENTS *
000800*****
000900 EXEC SQL DECLARE H8215.SAG TABLE
001000 ( KD7NUMSEL CHAR(4) NOT NULL,
001100 KD7NUMUDNGL DECIMAL(10, 0) NOT NULL,
001200 KD7AARPLTIL DECIMAL(4, 0) NOT NULL,
001300 KD7INITSAGB CHAR(8) NOT NULL,
001400 KD7NUMJOUR DECIMAL(11, 0) NOT NULL,
001500 KD7DATNSTAK DECIMAL(8, 0) NOT NULL,
001600 KD7KODSTAKT CHAR(3) NOT NULL,
001700 KD7MARSAAFS CHAR(1) NOT NULL,
001800 KD7ANTKTRES DECIMAL(3, 0) NOT NULL,
001900 KD7FINKTRES CHAR(120) NOT NULL,
002000 KD7DATOPDAT TIMESTAMP NOT NULL,
002100 KD7BRULOGON CHAR(8) NOT NULL,
002200 KD7OPDTV DECIMAL(3, 0) NOT NULL
002300 ) END-EXEC.
002400*****
002500* COBOL DECLARATION FOR TABLE H8215.SAG *
002600*****
002700 01 KD7REC.
002800 10 KD7NUMSEL PIC X(4).
002900 10 KD7NUMUDNGL PIC S999999999V USAGE COMP-3.
003000 10 KD7AARPLTIL PIC S9999V USAGE COMP-3.
003100 10 KD7INITSAGB PIC X(8).
003200 10 KD7NUMJOUR PIC S99999999999V USAGE COMP-3.
003300 10 KD7DATNSTAK PIC S999999999V USAGE COMP-3.
003400 10 KD7KODSTAKT PIC X(3).
003500 10 KD7MARSAAFS PIC X(1).
003600 10 KD7ANTKTRES PIC S999V USAGE COMP-3.
003700 10 KD7FINKTRES PIC X(120).
003800 10 KD7DATOPDAT PIC X(26).
003900 10 KD7BRULOGON PIC X(8).
004000 10 KD7OPDTV PIC S999V USAGE COMP-3.
004100*****
004200* THE NUMBER OF COLUMNS DESCRIBED BY THIS DECLARATION IS 13 *
004300*****

```

1	194	X-DEF.
1	4	X-DEF.
5	6	PAKKET
11	3	PAKKET
14	8	X-DEF.
22	6	PAKKET
28	5	PAKKET
33	3	X-DEF.
36	1	X-DEF.
37	2	PAKKET
39	120	X-DEF.
159	26	X-DEF.
185	8	X-DEF.
193	2	PAKKET

RA FILNR 2058

8702 137.1

ORIG: KD8 COPY:

```
000100*****
000200* DCLGEN TABLE(H8215.STATKOD) *
000300*        LIBRARY(D7730.DB2COPY(B8215KD8)) *
000400*        ACTION(REPLACE) *
000500*        STRUCTURE(KD8REC) *
000600*        QUOTE *
000700* ... IS THE DCLGEN COMMAND THAT MADE THE FOLLOWING STATEMENTS *
000800*****
000900* EXEC SQL DECLARE H8215.STATKOD TABLE *
001000*        ( KD8NUMSEL                CHAR(4) NOT NULL, *
001100*        KD8KODSTNGL               CHAR(3) NOT NULL, *
001200*        KD8NAVSTA                 CHAR(35) NOT NULL, *
001300*        KD8TYPSTAKO               CHAR(1) NOT NULL, *
001400*        KD8MARKSLET              CHAR(1) NOT NULL, *
001500*        KD8FINNAVST               CHAR(35) NOT NULL, *
001600*        KD8DATOPDAT               TIMESTAMP NOT NULL, *
001700*        KD8BRULOGON              CHAR(8) NOT NULL, *
001800*        KD8OPDTV                 DECIMAL(3, 0) NOT NULL *
001900*        ) END-EXEC. *
002000*****
002100* COBOL DECLARATION FOR TABLE H8215.STATKOD *
002200*****
002300 01   KD8REC. *
002400       10 KD8NUMSEL               PIC X(4). *
002500       10 KD8KODSTNGL              PIC X(3). *
002600       10 KD8NAVSTA                 PIC X(35). *
002700       10 KD8TYPSTAKO               PIC X(1). *
002800       10 KD8MARKSLET               PIC X(1). *
002900       10 KD8FINNAVST               PIC X(35). *
003000       10 KD8DATOPDAT               PIC X(26). *
003100       10 KD8BRULOGON               PIC X(8). *
003200       10 KD8OPDTV                 PIC S999V USAGE COMP-3. *
003300*****
003400* THE NUMBER OF COLUMNS DESCRIBED BY THIS DECLARATION IS 9 *
003500*****
```

1	115	X-DEF.
1	4	X-DEF.
5	3	X-DEF.
8	35	X-DEF.
43	1	X-DEF.
44	1	X-DEF.
45	35	X-DEF.
80	26	X-DEF.
106	8	X-DEF.
114	2	PAKKET

RA FILNR 2059

138.1

L E C B O O K * * * B 8 2 1 5 K A 2 * * *

START LENGTH FORMAT DEC 11.01.96 15.23.49 PAGE 1

ORIG: KA2 COPY:

```

000100*****
000200* DCLGEN TABLE(H8215.MAST)
000300* LIBRARY(D7730.DB2COPY(B8215KA2))
000400* ACTION(REPLACE)
000500* STRUCTURE(KA2REC)
000600* QUOTE
000700* ... IS THE DCLGEN COMMAND THAT MADE THE FOLLOWING STATEMENTS
000800*****
000900 EXEC SQL DECLARE H8215.MAST TABLE
001000 ( KA2NUMSEL CHAR(4) NOT NULL,
001100 KA2NAVOUTP CHAR(8) NOT NULL,
001200 KA2KODCENT CHAR(1) NOT NULL,
001300 KA2KODLOKAL CHAR(1) NOT NULL,
001400 KA2KODEDI CHAR(1) NOT NULL,
001500 KA2DATOPDAT TIMESTAMP NOT NULL,
001600 KA2BRULOGON CHAR(8) NOT NULL,
001700 KA2OPDTV DECIMAL(3, 0) NOT NULL,
001800 KA2NUMKOER CHAR(8) NOT NULL,
001900 KA2KODSTART CHAR(1) NOT NULL,
002000 KA2MARBSTST CHAR(1) NOT NULL
002100 ) END-EXEC.
002200*****
002300* COBOL DECLARATION FOR TABLE H8215.MAST
002400*****
002500 01 KA2REC.
002600 10 KA2NUMSEL PIC X(4).
002700 10 KA2NAVOUTP PIC X(8).
002800 10 KA2KODCENT PIC X(1).
002900 10 KA2KODLOKAL PIC X(1).
003000 10 KA2KODEDI PIC X(1).
003100 10 KA2DATOPDAT PIC X(26).
003200 10 KA2BRULOGON PIC X(8).
003300 10 KA2OPDTV PIC S999V USAGE COMP-3.
003400 10 KA2NUMKOER PIC X(8).
003500 10 KA2KODSTART PIC X(1).
003600 10 KA2MARBSTST PIC X(1).
003700*****
003800* THE NUMBER OF COLUMNS DESCRIBED BY THIS DECLARATION IS 11
003900*****

```

1	61	X-DEF.
1	4	X-DEF.
5	8	X-DEF.
13	1	X-DEF.
14	1	X-DEF.
15	1	X-DEF.
16	26	X-DEF.
42	8	X-DEF.
50	2	PAKKE
52	8	X-DEF.
60	1	X-DEF.
61	1	X-DEF.

RA FILNR 2036

SIDE 102.1

L E C B O O K * * * B 8 2 1 5 K D 9 * * *

START LENGTH FORMAT DEC 11.01.96 15.23.49 PAGE 1

ORIG: KD9 COPY:

```

000100*****
000200* DCLGEN TABLE(H8215.TEKBLOK) *
000300* LIBRARY(D7730.DB2COPY(B8215KD9)) *
000400* ACTION(REPLACE) *
000500* STRUCTURE(KD9REC) *
000600* QUOTE *
000700* ... IS THE DCLGEN COMMAND THAT MADE THE FOLLOWING STATEMENTS *
000800*****
000900 EXEC SQL DECLARE H8215.TEKBLOK TABLE
001000 ( KD9NUMSEL CHAR(4) NOT NULL,
001100 KD9NUMTEKBL CHAR(4) NOT NULL,
001200 KD9DATTIL TIMESTAMP NOT NULL,
001300 KD9NAVTEKBL CHAR(35) NOT NULL,
001400 KD9DATOPHOE DECIMAL(8, 0) NOT NULL,
001500 KD9DATOPDAT TIMESTAMP NOT NULL,
001600 KD9BRULOGON CHAR(8) NOT NULL,
001700 KD9OPDTV DECIMAL(3, 0) NOT NULL
001800 ) END-EXEC.
001900*****
002000* COBOL DECLARATION FOR TABLE H8215.TEKBLOK *
002100*****
002200 01 KD9REC.
002300 10 KD9NUMSEL PIC X(4).
002400 10 KD9NUMTEKBL PIC X(4).
002500 10 KD9DATTIL PIC X(26).
002600 10 KD9NAVTEKBL PIC X(35).
002700 10 KD9DATOPHOE PIC S99999999V USAGE COMP-3.
002800 10 KD9DATOPDAT PIC X(26).
002900 10 KD9BRULOGON PIC X(8).
003000 10 KD9OPDTV PIC S999V USAGE COMP-3.
003100*****
003200* THE NUMBER OF COLUMNS DESCRIBED BY THIS DECLARATION IS 8 *
003300*****

```

1	110	X-DEF.
1	4	X-DEF.
5	4	X-DEF.
9	26	X-DEF.
35	35	X-DEF.
70	5	PAKKET
75	26	X-DEF.
101	8	X-DEF.
109	2	PAKKET

RA FILNR 2060

139.1

ORIG: KE0 COPY:

```
000100*****
000200* DCLGEN TABLE(H8215.TEKBLLIN) *
000300*        LIBRARY(D7730.DB2COPY(B8215KE0)) *
000400*        ACTION(REPLACE) *
000500*        STRUCTURE(KE0REC) *
000600*        QUOTE *
000700* ... IS THE DCLGEN COMMAND THAT MADE THE FOLLOWING STATEMENTS *
000800*****
000900*        EXEC SQL DECLARE H8215.TEKBLLIN TABLE *
001000*        ( KE0NUMSEL                    CHAR(4) NOT NULL, *
001100*        KE0NUMTEKBL                    CHAR(4) NOT NULL, *
001200*        KE0NUMTBLIN                  DECIMAL(3, 0) NOT NULL, *
001300*        KE0DATITL                    TIMESTAMP NOT NULL, *
001400*        KE0TEKTBLIN                CHAR(74) NOT NULL, *
001500*        KE0DATOPDAT                  TIMESTAMP NOT NULL, *
001600*        KE0BRULOGON                CHAR(8) NOT NULL, *
001700*        KE0OPDTV                  DECIMAL(3, 0) NOT NULL *
001800*        ) END-EXEC. *
001900*****
002000* COBOL DECLARATION FOR TABLE H8215.TEKBLLIN *
002100*****
002200 01 KE0REC. *
002300    10 KE0NUMSEL                    PIC X(4). *
002400    10 KE0NUMTEKBL                  PIC X(4). *
002500    10 KE0NUMTBLIN                  PIC S999V USAGE COMP-3. *
002600    10 KE0DATITL                    PIC X(26). *
002700    10 KE0TEKTBLIN                PIC X(74). *
002800    10 KE0DATOPDAT                  PIC X(26). *
002900    10 KE0BRULOGON                PIC X(8). *
003000    10 KE0OPDTV                    PIC S999V USAGE COMP-3. *
003100*****
003200* THE NUMBER OF COLUMNS DESCRIBED BY THIS DECLARATION IS 8 *
003300*****
```

1	146	X-DEF.
1	4	X-DEF.
5	4	X-DEF.
9	2	PAKKET
11	26	X-DEF.
37	74	X-DEF.
111	26	X-DEF.
137	8	X-DEF.
145	2	PAKKET

RA FILNR 2061

140.1

ORIG: KE1 COPY:

```
000100*****
000200* DCLGEN TABLE(H8215.UDPEG) *
000300*        LIBRARY(D7730.DB2COPY(B8215KE1)) *
000400*        ACTION(REPLACE) *
000500*        STRUCTURE(KE1REC) *
000600*        QUOTE *
000700* ... IS THE DCLGEN COMMAND THAT MADE THE FOLLOWING STATEMENTS *
000800*****
000900*        EXEC SQL DECLARE H8215.UDPEG TABLE *
001000*        ( KE1NUMSEL                    CHAR(4) NOT NULL, *
001100*        KE1NUMUDNGL                    DECIMAL(10, 0) NOT NULL, *
001200*        KE1AARPLTIL                   DECIMAL(4, 0) NOT NULL, *
001300*        KE1DATOPRET                   TIMESTAMP NOT NULL, *
001400*        KE1KODSTNGL                   CHAR(3) NOT NULL, *
001500*        KE1DATOPDAT                   TIMESTAMP NOT NULL, *
001600*        KE1BRULOGON                   CHAR(8) NOT NULL, *
001700*        KE1OPDTV                    DECIMAL(3, 0) NOT NULL, *
001800*        KE1ANTKTRES                   DECIMAL(3, 0) NOT NULL, *
001900*        KE1FINKTRES                   CHAR(120) NOT NULL, *
002000*        KE1MARTLHOR                   CHAR(1) NOT NULL *
002100*        ) END-EXEC. *
002200*****
002300* COBOL DECLARATION FOR TABLE H8215.UDPEG *
002400*****
002500 01 KE1REC. *
002600    10 KE1NUMSEL                    PIC X(4). *
002700    10 KE1NUMUDNGL                   PIC S9999999999V USAGE COMP-3. *
002800    10 KE1AARPLTIL                   PIC S9999V USAGE COMP-3. *
002900    10 KE1DATOPRET                   PIC X(26). *
003000    10 KE1KODSTNGL                   PIC X(3). *
003100    10 KE1DATOPDAT                   PIC X(26). *
003200    10 KE1BRULOGON                   PIC X(8). *
003300    10 KE1OPDTV                    PIC S999V USAGE COMP-3. *
003400    10 KE1ANTKTRES                   PIC S999V USAGE COMP-3. *
003500    10 KE1FINKTRES                   PIC X(120). *
003600    10 KE1MARTLHOR                   PIC X(1). *
003700*****
003800* THE NUMBER OF COLUMNS DESCRIBED BY THIS DECLARATION IS 11 *
003900*****
```

1	201	X-DEF.
1	4	X-DEF.
5	6	PAKKET
11	3	PAKKET
14	26	X-DEF.
40	3	X-DEF.
43	26	X-DEF.
69	8	X-DEF.
77	2	PAKKET
79	2	PAKKET
81	120	X-DEF.
201	1	X-DEF.

RA FILM 2062

141.1

L E C B O O K * * * B 8 2 1 5 K U 0 * * *

START LENGTH FORMAT DEC 11.01.96 15.23.49 PAGE 1

ORIG: KU0 COPY:

```

000100*****
000200* DCLGEN TABLE(H8215.STMODT) *
000300* LIBRARY(D7730.DB2COPY(B8215KU0)) *
000400* ACTION(REPLACE) *
000500* LANGUAGE(COBOL) *
000600* STRUCTURE(KU0REC) *
000700* QUOTE *
000800* ... IS THE DCLGEN COMMAND THAT MADE THE FOLLOWING STATEMENTS *
000900*****
001000 EXEC SQL DECLARE H8215.STMODT TABLE
001100 ( KU0NUMSEL CHAR(4) NOT NULL,
001200 KU0NUMUDSK DECIMAL(7, 0) NOT NULL,
001300 KU0NUMUDTKAR CHAR(3) NOT NULL,
001400 KU0TYPUDT CHAR(1) NOT NULL,
001500 KU0DATUDT DECIMAL(8, 0) NOT NULL,
001600 KU0NUMGKORT DECIMAL(5, 0) NOT NULL,
001700 KU0NUMANS DECIMAL(15, 0) NOT NULL,
001800 KU0ANTEJD DECIMAL(3, 0) NOT NULL,
001900 KU0NUMSE CHAR(8) NOT NULL,
002000 KU0NUMCPR DECIMAL(10, 0) NOT NULL,
002100 KU0NAVFIRMA CHAR(35) NOT NULL,
002200 KU0NAVFOR CHAR(35) NOT NULL,
002300 KU0NAVEFTER CHAR(35) NOT NULL,
002400 KU0NAVVEJ CHAR(35) NOT NULL,
002500 KU0NAVBY CHAR(35) NOT NULL,
002600 KU0NUMPOST DECIMAL(4, 0) NOT NULL,
002700 KU0TEKPOSBY CHAR(35) NOT NULL,
002800 KU0KODPRINT CHAR(1) NOT NULL,
002900 KU0KODGENPR CHAR(1) NOT NULL,
003000 KU0KODMGL CHAR(1) NOT NULL,
003100 KU0OPDTV DECIMAL(3, 0) NOT NULL,
003200 KU0DATKOER DECIMAL(8, 0) NOT NULL,
003300 KU0NUMTELE1 CHAR(17) NOT NULL,
003400 KU0NUMTELE2 CHAR(17) NOT NULL,
003500 KU0DATSELOP DECIMAL(8, 0) NOT NULL,
003600 KU0NUMREGNU DECIMAL(4, 0) NOT NULL,
003700 KU0NUMKONUM DECIMAL(10, 0) NOT NULL,
003800 KU0AARKORTA DECIMAL(4, 0) NOT NULL,
003900 KU0KODINSTI CHAR(3) NOT NULL,
004000 KU0NAVBANK CHAR(35) NOT NULL,
004100 KU0NAVADBA CHAR(35) NOT NULL,
004200 KU0NUMPOBA DECIMAL(4, 0) NOT NULL,
004300 KU0NUMKOHA DECIMAL(6, 0) NOT NULL,
004400 KU0NUMEFADF DECIMAL(2, 0) NOT NULL
004500 ) END-EXEC.
004600*****
004700* COBOL DECLARATION FOR TABLE H8215.STMODT *
004800*****
004900 01 KU0REC.
005000 10 KU0NUMSEL PIC X(4).
005100 10 KU0NUMUDSK PIC S9(7)V USAGE COMP-3.
005200 10 KU0NUMUDTKAR PIC X(3).
005300 10 KU0TYPUDT PIC X(1).
005400 10 KU0DATUDT PIC S9(8)V USAGE COMP-3.
005500 10 KU0NUMGKORT PIC S9(5)V USAGE COMP-3.
005600 10 KU0NUMANS PIC S9(15)V USAGE COMP-3.
005700 10 KU0ANTEJD PIC S9(3)V USAGE COMP-3.
005800 10 KU0NUMSE PIC X(8).

```

RA FILNR 2063

1	400	X-DEF.
1	4	X-DEF.
5	4	PAKKET
9	3	X-DEF.
12	1	X-DEF.
13	5	PAKKET
18	3	PAKKET
21	8	PAKKET
29	2	PAKKET
31	8	X-DEF.

SIDE 300.1

LE C B O O K * * * B 8 2 1 5 K U 0 * * * START LENGTH FORMAT DEC 11.01.96 15.23.49 PAGE 2

ORIG: KU0 COPY:

005900	10	KU0NUMCPR	PIC S9(10)V USAGE COMP-3.	39	6	PAKKET
006000	10	KU0NAVFIRMA	PIC X(35).	45	35	X-DEF.
006100	10	KU0NAVFOR	PIC X(35).	80	35	X-DEF.
006200	10	KU0NAVEFETER	PIC X(35).	115	35	X-DEF.
006300	10	KU0NAVVEJ	PIC X(35).	150	35	X-DEF.
006400	10	KU0NAVBY	PIC X(35).	185	35	X-DEF.
006500	10	KU0NUMPOST	PIC S9(4)V USAGE COMP-3.	220	3	PAKKET
006600	10	KU0TEKPOSBY	PIC X(35).	223	35	X-DEF.
006700	10	KU0KODPRINT	PIC X(1).	258	1	X-DEF.
006800	10	KU0KODGENPR	PIC X(1).	259	1	X-DEF.
006900	10	KU0KODMGL	PIC X(1).	260	1	X-DEF.
007000	10	KU0OPDTV	PIC S9(3)V USAGE COMP-3.	261	2	PAKKET
007100	10	KU0DATKOER	PIC S9(8)V USAGE COMP-3.	263	5	PAKKET
007200	10	KU0NUMTELE1	PIC X(17).	268	17	X-DEF.
007300	10	KU0NUMTELE2	PIC X(17).	285	17	X-DEF.
007400	10	KU0DATSELOP	PIC S9(8)V USAGE COMP-3.	302	5	PAKKET
007500	10	KU0NUMREGNU	PIC S9(4)V USAGE COMP-3.	307	3	PAKKET
007600	10	KU0NUMKONUM	PIC S9(10)V USAGE COMP-3.	310	6	PAKKET
007700	10	KU0AARKORTA	PIC S9(4)V USAGE COMP-3.	316	3	PAKKET
007800	10	KU0KODINSTI	PIC X(3).	319	3	X-DEF.
007900	10	KU0NAVBANK	PIC X(35).	322	35	X-DEF.
008000	10	KU0NAVADBA	PIC X(35).	357	35	X-DEF.
008100	10	KU0NUMPOBA	PIC S9(4)V USAGE COMP-3.	392	3	PAKKET
008200	10	KU0NUMKOHA	PIC S9(6)V USAGE COMP-3.	395	4	PAKKET
008300	10	KU0NUMEFAFD	PIC S9(2)V USAGE COMP-3.	399	2	PAKKET

008400*****

008500* THE NUMBER OF COLUMNS DESCRIBED BY THIS DECLARATION IS 34 *

008600*****

206

LE C B O O K * * * B 8 2 1 5 K U 1 * * *

START LENGTH FORMAT DEC 11.01.96 15.23.49 PAGE 1

ORIG: KUI COPY:

```
000100*****
000200* DCLGEN TABLE(H8215.STEJKORT) *
000300* LIBRARY(D7730.DB2COPY(B8215KUI)) *
000400* ACTION(REPLACE) *
000500* LANGUAGE(COBOL) *
000600* STRUCTURE(KUIREC) *
000700* QUOTE *
000800* ... IS THE DCLGEN COMMAND THAT MADE THE FOLLOWING STATEMENTS *
000900*****
001000 EXEC SQL DECLARE H8215.STEJKORT TABLE
001100 ( KUIUMSEL CHAR(4) NOT NULL,
001200 KUIUMUDSK DECIMAL(7, 0) NOT NULL,
001300 KUIUMJDL DECIMAL(3, 0) NOT NULL,
001400 KUIUMKOMMU DECIMAL(3, 0) NOT NULL,
001500 KUIKODVEJ DECIMAL(4, 0) NOT NULL,
001600 KUIUMHUS CHAR(4) NOT NULL,
001700 KUIUMRUDE DECIMAL(1, 0) NOT NULL,
001800 KUIUMJEND DECIMAL(7, 0) NOT NULL,
001900 KUIUMVEJ CHAR(35) NOT NULL,
002000 KUIUMVBY CHAR(35) NOT NULL,
002100 KUIUMPOST DECIMAL(4, 0) NOT NULL,
002200 KUIUMTEKPOSBY CHAR(35) NOT NULL,
002300 KUIKOOXEJD DECIMAL(10, 0) NOT NULL,
002400 KUIKOOYEJD DECIMAL(10, 0) NOT NULL,
002500 KUIKODKXG CHAR(1) NOT NULL,
002600 KUIKODFOELG CHAR(1) NOT NULL,
002700 KUIOPDTV DECIMAL(3, 0) NOT NULL,
002800 KUIUMGEKXG DECIMAL(5, 0) NOT NULL,
002900 KUIUMKXGL DECIMAL(8, 0) NOT NULL,
003000 KUIUMDKOER DECIMAL(8, 0) NOT NULL,
003100 KUIUMARKORTA DECIMAL(4, 0) NOT NULL,
003200 KUIUMARKEJEF CHAR(1) NOT NULL,
003300 KUIUMANTAREFO DECIMAL(6, 1) NOT NULL,
003400 KUIUMARKKOOR CHAR(1) NOT NULL,
003500 KUIUMANTARBFO DECIMAL(6, 1) NOT NULL,
003600 KUIUMANTARRAE DECIMAL(6, 1) NOT NULL,
003700 KUIUMKODINSTI CHAR(3) NOT NULL,
003800 KUIUMUMLBEJD DECIMAL(3, 0) NOT NULL,
003900 ) END-EXEC.
004000*****
004100* COBOL DECLARATION FOR TABLE H8215.STEJKORT *
004200*****
004300 01 KUIREC.
004400 10 KUIUMSEL PIC X(4).
004500 10 KUIUMUDSK PIC S9(7)V USAGE COMP-3.
004600 10 KUIUMJDL PIC S9(3)V USAGE COMP-3.
004700 10 KUIUMKOMMU PIC S9(3)V USAGE COMP-3.
004800 10 KUIKODVEJ PIC S9(4)V USAGE COMP-3.
004900 10 KUIUMHUS PIC X(4).
005000 10 KUIUMRUDE PIC S9(1)V USAGE COMP-3.
005100 10 KUIUMJEND PIC S9(7)V USAGE COMP-3.
005200 10 KUIUMVEJ PIC X(35).
005300 10 KUIUMVBY PIC X(35).
005400 10 KUIUMPOST PIC S9(4)V USAGE COMP-3.
005500 10 KUIUMTEKPOSBY PIC X(35).
005600 10 KUIKOOXEJD PIC S9(10)V USAGE COMP-3.
005700 10 KUIKOOYEJD PIC S9(10)V USAGE COMP-3.
005800 10 KUIKODKXG PIC X(1).
```

RA FILNR 2064

301.1

1	183	X-DEF.
1	4	X-DEF.
5	4	PAKKET
9	2	PAKKET
11	2	PAKKET
13	3	PAKKET
16	4	X-DEF.
20	1	PAKKET
21	4	PAKKET
25	35	X-DEF.
60	35	X-DEF.
95	3	PAKKET
98	35	X-DEF.
133	6	PAKKET
139	6	PAKKET
145	1	X-DEF.

ORIG: KUI COPY:

005900	10	KUIKODFOELG	PIC X(1).	146	1	X-DEF.	
006000	10	KUIOPDTV	PIC S9(3)V USAGE COMP-3.	147	2	PAKKET	
006100	10	KUI NUMGEKXG	PIC S9(5)V USAGE COMP-3.	149	3	PAKKET	
006200	10	KUI NUMKXGL	PIC S9(8)V USAGE COMP-3.	152	5	PAKKET	
006300	10	KUI DATKOER	PIC S9(8)V USAGE COMP-3.	157	5	PAKKET	
006400	10	KUIAARKORTA	PIC S9(4)V USAGE COMP-3.	162	3	PAKKET	
006500	10	KUI MARKEJEF	PIC X(1).	165	1	X-DEF.	
006600	10	KUI ANTAREFO	PIC S9(5)V9(1) USAGE COMP-3.	166	4	PAKKET	1
006700	10	KUI MARKKOOR	PIC X(1).	170	1	X-DEF.	
006800	10	KUI ANTARBFO	PIC S9(5)V9(1) USAGE COMP-3.	171	4	PAKKET	1
006900	10	KUI ANTARRAE	PIC S9(5)V9(1) USAGE COMP-3.	175	4	PAKKET	1
007000	10	KUI KODINSTI	PIC X(3).	179	3	X-DEF.	
007100	10	KUI NUMLBEJD	PIC S9(3)V USAGE COMP-3.	182	2	PAKKET	

007200*****
007300* THE NUMBER OF COLUMNS DESCRIBED BY THIS DECLARATION IS 28 *
007400*****

L E C B O O K * * * B 8 2 1 5 K K 1 * * *

START LENGTH FORMAT DEC 11.01.96 15.23.49 PAGE 1

ORIG: KK1 COPY:

```

000100*****
000200* DCLGEN TABLE(H8215.EFTBSTLI) *
000300* LIBRARY(D7730.DB2COPY(B8215KK1)) *
000400* ACTION(REPLACE) *
000500* STRUCTURE(KK1REC) *
000600* QUOTE *
000700* ... IS THE DCLGEN COMMAND THAT MADE THE FOLLOWING STATEMENTS *
000800*****
000900 EXEC SQL DECLARE H8215.EFTBSTLI TABLE
001000 ( KK1NUMSEL CHAR(4) NOT NULL,
001100 KK1NUMEFTB DECIMAL(7, 0) NOT NULL,
001200 KK1NUMEFTBL DECIMAL(3, 0) NOT NULL,
001300 KK1NUMUDSK DECIMAL(7, 0) NOT NULL,
001400 KK1NUMEJDL DECIMAL(3, 0) NOT NULL,
001500 KK1NUMEJGAM DECIMAL(3, 0) NOT NULL,
001600 KK1NUMRUDE DECIMAL(1, 0) NOT NULL,
001700 KK1NUMEJEND DECIMAL(7, 0) NOT NULL,
001800 KK1NUMKOMMU DECIMAL(3, 0) NOT NULL,
001900 KK1NAVVEJ CHAR(35) NOT NULL,
002000 KK1KODVEJ DECIMAL(4, 0) NOT NULL,
002100 KK1NAVBY CHAR(35) NOT NULL,
002200 KK1NUMPOST DECIMAL(4, 0) NOT NULL,
002300 KK1TEKPOSBY CHAR(35) NOT NULL,
002400 KK1MARMANU CHAR(1) NOT NULL,
002500 KK1MARTYKO CHAR(1) NOT NULL,
002600 KK1NUMFEJKO DECIMAL(3, 0) NOT NULL,
002700 KK1NUMSUPKO DECIMAL(3, 0) NOT NULL,
002800 KK1DATOPDAT TIMESTAMP NOT NULL,
002900 KK1OPDTV DECIMAL(3, 0) NOT NULL,
003000 KK1AARKORTA DECIMAL(4, 0) NOT NULL,
003100 KK1KODINSTI CHAR(3) NOT NULL,
003200 ) END-EXEC.
003300*****
003400* COBOL DECLARATION FOR TABLE H8215.EFTBSTLI *
003500*****
003600 01 KK1REC.
003700 10 KK1NUMSEL PIC X(4).
003800 10 KK1NUMEFTB PIC S9999999V USAGE COMP-3.
003900 10 KK1NUMEFTBL PIC S999V USAGE COMP-3.
004000 10 KK1NUMUDSK PIC S9999999V USAGE COMP-3.
004100 10 KK1NUMEJDL PIC S999V USAGE COMP-3.
004200 10 KK1NUMEJGAM PIC S999V USAGE COMP-3.
004300 10 KK1NUMRUDE PIC S9V USAGE COMP-3.
004400 10 KK1NUMEJEND PIC S9999999V USAGE COMP-3.
004500 10 KK1NUMKOMMU PIC S999V USAGE COMP-3.
004600 10 KK1NAVVEJ PIC X(35).
004700 10 KK1KODVEJ PIC S9999V USAGE COMP-3.
004800 10 KK1NAVBY PIC X(35).
004900 10 KK1NUMPOST PIC S9999V USAGE COMP-3.
005000 10 KK1TEKPOSBY PIC X(35).
005100 10 KK1MARMANU PIC X(1).
005200 10 KK1MARTYKO PIC X(1).
005300 10 KK1NUMFEJKO PIC S999V USAGE COMP-3.
005400 10 KK1NUMSUPKO PIC S999V USAGE COMP-3.
005500 10 KK1DATOPDAT PIC X(26).
005600 10 KK1OPDTV PIC S999V USAGE COMP-3.
005700 10 KK1AARKORTA PIC S9999V USAGE COMP-3.
005800 10 KK1KODINSTI PIC X(3).

```

	1	176	X-DEF.
	1	4	X-DEF.
	5	4	PAKKET
	9	2	PAKKET
	11	4	PAKKET
	15	2	PAKKET
	17	2	PAKKET
	19	1	PAKKET
	20	4	PAKKET
	24	2	PAKKET
	26	35	X-DEF.
	61	3	PAKKET
	64	35	X-DEF.
	99	3	PAKKET
	102	35	X-DEF.
	137	1	X-DEF.
	138	1	X-DEF.
	139	2	PAKKET
	141	2	PAKKET
	143	26	X-DEF.
	169	2	PAKKET
	171	3	PAKKET
	174	3	X-DEF.

RA FILNR 2065

side 2 of 1

206s

L E C B O O K * * * B 8 2 1 5 K K 1 * * * START LENGTH FORMAT DEC 11.01.96 15.23.49 PAGE 2

ORIG: KK1 COPY:

005900*****
006000* THE NUMBER OF COLUMNS DESCRIBED BY THIS DECLARATION IS 22 *
006100*****

2066

ORIG: KU2 COPY:

```
000100*****
000200* DCLGEN TABLE(H8215.STGAMARK) *
000300*        LIBRARY(D7730.DB2COPY(B8215KU2)) *
000400*        ACTION(REPLACE) *
000500*        LANGUAGE(COBOL) *
000600*        STRUCTURE(KU2REC) *
000700*        QUOTE *
000800* ... IS THE DCLGEN COMMAND THAT MADE THE FOLLOWING STATEMENTS *
000900*****
001000        EXEC SQL DECLARE H8215.STGAMARK TABLE
001100        (    KU2NUMSEL                CHAR(4) NOT NULL,
001200            KU2NUMUDSK                DECIMAL(7, 0) NOT NULL,
001300            KU2AARKORTA                DECIMAL(4, 0) NOT NULL,
001400            KU2NUMMARK                CHAR(4) NOT NULL,
001500            KU2NUMEJDL                DECIMAL(3, 0) NOT NULL,
001600            KU2ANTAMARK                DECIMAL(5, 1) NOT NULL,
001700            KU2DATKOER                DECIMAL(8, 0) NOT NULL,
001800            KU2OPDTV                DECIMAL(3, 0) NOT NULL,
001900            KU2KODINSTI                CHAR(3) NOT NULL,
002000            KU2AARTILG                DECIMAL(4, 0) NOT NULL,
002100            KU2AARTILV                DECIMAL(4, 0) NOT NULL,
002200            KU2TYPEART                CHAR(5) NOT NULL,
002300            KU2TYP SORT                CHAR(5) NOT NULL,
002400            KU2TYPAREAL                DECIMAL(2, 0) NOT NULL,
002500            KU2UDBFORV                DECIMAL(4, 0) NOT NULL,
002600            KU2NUMLMARK                DECIMAL(3, 0) NOT NULL
002700        ) END-EXEC.
002800*****
002900* COBOL DECLARATION FOR TABLE H8215.STGAMARK *
003000*****
003100 01    KU2REC.
003200        10    KU2NUMSEL                PIC X(4).
003300        10    KU2NUMUDSK                PIC S9(7)V USAGE COMP-3.
003400        10    KU2AARKORTA                PIC S9(4)V USAGE COMP-3.
003500        10    KU2NUMMARK                PIC X(4).
003600        10    KU2NUMEJDL                PIC S9(3)V USAGE COMP-3.
003700        10    KU2ANTAMARK                PIC S9(4)V9(1) USAGE COMP-3.
003800        10    KU2DATKOER                PIC S9(8)V USAGE COMP-3.
003900        10    KU2OPDTV                PIC S9(3)V USAGE COMP-3.
004000        10    KU2KODINSTI                PIC X(3).
004100        10    KU2AARTILG                PIC S9(4)V USAGE COMP-3.
004200        10    KU2AARTILV                PIC S9(4)V USAGE COMP-3.
004300        10    KU2TYPEART                PIC X(5).
004400        10    KU2TYP SORT                PIC X(5).
004500        10    KU2TYPAREAL                PIC S9(2)V USAGE COMP-3.
004600        10    KU2UDBFORV                PIC S9(4)V USAGE COMP-3.
004700        10    KU2NUMLMARK                PIC S9(3)V USAGE COMP-3.
004800*****
004900* THE NUMBER OF COLUMNS DESCRIBED BY THIS DECLARATION IS 16 *
005000*****
```

1	53	X-DEF.
1	4	X-DEF.
5	4	PAKKET
9	3	PAKKET
12	4	X-DEF.
16	2	PAKKET
18	3	PAKKET
21	5	PAKKET
26	2	PAKKET
28	3	X-DEF.
31	3	PAKKET
34	3	PAKKET
37	5	X-DEF.
42	5	X-DEF.
47	2	PAKKET
49	3	PAKKET
52	2	PAKKET

RA FILNR 2066

REC. LENGDE 30

302.1

ORIG: KA3 COPY:

```
000100*****
000200* DCLGEN TABLE(H8215.MASTLIN) *
000300*        LIBRARY(D7730.DB2COPY(B8215KA3)) *
000400*        ACTION(REPLACE) *
000500*        STRUCTURE(KA3REC) *
000600*        QUOTE *
000700* ... IS THE DCLGEN COMMAND THAT MADE THE FOLLOWING STATEMENTS *
000800*****
000900* EXEC SQL DECLARE H8215.MASTLIN TABLE *
001000*        ( KA3NUMSEL                    CHAR(4) NOT NULL, *
001100*        KA3NAVOUTP                    CHAR(8) NOT NULL, *
001200*        KA3DATOPDAT                TIMESTAMP NOT NULL, *
001300*        KA3LINNAVLT                DECIMAL(2, 0) NOT NULL, *
001400*        KA3NAVLEDTX                CHAR(15) NOT NULL, *
001500*        KA3BRULOGON                CHAR(8) NOT NULL, *
001600*        KA3OPDTV                    DECIMAL(3, 0) NOT NULL *
001700*        ) END-EXEC. *
001800*****
001900* COBOL DECLARATION FOR TABLE H8215.MASTLIN *
002000*****
002100 01 KA3REC. *
002200    10 KA3NUMSEL                    PIC X(4). *
002300    10 KA3NAVOUTP                   PIC X(8). *
002400    10 KA3DATOPDAT                  PIC X(26). *
002500    10 KA3LINNAVLT                  PIC S99V USAGE COMP-3. *
002600    10 KA3NAVLEDTX                  PIC X(15). *
002700    10 KA3BRULOGON                PIC X(8). *
002800    10 KA3OPDTV                    PIC S999V USAGE COMP-3. *
002900*****
003000* THE NUMBER OF COLUMNS DESCRIBED BY THIS DECLARATION IS 7 *
003100*****
```

1 65 X-DEF. RA FILNR 2037
1 4 X-DEF.
5 8 X-DEF.
13 26 X-DEF.
39 2 PAKKET
41 15 X-DEF. side 102.1
56 8 X-DEF.
64 2 PAKKET

L E C B O O K * * * B 8 2 1 5 K U 5 * * *

START LENGTH FORMAT DEC 11.01.96 15.23.49 PAGE 1

ORIG: KU5 COPY:

```

000100*****
000200* DCLGEN TABLE(H8215.KVITCHR) *
000300* LIBRARY(D7730.DB2COPY(B8215KU5)) *
000400* ACTION(REPLACE) *
000500* STRUCTURE(KU5REC) *
000600* QUOTE *
000700* ... IS THE DCLGEN COMMAND THAT MADE THE FOLLOWING STATEMENTS *
000800*****
000900* EXEC SQL DECLARE H8215.KVITCHR TABLE *
001000* ( KU5NUMSEL CHAR(4) NOT NULL, *
001100* KU5IDCHR DECIMAL(6, 0) NOT NULL, *
001200* KU5BESUDCHR CHAR(1) NOT NULL, *
001300* KU5TYPBEST CHAR(1) NOT NULL, *
001400* KU5MARKUDSK DECIMAL(1, 0) NOT NULL, *
001500* KU5DATOPDAT TIMESTAMP NOT NULL, *
001600* KU5OPDTV DECIMAL(3, 0) NOT NULL *
001700* ) END-EXEC. *
001800*****
001900* COBOL DECLARATION FOR TABLE H8215.KVITCHR *
002000*****
002100 01 KU5REC. *
002200 10 KU5NUMSEL PIC X(4). *
002300 10 KU5IDCHR PIC S9999999V USAGE COMP-3. *
002400 10 KU5BESUDCHR PIC X(1). *
002500 10 KU5TYPBEST PIC X(1). *
002600 10 KU5MARKUDSK PIC S9V USAGE COMP-3. *
002700 10 KU5DATOPDAT PIC X(26). *
002800 10 KU5OPDTV PIC S999V USAGE COMP-3. *
002900*****
003000* THE NUMBER OF COLUMNS DESCRIBED BY THIS DECLARATION IS 7 *
003100*****

```

1	39	X-DEF.
1	4	X-DEF.
5	4	PAKKET
9	1	X-DEF.
10	1	X-DEF.
11	1	PAKKET
12	26	X-DEF.
38	2	PAKKET

RA FILNR 2067

306.1

L E C B O O K * * * B 8 2 1 5 K W 0 * * *

START LENGTH FORMAT DEC 11.01.96 15.23.49 PAGE 1

ORIG: KW0 COPY:

```

000100*****
000200* DCLGEN TABLE(H8215.WORKTLF) *
000300* LIBRARY(D7730.DB2COPY(B8215KW0)) *
000400* ACTION(REPLACE) *
000500* STRUCTURE(KW0REC) *
000600* QUOTE *
000700* ... IS THE DCLGEN COMMAND THAT MADE THE FOLLOWING STATEMENTS *
000800*****
000900 EXEC SQL DECLARE H8215.WORKTLF TABLE
001000 ( KWONUMSEL CHAR(4) NOT NULL,
001100 KWOIDEADRES DECIMAL(10, 0) NOT NULL,
001200 KWONUMTLF CHAR(8) NOT NULL,
001300 KWODATOPDAT TIMESTAMP NOT NULL
001400 ) END-EXEC.
001500*****
001600* COBOL DECLARATION FOR TABLE H8215.WORKTLF *
001700*****
001800 01 KWOREC.
001900 10 KWONUMSEL PIC X(4).
002000 10 KWOIDEADRES PIC S999999999V USAGE COMP-3.
002100 10 KWONUMTLF PIC X(8).
002200 10 KWODATOPDAT PIC X(26).
002300*****
002400* THE NUMBER OF COLUMNS DESCRIBED BY THIS DECLARATION IS 4 *
002500*****

```

RA FILNR 2068

1	44	X-DEF.
1	4	X-DEF.
5	6	PAKKE
11	8	X-DEF.
19	26	X-DEF.

L E C B O O K * * * B 8 2 1 5 K Z 0 * * *

START LENGTH FORMAT DEC 11.01.96 15.23.49 PAGE 1

ORIG: KZ0 COPY:

```

000100*****
000200* DCLGEN TABLE(H8215.VEJ) *
000300* LIBRARY(D7730.DB2COPY(B8215KZ0)) *
000400* ACTION(REPLACE) *
000500* STRUCTURE(KZ0REC) *
000600* QUOTE *
000700* ... IS THE DCLGEN COMMAND THAT MADE THE FOLLOWING STATEMENTS *
000800*****
000900 EXEC SQL DECLARE H8215.VEJ TABLE
001000 ( KZ0NUMSEL CHAR(4) NOT NULL,
001100 KZ0NUMKOMMU DECIMAL(3, 0) NOT NULL,
001200 KZ0KODVEJ DECIMAL(4, 0) NOT NULL,
001300 KZ0NAVVEJOF CHAR(35) NOT NULL,
001400 KZ0MARKSLET CHAR(1) NOT NULL,
001500 KZ0DATOPDAT TIMESTAMP NOT NULL,
001600 KZ0BRULOGON CHAR(8) NOT NULL,
001700 KZ0OPDTV DECIMAL(3, 0) NOT NULL
001800 ) END-EXEC.
001900*****
002000* COBOL DECLARATION FOR TABLE H8215.VEJ *
002100*****
002200 01 KZ0REC.
002300 10 KZ0NUMSEL PIC X(4).
002400 10 KZ0NUMKOMMU PIC S999V USAGE COMP-3.
002500 10 KZ0KODVEJ PIC S9999V USAGE COMP-3.
002600 10 KZ0NAVVEJOF PIC X(35).
002700 10 KZ0MARKSLET PIC X(1).
002800 10 KZ0DATOPDAT PIC X(26).
002900 10 KZ0BRULOGON PIC X(8).
003000 10 KZ0OPDTV PIC S999V USAGE COMP-3.
003100*****
003200* THE NUMBER OF COLUMNS DESCRIBED BY THIS DECLARATION IS 8 *
003300*****

```

1	81	X-DEF.
1	4	X-DEF.
5	2	PAKKET
7	3	PAKKET
10	35	X-DEF.
45	1	X-DEF.
46	26	X-DEF.
72	8	X-DEF.
80	2	PAKKET

RA FILNR 2069

350.1

ORIG: KZ1 COPY:

```
000100*****
000200* DCLGEN TABLE(H8215.VEJPOST) *
000300* LIBRARY(D7730.DB2COPY(B8215KZ1)) *
000400* ACTION(REPLACE) *
000500* STRUCTURE(KZ1REC) *
000600* QUOTE *
000700* ... IS THE DCLGEN COMMAND THAT MADE THE FOLLOWING STATEMENTS *
000800*****
000900 EXEC SQL DECLARE H8215.VEJPOST TABLE
001000 ( KZ1NUMSEL CHAR(4) NOT NULL,
001100 KZ1NUMKOMMU DECIMAL(3, 0) NOT NULL,
001200 KZ1KODVEJ DECIMAL(4, 0) NOT NULL,
001300 KZ1NUMHUSFR DECIMAL(3, 0) NOT NULL,
001400 KZ1NAVBOGFR CHAR(1) NOT NULL,
001500 KZ1NUMHUSTI DECIMAL(3, 0) NOT NULL,
001600 KZ1NAVBOGTI CHAR(1) NOT NULL,
001700 KZ1KODLIGE CHAR(1) NOT NULL,
001800 KZ1NUMPOST DECIMAL(4, 0) NOT NULL,
001900 KZ1MARKSLET CHAR(1) NOT NULL,
002000 KZ1FINVEJST CHAR(35) NOT NULL,
002100 KZ1FINVEJSI CHAR(35) NOT NULL,
002200 KZ1DATOPDAT TIMESTAMP NOT NULL,
002300 KZ1BRULOGON CHAR(8) NOT NULL,
002400 KZ1OPDTV DECIMAL(3, 0) NOT NULL
002500 ) END-EXEC.
002600*****
002700* COBOL DECLARATION FOR TABLE H8215.VEJPOST *
002800*****
002900 01 KZ1REC.
003000 10 KZ1NUMSEL PIC X(4).
003100 10 KZ1NUMKOMMU PIC S999V USAGE COMP-3.
003200 10 KZ1KODVEJ PIC S9999V USAGE COMP-3.
003300 10 KZ1NUMHUSFR PIC S999V USAGE COMP-3.
003400 10 KZ1NAVBOGFR PIC X(1).
003500 10 KZ1NUMHUSTI PIC S999V USAGE COMP-3.
003600 10 KZ1NAVBOGTI PIC X(1).
003700 10 KZ1KODLIGE PIC X(1).
003800 10 KZ1NUMPOST PIC S9999V USAGE COMP-3.
003900 10 KZ1MARKSLET PIC X(1).
004000 10 KZ1FINVEJST PIC X(35).
004100 10 KZ1FINVEJSI PIC X(35).
004200 10 KZ1DATOPDAT PIC X(26).
004300 10 KZ1BRULOGON PIC X(8).
004400 10 KZ1OPDTV PIC S999V USAGE COMP-3.
004500*****
004600* THE NUMBER OF COLUMNS DESCRIBED BY THIS DECLARATION IS 15 *
004700*****
```

1	126	X-DEF.
1	4	X-DEF.
5	2	PAKKET
7	3	PAKKET
10	2	PAKKET
12	1	X-DEF.
13	2	PAKKET
15	1	X-DEF.
16	1	X-DEF.
17	3	PAKKET
20	1	X-DEF.
21	35	X-DEF.
56	35	X-DEF.
91	26	X-DEF.
117	8	X-DEF.
125	2	PAKKET

RA FILNR 2070
351.1

2071

L E C B O O K * * * B 8 2 1 5 K Z 2 * * *

START LENGTH FORMAT DEC 11.01.96 15.23.49 PAGE 1

ORIG: KZ2 COPY:

```
000100*****
000200* DCLGEN TABLE(H8215.VEJBYNVN) *
000300* LIBRARY(D7730.DB2COPY(B8215KZ2)) *
000400* ACTION(REPLACE) *
000500* STRUCTURE(KZ2REC) *
000600* QUOTE *
000700* ... IS THE DCLGEN COMMAND THAT MADE THE FOLLOWING STATEMENTS *
000800*****
000900 EXEC SQL DECLARE H8215.VEJBYNVN TABLE
001000 ( KZ2NUMSEL CHAR(4) NOT NULL,
001100 KZ2NUMKOMMU DECIMAL(3, 0) NOT NULL,
001200 KZ2KODVEJ DECIMAL(4, 0) NOT NULL,
001300 KZ2NUMHUSFR DECIMAL(3, 0) NOT NULL,
001400 KZ2NAVBOGFR CHAR(1) NOT NULL,
001500 KZ2NUMHUSTI DECIMAL(3, 0) NOT NULL,
001600 KZ2NAVBOGTI CHAR(1) NOT NULL,
001700 KZ2KODLIGE CHAR(1) NOT NULL,
001800 KZ2NAVBY CHAR(35) NOT NULL,
001900 KZ2MARKSLET CHAR(1) NOT NULL,
002000 KZ2DATOPDAT TIMESTAMP NOT NULL,
002100 KZ2BRULOGON CHAR(8) NOT NULL,
002200 KZ2OPDTV DECIMAL(3, 0) NOT NULL
002300 ) END-EXEC.
002400*****
002500* COBOL DECLARATION FOR TABLE H8215.VEJBYNVN *
002600*****
002700 01 KZ2REC.
002800 10 KZ2NUMSEL PIC X(4).
002900 10 KZ2NUMKOMMU PIC S999V USAGE COMP-3.
003000 10 KZ2KODVEJ PIC S999V USAGE COMP-3.
003100 10 KZ2NUMHUSFR PIC S999V USAGE COMP-3.
003200 10 KZ2NAVBOGFR PIC X(1).
003300 10 KZ2NUMHUSTI PIC S999V USAGE COMP-3.
003400 10 KZ2NAVBOGTI PIC X(1).
003500 10 KZ2KODLIGE PIC X(1).
003600 10 KZ2NAVBY PIC X(35).
003700 10 KZ2MARKSLET PIC X(1).
003800 10 KZ2DATOPDAT PIC X(26).
003900 10 KZ2BRULOGON PIC X(8).
004000 10 KZ2OPDTV PIC S999V USAGE COMP-3.
004100*****
004200* THE NUMBER OF COLUMNS DESCRIBED BY THIS DECLARATION IS 13 *
004300*****
```

1	88	X-DEF.
1	4	X-DEF.
5	2	PAKKET
7	3	PAKKET
10	2	PAKKET
12	1	X-DEF.
13	2	PAKKET
15	1	X-DEF.
16	1	X-DEF.
17	35	X-DEF.
52	1	X-DEF.
53	26	X-DEF.
79	8	X-DEF.
87	2	PAKKET

RA FILNR 2071

352.1

ORIG: KZ3 COPY:

```

000100*****
000200* DCLGEN TABLE(H8215.ADRSTED)
000300* LIBRARY(D7730.DB2COPY(B8215KZ3))
000400* STRUCTURE(KZ3REC)
000500* QUOTE
000600* ... IS THE DCLGEN COMMAND THAT MADE THE FOLLOWING STATEMENTS
000700*****
000800 EXEC SQL DECLARE H8215.ADRSTED TABLE
000900 ( KZ3NUMSEL CHAR(4) NOT NULL,
001000 KZ3IDESTED DECIMAL(10, 0) NOT NULL,
001100 KZ3NUMKOMMU DECIMAL(3, 0) NOT NULL,
001200 KZ3KODVEJ DECIMAL(4, 0) NOT NULL,
001300 KZ3NUMHUSNR DECIMAL(3, 0) NOT NULL,
001400 KZ3NUMHUSBO CHAR(1) NOT NULL,
001500 KZ3NAVETAGE CHAR(2) NOT NULL,
001600 KZ3NAVSIDED CHAR(4) NOT NULL,
001700 KZ3NUMXK00R DECIMAL(9, 3) NOT NULL,
001800 KZ3NUMYK00R DECIMAL(9, 3) NOT NULL,
001900 KZ3NUMZK00R DECIMAL(9, 3) NOT NULL,
002000 KZ3MARKSLET CHAR(1) NOT NULL,
002100 KZ3DATOPDAT TIMESTAMP NOT NULL,
002200 KZ3BRULOGON CHAR(8) NOT NULL,
002300 KZ3OPDTV DECIMAL(3, 0) NOT NULL
002400 ) END-EXEC.
002500*****
002600* COBOL DECLARATION FOR TABLE H8215.ADRSTED
002700*****
002800 01 KZ3REC.
002900 10 KZ3NUMSEL PIC X(4).
003000 10 KZ3IDESTED PIC S999999999V USAGE COMP-3.
003100 10 KZ3NUMKOMMU PIC S999V USAGE COMP-3.
003200 10 KZ3KODVEJ PIC S999V USAGE COMP-3.
003300 10 KZ3NUMHUSNR PIC S999V USAGE COMP-3.
003400 10 KZ3NUMHUSBO PIC X(1).
003500 10 KZ3NAVETAGE PIC X(2).
003600 10 KZ3NAVSIDED PIC X(4).
003700 10 KZ3NUMXK00R PIC S999999V999 USAGE COMP-3.
003800 10 KZ3NUMYK00R PIC S999999V999 USAGE COMP-3.
003900 10 KZ3NUMZK00R PIC S999999V999 USAGE COMP-3.
004000 10 KZ3MARKSLET PIC X(1).
004100 10 KZ3DATOPDAT PIC X(26).
004200 10 KZ3BRULOGON PIC X(8).
004300 10 KZ3OPDTV PIC S999V USAGE COMP-3.
004400*****
004500* THE NUMBER OF COLUMNS DESCRIBED BY THIS DECLARATION IS 15
004600*****

```

1	76	X-DEF.
1	4	X-DEF.
5	6	PAKKET
11	2	PAKKET
13	3	PAKKET
16	2	PAKKET
18	1	X-DEF.
19	2	X-DEF.
21	4	X-DEF.
25	5	PAKKET 3
30	5	PAKKET 3
35	5	PAKKET 3
40	1	X-DEF.
41	26	X-DEF.
67	8	X-DEF.
75	2	PAKKET

RA FILNR 2072

353.1

L E C B O O K * * * B 8 2 1 5 K Z 5 * * *

START LENGTH FORMAT DEC 11.01.96 15.23.49 PAGE 1

ORIG: KZ5 COPY:

```

000100*****
000200* DCLGEN TABLE(H8215.PERSON) *
000300* LIBRARY(D7730.DB2COPY(B8215KZ5)) *
000400* ACTION(REPLACE) *
000500* STRUCTURE(KZ5REC) *
000600* QUOTE *
000700* ... IS THE DCLGEN COMMAND THAT MADE THE FOLLOWING STATEMENTS *
000800*****
000900 EXEC SQL DECLARE H8215.PERSON TABLE
001000 ( KZ5NUMSEL CHAR(4) NOT NULL,
001100 KZ5NUMCPR DECIMAL(10, 0) NOT NULL,
001200 KZ5DATTIL TIMESTAMP NOT NULL,
001300 KZ5KDSTACPR DECIMAL(2, 0) NOT NULL,
001400 KZ5DATSTCPR DECIMAL(8, 0) NOT NULL,
001500 KZ5KDCIVIL CHAR(1) NOT NULL,
001600 KZ5NUMCPRAG DECIMAL(10, 0) NOT NULL,
001700 KZ5KDHANCPR CHAR(3) NOT NULL,
001800 KZ5DTFLYADR DECIMAL(8, 0) NOT NULL,
001900 KZ5DATOPHOE DECIMAL(8, 0) NOT NULL,
002000 KZ5IDEADRES DECIMAL(10, 0) NOT NULL,
002100 KZ5DATOPDAT TIMESTAMP NOT NULL,
002200 KZ5BRULOGON CHAR(8) NOT NULL,
002300 KZ5OPDTV DECIMAL(3, 0) NOT NULL
002400 ) END-EXEC.
002500*****
002600* COBOL DECLARATION FOR TABLE H8215.PERSON *
002700*****
002800 01 KZ5REC.
002900 10 KZ5NUMSEL PIC X(4).
003000 10 KZ5NUMCPR PIC S999999999V USAGE COMP-3.
003100 10 KZ5DATTIL PIC X(26).
003200 10 KZ5KDSTACPR PIC S99V USAGE COMP-3.
003300 10 KZ5DATSTCPR PIC S99999999V USAGE COMP-3.
003400 10 KZ5KDCIVIL PIC X(1).
003500 10 KZ5NUMCPRAG PIC S999999999V USAGE COMP-3.
003600 10 KZ5KDHANCPR PIC X(3).
003700 10 KZ5DTFLYADR PIC S99999999V USAGE COMP-3.
003800 10 KZ5DATOPHOE PIC S99999999V USAGE COMP-3.
003900 10 KZ5IDEADRES PIC S999999999V USAGE COMP-3.
004000 10 KZ5DATOPDAT PIC X(26).
004100 10 KZ5BRULOGON PIC X(8).
004200 10 KZ5OPDTV PIC S999V USAGE COMP-3.
004300*****
004400* THE NUMBER OF COLUMNS DESCRIBED BY THIS DECLARATION IS 14 *
004500*****

```

1	105	X-DEF.
1	4	X-DEF.
5	6	PAKKET
11	26	X-DEF.
37	2	PAKKET
39	5	PAKKET
44	1	X-DEF.
45	6	PAKKET
51	3	X-DEF.
54	5	PAKKET
59	5	PAKKET
64	6	PAKKET
70	26	X-DEF.
96	8	X-DEF.
104	2	PAKKET

RA FILNR 2073

355.1

BOOK *** B 8 2 1 5 K 2 2 ***

START LENGTH FORMAT DEC 11.01.96 15.23.49 PAGE 1

3: K22 COPY:

```

10*****
10* DCLGEN TABLE(H8215.EJENDOM)
10* LIBRARY(D7730.DB2COPY(B8215K22))
10* ACTION(REPLACE)
10* STRUCTURE(K22REC)
10* QUOTE

```

10* ... IS THE DCLGEN COMMAND THAT MADE THE FOLLOWING STATEMENTS

```

10 EXEC SQL DECLARE H8215.EJENDOM TABLE
10 (
10   K22NUMSEL CHAR(4) NOT NULL,
10   K22NUMKOMMU DECIMAL(3, 0) NOT NULL,
10   K22NUMEJEND DECIMAL(7, 0) NOT NULL,
10   K22DATTIL TIMESTAMP NOT NULL,
10   K22IDEADRES DECIMAL(10, 0) NOT NULL,
10   K22DATOPHOE DECIMAL(8, 0) NOT NULL,
10   K22BRULOGON CHAR(8) NOT NULL,
10   K22DATOPDAT TIMESTAMP NOT NULL,
10   K22OPDTV DECIMAL(3, 0) NOT NULL,
10   K22BENYTEJ CHAR(2) NOT NULL,
10   K22AREALVUR DECIMAL(11, 0) NOT NULL,
10   K22AREALMAT DECIMAL(11, 0) NOT NULL,
10   K22VEREJD DECIMAL(11, 2) NOT NULL,
10   K22VERGRUND DECIMAL(11, 2) NOT NULL,
10   K22VERSTUE DECIMAL(11, 2) NOT NULL,
10   K22VERSTGR DECIMAL(11, 2) NOT NULL,
10   K22DATVURDE DECIMAL(8, 0) NOT NULL
10 ) END-EXEC.

```

10* COBOL DECLARATION FOR TABLE H8215.EJENDOM

```

10 01 K22REC.
10   10 K22NUMSEL PIC X(4).
10   10 K22NUMKOMMU PIC S999V USAGE COMP-3.
10   10 K22NUMEJEND PIC S9999999V USAGE COMP-3.
10   10 K22DATTIL PIC X(26).
10   10 K22IDEADRES PIC S9999999999V USAGE COMP-3.
10   10 K22DATOPHOE PIC S999999999V USAGE COMP-3.
10   10 K22BRULOGON PIC X(8).
10   10 K22DATOPDAT PIC X(26).
10   10 K22OPDTV PIC S999V USAGE COMP-3.
10   10 K22BENYTEJ PIC X(2).
10   10 K22AREALVUR PIC S99999999999V USAGE COMP-3.
10   10 K22AREALMAT PIC S99999999999V USAGE COMP-3.
10   10 K22VEREJD PIC S99999999999V USAGE COMP-3.
10   10 K22VERGRUND PIC S99999999999V USAGE COMP-3.
10   10 K22VERSTUE PIC S99999999999V USAGE COMP-3.
10   10 K22VERSTGR PIC S99999999999V USAGE COMP-3.
10   10 K22DATVURDE PIC S99999999V USAGE COMP-3.

```

0* THE NUMBER OF COLUMNS DESCRIBED BY THIS DECLARATION IS 17

1	126	X-DEF.
1	4	X-DEF.
5	2	PAKKET
7	4	PAKKET
11	26	X-DEF.
37	6	PAKKET
43	5	PAKKET
48	8	X-DEF.
56	26	X-DEF.
82	2	PAKKET
84	2	X-DEF.
86	6	PAKKET
92	6	PAKKET
98	6	PAKKET
104	6	PAKKET
110	6	PAKKET
116	6	PAKKET
122	5	PAKKET

RA FILNR 2074

22.1

2
2
2

ORIG: K23 COPY:

```
00100*****
00200* DCLGEN TABLE(H8215.NOTEJEND) *
00300* LIBRARY(D7730.DB2COPY(B8215K23)) *
00400* ACTION(REPLACE) *
00500* STRUCTURE(K23REC) *
00600* QUOTE *
00700* ... IS THE DCLGEN COMMAND THAT MADE THE FOLLOWING STATEMENTS *
00800*****
00900 EXEC SQL DECLARE H8215.NOTEJEND TABLE
01000 ( K23NUMSEL CHAR(4) NOT NULL,
01100 K23NUMNOTEJ DECIMAL(7, 0) NOT NULL,
01200 K23DATFIL TIMESTAMP NOT NULL,
01300 K23NUMKOMMU DECIMAL(3, 0) NOT NULL,
01400 K23NUMEJEND DECIMAL(7, 0) NOT NULL,
01500 K23DATOPHOE DECIMAL(8, 0) NOT NULL,
01600 K23KODLANDB CHAR(1) NOT NULL,
01700 K23BRULOGON CHAR(8) NOT NULL,
01800 K23DATOPDAT TIMESTAMP NOT NULL,
01900 K23OPDTV DECIMAL(3, 0) NOT NULL
02000 ) END-EXEC.
02100*****
02200* COBOL DECLARATION FOR TABLE H8215.NOTEJEND *
02300*****
02400 01 K23REC.
02500 10 K23NUMSEL PIC X(4).
02600 10 K23NUMNOTEJ PIC S9999999V USAGE COMP-3.
02700 10 K23DATFIL PIC X(26).
02800 10 K23NUMKOMMU PIC S999V USAGE COMP-3.
02900 10 K23NUMEJEND PIC S9999999V USAGE COMP-3.
03000 10 K23DATOPHOE PIC S99999999V USAGE COMP-3.
03100 10 K23KODLANDB PIC X(1).
03200 10 K23BRULOGON PIC X(8).
03300 10 K23DATOPDAT PIC X(26).
03400 10 K23OPDTV PIC S999V USAGE COMP-3.
03500*****
03600* THE NUMBER OF COLUMNS DESCRIBED BY THIS DECLARATION IS 10 *
03700*****
```

1	82	X-DEF.
1	4	X-DEF.
5	4	PAKKET
9	26	X-DEF.
35	2	PAKKET
37	4	PAKKET
41	5	PAKKET
46	1	X-DEF.
47	8	X-DEF.
55	26	X-DEF.
81	2	PAKKET

RA FILNR 2075

23.1

C B O O K * * * B 8 2 1 5 K E 2 * * *

START LENGTH FORMAT DEC 11.01.96 15.23.49 PAGE 1

G: KE2 COPY:

```

00*****
00* DCLGEN TABLE(H8215.KONTPARM)
00* LIBRARY(D7730.DB2COPY(B8215KE2))
00* ACTION(REPLACE)
00* STRUCTURE(KE2REC)
00* QUOTE
00* ... IS THE DCLGEN COMMAND THAT MADE THE FOLLOWING STATEMENTS
00*****
00 EXEC SQL DECLARE H8215.KONTPARM TABLE
00 (
00   KE2NUMSEL CHAR(4) NOT NULL,
00   KE2NUMKONGR DECIMAL(1, 0) NOT NULL,
00   KE2NUMKONTR CHAR(1) NOT NULL,
00   KE2DATTIL TIMESTAMP NOT NULL,
00   KE2TEKKONTR CHAR(50) NOT NULL,
00   KE2NUMEDBKT DECIMAL(3, 0) NOT NULL,
00   KE2NUMKTGR1 DECIMAL(6, 1) NOT NULL,
00   KE2NUMKTGR2 DECIMAL(6, 1) NOT NULL,
00   KE2NUMTEKBL CHAR(4) NOT NULL,
00   KE2MARKTANN CHAR(1) NOT NULL,
00   KE2MARKTGOD CHAR(1) NOT NULL,
00   KE2MARKTBRV CHAR(1) NOT NULL,
00   KE2MARKTSKM CHAR(1) NOT NULL,
00   KE2MARKTSTP CHAR(1) NOT NULL,
00   KE2TYPKONFJ CHAR(1) NOT NULL,
00   KE2NUMFJLGR DECIMAL(1, 0) NOT NULL,
00   KE2NUMFJLKT CHAR(1) NOT NULL,
00   KE2NUMFGRP DECIMAL(1, 0) NOT NULL,
00   KE2DATOPDAT TIMESTAMP NOT NULL,
00   KE2BRULOGON CHAR(8) NOT NULL,
00   KE2OPDTV DECIMAL(3, 0) NOT NULL
00 ) END-EXEC.
00*****
00* COBOL DECLARATION FOR TABLE H8215.KONTPARM
00*****
00 01 KE2REC.
00   10 KE2NUMSEL PIC X(4).
00   10 KE2NUMKONGR PIC S9V USAGE COMP-3.
00   10 KE2NUMKONTR PIC X(1).
00   10 KE2DATTIL PIC X(26).
00   10 KE2TEKKONTR PIC X(50).
00   10 KE2NUMEDBKT PIC S999V USAGE COMP-3.
00   10 KE2NUMKTGR1 PIC S99999V9 USAGE COMP-3.
00   10 KE2NUMKTGR2 PIC S99999V9 USAGE COMP-3.
00   10 KE2NUMTEKBL PIC X(4).
00   10 KE2MARKTANN PIC X(1).
00   10 KE2MARKTGOD PIC X(1).
00   10 KE2MARKTBRV PIC X(1).
00   10 KE2MARKTSKM PIC X(1).
00   10 KE2MARKTSTP PIC X(1).
00   10 KE2TYPKONFJ PIC X(1).
00   10 KE2NUMFJLGR PIC S9V USAGE COMP-3.
00   10 KE2NUMFJLKT PIC X(1).
00   10 KE2NUMFGRP PIC S9V USAGE COMP-3.
00   10 KE2DATOPDAT PIC X(26).
00   10 KE2BRULOGON PIC X(8).
00   10 KE2OPDTV PIC S999V USAGE COMP-3.
00*****
00* THE NUMBER OF COLUMNS DESCRIBED BY THIS DECLARATION IS 21
00*

```

RA FILNR 2076

1	141	X-DEF.	
1	4	X-DEF.	
5	1	PAKKET	
6	1	X-DEF.	
7	26	X-DEF.	
33	50	X-DEF.	
83	2	PAKKET	
85	4	PAKKET	1
89	4	PAKKET	1
93	4	X-DEF.	
97	1	X-DEF.	
98	1	X-DEF.	
99	1	X-DEF.	
100	1	X-DEF.	
101	1	X-DEF.	
102	1	X-DEF.	
103	1	PAKKET	
104	1	X-DEF.	
105	1	PAKKET	
106	26	X-DEF.	
132	8	X-DEF.	
140	2	PAKKET	

142.1

L E C B O O K * * * B 8 2 1 5 K B 0 * * *

START LENGTH FORMAT DEC 11.01.96 15.23.49 PAGE

ORIG: KB0 COPY:

```

000100*****
000200* DCLGEN TABLE(H8215.PRODOPL) *
000300* LIBRARY(D7730.DB2COPY(B8215KB0)) *
000400* ACTION(REPLACE) *
000500* LANGUAGE(COBOL) *
000600* STRUCTURE(KB0REC) *
000700* QUOTE *
000800* ... IS THE DCLGEN COMMAND THAT MADE THE FOLLOWING STATEMENTS *
000900*****
001000 EXEC SQL DECLARE H8215.PRODOPL TABLE
001100 ( KBONUMSEL CHAR(4) NOT NULL,
001200 KBONUMSAG DECIMAL(6, 0) NOT NULL,
001300 KB0AARHOAAR DECIMAL(4, 0) NOT NULL,
001400 KB0IDEVIRK DECIMAL(10, 0) NOT NULL,
001500 KBONUMSESTO DECIMAL(8, 0) NOT NULL,
001600 KBONUMCPRST DECIMAL(10, 0) NOT NULL,
001700 KBONUMTLFDAG CHAR(17) NOT NULL,
001800 KBONUMTLFAFT CHAR(17) NOT NULL,
001900 KB0DATMODTA DECIMAL(8, 0) NOT NULL,
002000 KB0DATSELOP DECIMAL(8, 0) NOT NULL,
002100 KBONUMREGNU DECIMAL(4, 0) NOT NULL,
002200 KBONUMKONUM DECIMAL(10, 0) NOT NULL,
002300 KB0KODORDNI CHAR(1) NOT NULL,
002400 KB0KODEFST CHAR(1) NOT NULL,
002500 KB0KODUVIRK CHAR(1) NOT NULL,
002600 KBONUMUDSK DECIMAL(7, 0) NOT NULL,
002700 KB0DATOPDAT TIMESTAMP NOT NULL,
002800 KB0BRULOGON CHAR(8) NOT NULL,
002900 KB0OPDTV DECIMAL(3, 0) NOT NULL,
003000 KB0NUMEFAFD DECIMAL(2, 0) NOT NULL
003100 ) END-EXEC.
003200*****
003300* COBOL DECLARATION FOR TABLE H8215.PRODOPL *
003400*****
003500 01 KB0REC.
003600 10 KBONUMSEL PIC X(4).
003700 10 KBONUMSAG PIC S9(6)V USAGE COMP-3.
003800 10 KB0AARHOAAR PIC S9(4)V USAGE COMP-3.
003900 10 KB0IDEVIRK PIC S9(10)V USAGE COMP-3.
004000 10 KBONUMSESTO PIC S9(8)V USAGE COMP-3.
004100 10 KBONUMCPRST PIC S9(10)V USAGE COMP-3.
004200 10 KBONUMTLFDAG PIC X(17).
004300 10 KBONUMTLFAFT PIC X(17).
004400 10 KB0DATMODTA PIC S9(8)V USAGE COMP-3.
004500 10 KB0DATSELOP PIC S9(8)V USAGE COMP-3.
004600 10 KBONUMREGNU PIC S9(4)V USAGE COMP-3.
004700 10 KBONUMKONUM PIC S9(10)V USAGE COMP-3.
004800 10 KB0KODORDNI PIC X(1).
004900 10 KB0KODEFST PIC X(1).
005000 10 KB0KODUVIRK PIC X(1).
005100 10 KBONUMUDSK PIC S9(7)V USAGE COMP-3.
005200 10 KB0DATOPDAT PIC X(26).
005300 10 KB0BRULOGON PIC X(8).
005400 10 KB0OPDTV PIC S9(3)V USAGE COMP-3.
005500 10 KB0NUMEFAFD PIC S9(2)V USAGE COMP-3.
005600*****
005700* THE NUMBER OF COLUMNS DESCRIBED BY THIS DECLARATION IS 20 *
005800*****

```

1	126	X-DEF.
1	4	X-DEF.
5	4	PAKKET
9	3	PAKKET
12	6	PAKKET
18	5	PAKKET
23	6	PAKKET
29	17	X-DEF.
46	17	X-DEF.
63	5	PAKKET
68	5	PAKKET
73	3	PAKKET
76	6	PAKKET
82	1	X-DEF.
83	1	X-DEF.
84	1	X-DEF.
85	4	PAKKET
89	26	X-DEF.
115	8	X-DEF.
123	2	PAKKET
125	2	PAKKET

RA FILNR 2038

SIDE 110.1

E C B O O K * * * B 8 2 1 5 K E 2 * * * START LENGTH FORMAT DEC 11.01.96 15.23.49 PAGE 2

ORIG: KE2 COPY:

15900*****

2077

ECBOOK *** B 8 2 1 5 K E 3 ***

START LENGTH FORMAT DEC 11.01.96 15.23.49 PAGE 1

ORIG: KE3 COPY:

```
00100*****
00200* DCLGEN TABLE(H8215.DISTRIKT) *
00300* LIBRARY(D7730.DB2COPY(B8215KE3)) *
00400* ACTION(REPLACE) *
00500* STRUCTURE(KE3REC) *
00600* QUOTE *
00700* ... IS THE DCLGEN COMMAND THAT MADE THE FOLLOWING STATEMENTS *
00800*****
00900 EXEC SQL DECLARE H8215.DISTRIKT TABLE
01000 ( KE3NUMSEL CHAR(4) NOT NULL,
01100 KE3NUMDISTR DECIMAL(4, 0) NOT NULL,
01200 KE3DATTIL TIMESTAMP NOT NULL,
01300 KE3IDEADRES DECIMAL(10, 0) NOT NULL,
01400 KE3DATOPHOE DECIMAL(8, 0) NOT NULL,
01500 KE3BRULOGON CHAR(8) NOT NULL,
01600 KE3DATOPDAT TIMESTAMP NOT NULL,
01700 KE3OPDTV DECIMAL(3, 0) NOT NULL
01800 ) END-EXEC.
01900*****
02000* COBOL DECLARATION FOR TABLE H8215.DISTRIKT *
02100*****
02200 01 KE3REC.
02300 10 KE3NUMSEL PIC X(4).
02400 10 KE3NUMDISTR PIC S9999V USAGE COMP-3.
02500 10 KE3DATTIL PIC X(26).
02600 10 KE3IDEADRES PIC S9999999999V USAGE COMP-3.
02700 10 KE3DATOPHOE PIC S999999999V USAGE COMP-3.
02800 10 KE3BRULOGON PIC X(8).
02900 10 KE3DATOPDAT PIC X(26).
03000 10 KE3OPDTV PIC S999V USAGE COMP-3.
03100*****
03200* THE NUMBER OF COLUMNS DESCRIBED BY THIS DECLARATION IS 8 *
03300*****
```

1	80	X-DEF.
1	4	X-DEF.
5	3	PAKKET
8	26	X-DEF.
34	6	PAKKET
40	5	PAKKET
45	8	X-DEF.
53	26	X-DEF.
79	2	PAKKET

RA FILNR 2077

143.1

IRIG: KE4 COPY:

```
0100*****
0200* DCLGEN TABLE(H8215.UDPEGKON) *
0300* LIBRARY(D7730.DB2COPY(B8215KE4)) *
0400* ACTION(REPLACE) *
0500* STRUCTURE(KE4REC) *
0600* QUOTE *
0700* ... IS THE DCLGEN COMMAND THAT MADE THE FOLLOWING STATEMENTS *
0800*****
0900 EXEC SQL DECLARE H8215.UDPEGKON TABLE
1000 ( KE4NUMSEL CHAR(4) NOT NULL,
1100 KE4NUMUDNGL DECIMAL(10, 0) NOT NULL,
1200 KE4AARPLTIL DECIMAL(4, 0) NOT NULL,
1300 KE4NUMKONGR DECIMAL(1, 0) NOT NULL,
1400 KE4NUMKONTR CHAR(1) NOT NULL,
1500 KE4RESKONTR DECIMAL(6, 1) NOT NULL,
1600 KE4DATOPDAT TIMESTAMP NOT NULL,
1700 KE4BRULOGON CHAR(8) NOT NULL,
1800 KE4OPDTV DECIMAL(3, 0) NOT NULL
1900 ) END-EXEC.
2000*****
2100* COBOL DECLARATION FOR TABLE H8215.UDPEGKON *
2200*****
2300 01 KE4REC.
2400 10 KE4NUMSEL PIC X(4).
2500 10 KE4NUMUDNGL PIC S999999999V USAGE COMP-3.
2600 10 KE4AARPLTIL PIC S9999V USAGE COMP-3.
2700 10 KE4NUMKONGR PIC S9V USAGE COMP-3.
2800 10 KE4NUMKONTR PIC X(1).
2900 10 KE4RESKONTR PIC S99999V9 USAGE COMP-3.
3000 10 KE4DATOPDAT PIC X(26).
3100 10 KE4BRULOGON PIC X(8).
3200 10 KE4OPDTV PIC S999V USAGE COMP-3.
3300*****
3400* THE NUMBER OF COLUMNS DESCRIBED BY THIS DECLARATION IS 9 *
3500*****
```

RA FILNR: 2078

1	55	X-DEF.
1	4	X-DEF.
5	6	PAKKET
11	3	PAKKET
14	1	PAKKET
15	1	X-DEF.
16	4	PAKKET
20	26	X-DEF.
46	8	X-DEF.
54	2	PAKKET

144.1

KE5 COPY:

```

0*****
0* DCLGEN TABLE(H8215.KONTRES)
0* LIBRARY(D7730.DB2COPY(B8215KE5))
0* ACTION(REPLACE)
0* STRUCTURE(KE5REC)
0* QUOTE
0* ... IS THE DCLGEN COMMAND THAT MADE THE FOLLOWING STATEMENTS
0*****
0 EXEC SQL DECLARE H8215.KONTRES TABLE
0 ( KE5NUMSEL CHAR(4) NOT NULL,
0 KE5NUMUDNGL DECIMAL(10, 0) NOT NULL,
0 KE5AARPLTIL DECIMAL(4, 0) NOT NULL,
0 KE5NUMLBHND DECIMAL(3, 0) NOT NULL,
0 KE5NUMKONGR DECIMAL(1, 0) NOT NULL,
0 KE5NUMKONTR CHAR(1) NOT NULL,
0 KE5RESKONTR DECIMAL(6, 1) NOT NULL,
0 KE5DATOPDAT TIMESTAMP NOT NULL,
0 KE5BRULOGON CHAR(8) NOT NULL,
0 KE5OPDTV DECIMAL(3, 0) NOT NULL
0 ) END-EXEC.
0*****
0* COBOL DECLARATION FOR TABLE H8215.KONTRES
0*****
0 01 KE5REC.
0 10 KE5NUMSEL PIC X(4).
0 10 KE5NUMUDNGL PIC S999999999V USAGE COMP-3.
0 10 KE5AARPLTIL PIC S9999V USAGE COMP-3.
0 10 KE5NUMLBHND PIC S999V USAGE COMP-3.
0 10 KE5NUMKONGR PIC S9V USAGE COMP-3.
0 10 KE5NUMKONTR PIC X(1).
0 10 KE5RESKONTR PIC S99999V9 USAGE COMP-3.
0 10 KE5DATOPDAT PIC X(26).
0 10 KE5BRULOGON PIC X(8).
0 10 KE5OPDTV PIC S999V USAGE COMP-3.
0*****
0* THE NUMBER OF COLUMNS DESCRIBED BY THIS DECLARATION IS 10
0*****

```

1	57	X-DEF.	
1	4	X-DEF.	
5	6	PAKKET	
11	3	PAKKET	
14	2	PAKKET	
16	1	PAKKET	
17	1	X-DEF.	
18	4	PAKKET	1
22	26	X-DEF.	
48	8	X-DEF.	
56	2	PAKKET	

RA FILNR: 2079

145.1

ECBOOK ***** B 8 2 1 5 K E 6 *****

START LENGTH FORMAT DEC 11.01.96 15.23.49 PAGE 1

ORIG: KE6 COPY:

```

00100*****
00200* DCLGEN TABLE(H8215.SAGSBEH)*****
00300* LIBRARY(D7730.DB2COPY(B8215KE6))*****
00400* ACTION(REPLACE)*****
00500* STRUCTURE(KE6REC)*****
00600* QUOTE*****
00700* ... IS THE DCLGEN COMMAND THAT MADE THE FOLLOWING STATEMENTS*****
00800*****
00900 EXEC SQL DECLARE H8215.SAGSBEH TABLE*****
01000 ( KE6NUMSEL CHAR(4) NOT NULL,*****
01100 KE6INITISAGB CHAR(8) NOT NULL,*****
01200 KE6NAVSAGSB CHAR(35) NOT NULL,*****
01300 KE6ANFLOKA CHAR(8) NOT NULL,*****
01400 KE6MARKSLET CHAR(1) NOT NULL,*****
01500 KE6BRULOGON CHAR(8) NOT NULL,*****
01600 KE6DATOPDAT TIMESTAMP NOT NULL,*****
01700 KE6OPDTV DECIMAL(3, 0) NOT NULL*****
01800 ) END-EXEC.*****
01900*****
02000* COBOL DECLARATION FOR TABLE H8215.SAGSBEH*****
02100*****
02200 01 KE6REC.*****
02300 10 KE6NUMSEL PIC X(4).*****
02400 10 KE6INITISAGB PIC X(8).*****
02500 10 KE6NAVSAGSB PIC X(35).*****
02600 10 KE6ANFLOKA PIC X(8).*****
02700 10 KE6MARKSLET PIC X(1).*****
02800 10 KE6BRULOGON PIC X(8).*****
02900 10 KE6DATOPDAT PIC X(26).*****
03000 10 KE6OPDTV PIC S999V USAGE COMP-3.*****
03100*****
03200* THE NUMBER OF COLUMNS DESCRIBED BY THIS DECLARATION IS 8*****
03300*****

```

1	92	X-DEF.
1	4	X-DEF.
5	8	X-DEF.
13	35	X-DEF.
48	8	X-DEF.
56	1	X-DEF.
57	8	X-DEF.
65	26	X-DEF.
91	2	PAKKET

RA FILNR 2080

146.1

ORIG: KK0 COPY:

```
00100 *
00200 * DCLGEN TABLE(H8215.EFTBST)
00300 * LIBRARY(D7730.DB2COPY(B8215KK0))
00400 * ACTION(REPLACE)
00500 * STRUCTURE(KK0REC)
00600 * QUOTE
00700 * ... IS THE DCLGEN COMMAND THAT MADE THE FOLLOWING STATEMENTS
00800 *
00900 EXEC SQL DECLARE H8215.EFTBST TABLE
01000 (
01100   KKONUMSEL CHAR(4) NOT NULL,
01200   KKONUMFTB DECIMAL(7, 0) NOT NULL,
01300   KKONUMUDSK DECIMAL(7, 0) NOT NULL,
01400   KKONUMANS DECIMAL(15, 0) NOT NULL,
01500   KKONUMSE CHAR(8) NOT NULL,
01600   KKONUMCPR DECIMAL(10, 0) NOT NULL,
01700   KKONAVFIRMA CHAR(35) NOT NULL,
01800   KKONAVFOR CHAR(35) NOT NULL,
01900   KKONAVEFTER CHAR(35) NOT NULL,
02000   KKONAVVEJ CHAR(35) NOT NULL,
02100   KKONAVBY CHAR(35) NOT NULL,
02200   KKONUMPOST DECIMAL(4, 0) NOT NULL,
02300   KKOTEKPOSBY CHAR(35) NOT NULL,
02400   KKOMARUDTR CHAR(1) NOT NULL,
02500   KKODATOPDAT TIMESTAMP NOT NULL,
02600   KKOBRLUGON CHAR(8) NOT NULL,
02700   KKODATBESTI DECIMAL(8, 0) NOT NULL,
02800   KKODPDIV DECIMAL(3, 0) NOT NULL,
02900   KKODINSTI DECIMAL(4, 0) NOT NULL,
03000   ) END-EXEC.
03100 *
03200 * COBOL DECLARATION FOR TABLE H8215.EFTBST
03300 *
03400 01 KK0REC.
03500   10 KKONUMSEL PIC X(4).
03600   10 KKONUMFTB PIC S9999999V USAGE COMP-3.
03700   10 KKONUMUDSK PIC S9999999V USAGE COMP-3.
03800   10 KKONUMANS PIC S999999999999999V USAGE COMP-3.
03900   10 KKONUMSE PIC X(8).
04000   10 KKONUMCPR PIC S99999999999V USAGE COMP-3.
04100   10 KKONAVFIRMA PIC X(35).
04200   10 KKONAVFOR PIC X(35).
04300   10 KKONAVEFTER PIC X(35).
04400   10 KKONAVVEJ PIC X(35).
04500   10 KKONAVBY PIC X(35).
04600   10 KKONUMPOST PIC S9999V USAGE COMP-3.
04700   10 KKOTEKPOSBY PIC X(35).
04800   10 KKOMARUDTR PIC X(1).
04900   10 KKODATOPDAT PIC X(26).
05000   10 KKOBRLUGON PIC X(8).
05100   10 KKODATBESTI PIC S999999999V USAGE COMP-3.
05200   10 KKODPDIV PIC S999V USAGE COMP-3.
05300   10 KKODINSTI PIC S9999V USAGE COMP-3.
05400   10 KKODINSTI PIC X(3).
05500 *
05600 * THE NUMBER OF COLUMNS DESCRIBED BY THIS DECLARATION IS 20
05700 *
```

RA FILNR 2081

1	295	X-DEF.
1	4	X-DEF.
5	4	PAKKET
9	4	PAKKET
13	8	PAKKET
21	8	X-DEF.
29	6	PAKKET
35	35	X-DEF.
70	35	X-DEF.
105	35	X-DEF.
140	35	X-DEF.
175	35	X-DEF.
210	3	PAKKET
213	35	X-DEF.
248	1	X-DEF.
249	26	X-DEF.
275	8	X-DEF.
283	5	PAKKET
288	2	PAKKET
290	3	PAKKET
293	3	X-DEF.

200.1

ORIG: K02 COPY:

```

000100*****
000200* DCLGEN TABLE(H8215.AFDELING) *
000300* LIBRARY(D7730.DB2COPY(B8215K02)) *
000400* ACTION(REPLACE) *
000500* STRUCTURE(K02REC) *
000600* QUOTE *
000700* ... IS THE DCLGEN COMMAND THAT MADE THE FOLLOWING STATEMENTS *
000800*****
000900 EXEC SQL DECLARE H8215.AFDELING TABLE
001000 ( K02NUMSEL CHAR(4) NOT NULL,
001100 K02IDEVIRK DECIMAL(10, 0) NOT NULL,
001200 K02IDEAFDEL DECIMAL(2, 0) NOT NULL,
001300 K02DATTIL TIMESTAMP NOT NULL,
001400 K02IDEADRES DECIMAL(10, 0) NOT NULL,
001500 K02NUMKOMMU DECIMAL(3, 0) NOT NULL,
001600 K02DATOPHOE DECIMAL(8, 0) NOT NULL,
001700 K02TEKKONTA CHAR(35) NOT NULL,
001800 K02BRULOGON CHAR(8) NOT NULL,
001900 K02DATOPDAT TIMESTAMP NOT NULL,
002000 K02OPDTV DECIMAL(3, 0) NOT NULL
002100 ) END-EXEC.
002200*****
002300* COBOL DECLARATION FOR TABLE H8215.AFDELING *
002400*****
002500 01 K02REC.
002600 10 K02NUMSEL PIC X(4).
002700 10 K02IDEVIRK PIC S999999999V USAGE COMP-3.
002800 10 K02IDEAFDEL PIC S99V USAGE COMP-3.
002900 10 K02DATTIL PIC X(26).
003000 10 K02IDEADRES PIC S9999999999V USAGE COMP-3.
003100 10 K02NUMKOMMU PIC S999V USAGE COMP-3.
003200 10 K02DATOPHOE PIC S99999999V USAGE COMP-3.
003300 10 K02TEKKONTA PIC X(35).
003400 10 K02BRULOGON PIC X(8).
003500 10 K02DATOPDAT PIC X(26).
003600 10 K02OPDTV PIC S999V USAGE COMP-3.
003700*****
003800* THE NUMBER OF COLUMNS DESCRIBED BY THIS DECLARATION IS 11 *
003900*****

```

1	122	X-DEF.
1	4	X-DEF.
5	6	PAKKET
11	2	PAKKET
13	26	X-DEF.
39	6	PAKKET
45	2	PAKKET
47	5	PAKKET
52	35	X-DEF.
87	8	X-DEF.
95	26	X-DEF.
121	2	PAKKET

RA FILNR 2082

2.1

ECBOOK *** B 8 2 1 5 K 0 3 ***

START LENGTH FORMAT DEC 11.01.96 15.23.49 PAGE 1

ORIG: K03 COPY:

```
000100*****
000200* DCLGEN TABLE(H8215.BRANCHE) *
000300* LIBRARY(D7730.DB2COPY(B8215K03)) *
000400* ACTION(REPLACE) *
000500* STRUCTURE(K03REC) *
000600* QUOTE *
000700* ... IS THE DCLGEN COMMAND THAT MADE THE FOLLOWING STATEMENTS *
000800*****
000900 EXEC SQL DECLARE H8215.BRANCHE TABLE
001000 ( K03NUMSEL CHAR(4) NOT NULL,
001100 K03IDEBRANC DECIMAL(6, 0) NOT NULL,
001200 K03TEKBRANC CHAR(34) NOT NULL,
001300 K03BRULOGON CHAR(8) NOT NULL,
001400 K03DATOPDAT TIMESTAMP NOT NULL,
001500 K03OPDTV DECIMAL(3, 0) NOT NULL,
001600 K03MARKSLET CHAR(1) NOT NULL,
001700 K03SOGTEKBR CHAR(34) NOT NULL
001800 ) END-EXEC.
001900*****
002000* COBOL DECLARATION FOR TABLE H8215.BRANCHE *
002100*****
002200 01 K03REC.
002300 10 K03NUMSEL PIC X(4).
002400 10 K03IDEBRANC PIC S999999V USAGE COMP-3.
002500 10 K03TEKBRANC PIC X(34).
002600 10 K03BRULOGON PIC X(8).
002700 10 K03DATOPDAT PIC X(26).
002800 10 K03OPDTV PIC S999V USAGE COMP-3.
002900 10 K03MARKSLET PIC X(1).
003000 10 K03SOGTEKBR PIC X(34).
003100*****
003200* THE NUMBER OF COLUMNS DESCRIBED BY THIS DECLARATION IS 8 *
003300*****
```

1	113	X-DEF.
1	4	X-DEF.
5	4	PAKKET
9	34	X-DEF.
43	8	X-DEF.
51	26	X-DEF.
77	2	PAKKET
79	1	X-DEF.
80	34	X-DEF.

RA FILNR 2083
3.1

L E C B O O K * * * B 8 2 1 5 K 0 5 * * *

START LENGTH FORMAT DEC 11.01.96 15.23.49 PAGE 1

ORIG: K05 COPY:

```

000100*****
000200* DCLGEN TABLE(H8215.KONSULEN) *
000300* LIBRARY(D7730.DB2COPY(B8215K05)) *
000400* ACTION(REPLACE) *
000500* STRUCTURE(K05REC) *
000600* QUOTE *
000700* ... IS THE DCLGEN COMMAND THAT MADE THE FOLLOWING STATEMENTS *
000800*****
000900 EXEC SQL DECLARE H8215.KONSULEN TABLE
001000 ( K05NUMSEL CHAR(4) NOT NULL,
001100 K05IDEBRANC DECIMAL(6, 0) NOT NULL,
001200 K05NUMKONS DECIMAL(10, 0) NOT NULL,
001300 K05DATITIL TIMESTAMP NOT NULL,
001400 K05IDEADRES DECIMAL(10, 0) NOT NULL,
001500 K05NUMCPR DECIMAL(10, 0) NOT NULL,
001600 K05DATOPHOE DECIMAL(8, 0) NOT NULL,
001700 K05BRULOGON CHAR(8) NOT NULL,
001800 K05DATOPDAT TIMESTAMP NOT NULL,
001900 K05OPDTV DECIMAL(3, 0) NOT NULL
002000 ) END-EXEC.
002100*****
002200* COBOL DECLARATION FOR TABLE H8215.KONSULEN *
002300*****
002400 01 K05REC.
002500 10 K05NUMSEL PIC X(4).
002600 10 K05IDEBRANC PIC S9999999V USAGE COMP-3.
002700 10 K05NUMKONS PIC S9999999999V USAGE COMP-3.
002800 10 K05DATITIL PIC X(26).
002900 10 K05IDEADRES PIC S9999999999V USAGE COMP-3.
003000 10 K05NUMCPR PIC S9999999999V USAGE COMP-3.
003100 10 K05DATOPHOE PIC S9999999999V USAGE COMP-3.
003200 10 K05BRULOGON PIC X(8).
003300 10 K05DATOPDAT PIC X(26).
003400 10 K05OPDTV PIC S999V USAGE COMP-3.
003500*****
003600* THE NUMBER OF COLUMNS DESCRIBED BY THIS DECLARATION IS 10 *
003700*****

```

RA FILE: 2084

1	93	X-DEF.
1	4	X-DEF.
5	4	PAKKET
9	6	PAKKET
15	26	X-DEF.
41	6	PAKKET
47	6	PAKKET
53	5	PAKKET
58	8	X-DEF.
66	26	X-DEF.
92	2	PAKKET

6.1

2085

LECB00K *** B 8 2 1 5 K 0 6 ***

START LENGTH FORMAT DEC 11.01.96 15.23.49 PAGE 1

ORIG: K06 COPY:

```
000100*****
000200* DCLGEN TABLE(H8215.POSTNR)
000300* LIBRARY(D7730.DB2COPY(B8215K06))
000400* ACTION(REPLACE)
000500* STRUCTURE(K06REC)
000600* QUOTE
000700* ... IS THE DCLGEN COMMAND THAT MADE THE FOLLOWING STATEMENTS
000800*****
000900 EXEC SQL DECLARE H8215.POSTNR TABLE
001000 ( K06NUMSEL CHAR(4) NOT NULL,
001100 K06NUMPOST DECIMAL(4, 0) NOT NULL,
001200 K06TEKPOSBY CHAR(35) NOT NULL,
001300 K06NUMKRELO DECIMAL(3, 0) NOT NULL,
001400 K06BRULOGON CHAR(8) NOT NULL,
001500 K06DATOPDAT TIMESTAMP NOT NULL,
001600 K06OPDTV DECIMAL(3, 0) NOT NULL,
001700 K06MARKSLET CHAR(1) NOT NULL,
001800 K06SOGTEKPO CHAR(35) NOT NULL,
001900 K06NUMKON DECIMAL(4, 0) NOT NULL,
002000 K06NUMDISTR DECIMAL(4, 0) NOT NULL
002100 ) END-EXEC.
002200*****
002300* COBOL DECLARATION FOR TABLE H8215.POSTNR
002400*****
002500 01 K06REC.
002600 10 K06NUMSEL PIC X(4).
002700 10 K06NUMPOST PIC S9999V USAGE COMP-3.
002800 10 K06TEKPOSBY PIC X(35).
002900 10 K06NUMKRELO PIC S999V USAGE COMP-3.
003000 10 K06BRULOGON PIC X(8).
003100 10 K06DATOPDAT PIC X(26).
003200 10 K06OPDTV PIC S999V USAGE COMP-3.
003300 10 K06MARKSLET PIC X(1).
003400 10 K06SOGTEKPO PIC X(35).
003500 10 K06NUMKON PIC S9999V USAGE COMP-3.
003600 10 K06NUMDISTR PIC S9999V USAGE COMP-3.
003700*****
003800* THE NUMBER OF COLUMNS DESCRIBED BY THIS DECLARATION IS 11
003900*****
```

1	122	X-DEF.
1	4	X-DEF.
5	3	PAKKET
8	35	X-DEF.
43	2	PAKKET
45	8	X-DEF.
53	26	X-DEF.
79	2	PAKKET
81	1	X-DEF.
82	35	X-DEF.
117	3	PAKKET
120	3	PAKKET

RA FILENR 2085

6.1

ORIG: KBI COPY:

```
000100*****
000200* DCLGEN TABLE(H8215.EJDJORD) *
000300* LIBRARY(D7730.DB2COPY(B8215KBI)) *
000400* ACTION(REPLACE) *
000500* STRUCTURE(KBIREC) *
000600* QUOTE *
000700* ... IS THE DCLGEN COMMAND THAT MADE THE FOLLOWING STATEMENTS *
000800*****
000900 EXEC SQL DECLARE H8215.EJDJORD TABLE
001000 ( KBINUMSEL CHAR(4) NOT NULL,
001100 KBINUMSAG DECIMAL(6, 0) NOT NULL,
001200 KBIAARHOAAR DECIMAL(4, 0) NOT NULL,
001300 KBINUMKOMMU DECIMAL(3, 0) NOT NULL,
001400 KBINUMJEND DECIMAL(7, 0) NOT NULL,
001500 KBIMAREJFOR CHAR(1) NOT NULL,
001600 KB1ANTAEJJO DECIMAL(6, 1) NOT NULL,
001700 KB1ANTARBFO DECIMAL(6, 1) NOT NULL,
001800 KB1ANTARRAE DECIMAL(6, 1) NOT NULL,
001900 KB1AFVEJDHA DECIMAL(6, 1) NOT NULL,
002000 KB1AFVEJDPR DECIMAL(5, 2) NOT NULL,
002100 KB1KODUEJD CHAR(1) NOT NULL,
002200 KB1DATOPDAT TIMESTAMP NOT NULL,
002300 KB1BRULOGON CHAR(8) NOT NULL,
002400 KB1OPDTV DECIMAL(3, 0) NOT NULL,
002500 KB1MARGAREA CHAR(1) NOT NULL,
002600 KB1MARGEJD CHAR(1) NOT NULL,
002700 KB1NUMLBEJD DECIMAL(3, 0) NOT NULL
002800 ) END-EXEC.
002900*****
003000* COBOL DECLARATION FOR TABLE H8215.EJDJORD *
003100*****
003200 01 KBIREC.
003300 10 KBINUMSEL PIC X(4).
003400 10 KBINUMSAG PIC S999999V USAGE COMP-3.
003500 10 KBIAARHOAAR PIC S9999V USAGE COMP-3.
003600 10 KBINUMKOMMU PIC S999V USAGE COMP-3.
003700 10 KBINUMJEND PIC S9999999V USAGE COMP-3.
003800 10 KBIMAREJFOR PIC X(1).
003900 10 KB1ANTAEJJO PIC S999999V USAGE COMP-3.
004000 10 KB1ANTARBFO PIC S999999V USAGE COMP-3.
004100 10 KB1ANTARRAE PIC S999999V USAGE COMP-3.
004200 10 KB1AFVEJDHA PIC S999999V USAGE COMP-3.
004300 10 KB1AFVEJDPR PIC S999999V USAGE COMP-3.
004400 10 KB1KODUEJD PIC X(1).
004500 10 KB1DATOPDAT PIC X(26).
004600 10 KB1BRULOGON PIC X(8).
004700 10 KB1OPDTV PIC S999V USAGE COMP-3.
004800 10 KB1MARGAREA PIC X(1).
004900 10 KB1MARGEJD PIC X(1).
005000 10 KB1NUMLBEJD PIC S999V USAGE COMP-3.
005100*****
005200* THE NUMBER OF COLUMNS DESCRIBED BY THIS DECLARATION IS 18 *
005300*****
```

RA FILNR 2039

Side 111.1

1	78	X-DEF.	
1	4	X-DEF.	
5	4	PAKKET	
9	3	PAKKET	
12	2	PAKKET	
14	4	PAKKET	
18	1	X-DEF.	
19	4	PAKKET	1
23	4	PAKKET	1
27	4	PAKKET	1
31	4	PAKKET	1
35	3	PAKKET	2
38	1	X-DEF.	
39	26	X-DEF.	
65	8	X-DEF.	
73	2	PAKKET	
75	1	X-DEF.	
76	1	X-DEF.	
77	2	PAKKET	

ORIG: K07 COPY:

```
000100*****
000200* DCLGEN TABLE(H8215.TELEFON) *
000300* LIBRARY(D7730.DB2COPY(B8215K07)) *
000400* ACTION(REPLACE) *
000500* STRUCTURE(K07REC) *
000600* QUOTE *
000700* ... IS THE DCLGEN COMMAND THAT MADE THE FOLLOWING STATEMENTS *
000800*****
000900 EXEC SQL DECLARE H8215.TELEFON TABLE
001000 ( K07NUMSEL CHAR(4) NOT NULL,
001100 K07IDEADRES DECIMAL(10, 0) NOT NULL,
001200 K07NUMTELEF CHAR(17) NOT NULL,
001300 K07KODFAX CHAR(1) NOT NULL,
001400 K07BRULOGON CHAR(8) NOT NULL,
001500 K07DATOPDAT TIMESTAMP NOT NULL,
001600 K07OPDTV DECIMAL(3, 0) NOT NULL
001700 ) END-EXEC.
001800*****
001900* COBOL DECLARATION FOR TABLE H8215.TELEFON *
002000*****
002100 01 K07REC.
002200 10 K07NUMSEL PIC X(4).
002300 10 K07IDEADRES PIC S9999999999V USAGE COMP-3.
002400 10 K07NUMTELEF PIC X(17).
002500 10 K07KODFAX PIC X(1).
002600 10 K07BRULOGON PIC X(8).
002700 10 K07DATOPDAT PIC X(26).
002800 10 K07OPDTV PIC S999V USAGE COMP-3.
002900*****
003000* THE NUMBER OF COLUMNS DESCRIBED BY THIS DECLARATION IS 7 *
003100*****
```

RA FILNR 2086

7.1

1	64	X-DEF.
1	4	X-DEF.
5	6	PAKKET
11	17	X-DEF.
28	1	X-DEF.
29	8	X-DEF.
37	26	X-DEF.
63	2	PAKKET

L E C B O O K * * * B 8 2 1 5 K 0 8 * * *

START LENGTH FORMAT DEC 11.01.96 15.23.49 PAGE 1

ORIG: K08 COPY:

```

000100*****
000200* DCLGEN TABLE(H8215.AMT) *
000300* LIBRARY(D7730.DB2COPY(B8215K08)) *
000400* ACTION(REPLACE) *
000500* STRUCTURE(K08REC) *
000600* QUOTE *
000700* ... IS THE DCLGEN COMMAND THAT MADE THE FOLLOWING STATEMENTS *
000800*****
000900* EXEC SQL DECLARE H8215.AMT TABLE *
001000* ( K08NUMSEL CHAR(4) NOT NULL, *
001100* K08NUMAMT DECIMAL(3, 0) NOT NULL, *
001200* K08TEKAMT CHAR(34) NOT NULL, *
001300* K08BRULOGON CHAR(8) NOT NULL, *
001400* K08DATOPDAT TIMESTAMP NOT NULL, *
001500* K08OPDTV DECIMAL(3, 0) NOT NULL, *
001600* K08MARKSLET CHAR(1) NOT NULL *
001700* ) END-EXEC. *
001800*****
001900* COBOL DECLARATION FOR TABLE H8215.AMT *
002000*****
002100 01 K08REC. *
002200 10 K08NUMSEL PIC X(4). *
002300 10 K08NUMAMT PIC S999V USAGE COMP-3. *
002400 10 K08TEKAMT PIC X(34). *
002500 10 K08BRULOGON PIC X(8). *
002600 10 K08DATOPDAT PIC X(26). *
002700 10 K08OPDTV PIC S999V USAGE COMP-3. *
002800 10 K08MARKSLET PIC X(1). *
002900*****
003000* THE NUMBER OF COLUMNS DESCRIBED BY THIS DECLARATION IS 7 *
003100*****

```

1	77	X-DEF.
1	4	X-DEF.
5	2	PAKKET
7	34	X-DEF.
41	8	X-DEF.
49	26	X-DEF.
75	2	PAKKET
77	1	X-DEF.

RA FILNR 2087

8.1

LE C B O O K * * * B 8 2 1 5 K 0 9 * * * START LENGTH FORMAT DEC 11.01.96 15.23.49 PAGE 1

ORIG: K09 COPY:

```

000100*****
000200* DCLGEN TABLE(H8215.KOMMUNE) *
000300* LIBRARY(D7730.DB2COPY(B8215K09)) *
000400* ACTION(REPLACE) *
000500* STRUCTURE(K09REC) *
000600* QUOTE *
000700* ... IS THE DCLGEN COMMAND THAT MADE THE FOLLOWING STATEMENTS *
000800*****
000900 EXEC SQL DECLARE H8215.KOMMUNE TABLE
001000 ( K09NUMSEL CHAR(4) NOT NULL,
001100 K09NUMKOMMU DECIMAL(3, 0) NOT NULL,
001200 K09TEKKOMMU CHAR(34) NOT NULL,
001300 K09NUMAMT DECIMAL(3, 0) NOT NULL,
001400 K09BRULOGON CHAR(8) NOT NULL,
001500 K09DATOPDAT TIMESTAMP NOT NULL,
001600 K09OPDTV DECIMAL(3, 0) NOT NULL,
001700 K09MARKSLET CHAR(1) NOT NULL,
001800 K09SOGTEKKO CHAR(34) NOT NULL
001900 ) END-EXEC.
002000*****
002100* COBOL DECLARATION FOR TABLE H8215.KOMMUNE *
002200*****
002300 01 K09REC.
002400 10 K09NUMSEL PIC X(4).
002500 10 K09NUMKOMMU PIC S999V USAGE COMP-3.
002600 10 K09TEKKOMMU PIC X(34).
002700 10 K09NUMAMT PIC S999V USAGE COMP-3.
002800 10 K09BRULOGON PIC X(8).
002900 10 K09DATOPDAT PIC X(26).
003000 10 K09OPDTV PIC S999V USAGE COMP-3.
003100 10 K09MARKSLET PIC X(1).
003200 10 K09SOGTEKKO PIC X(34).
003300*****
003400* THE NUMBER OF COLUMNS DESCRIBED BY THIS DECLARATION IS 9 *
003500*****

```

1	113	X-DEF.
1	4	X-DEF.
5	2	PAKKET
7	34	X-DEF.
41	2	PAKKET
43	8	X-DEF.
51	26	X-DEF.
77	2	PAKKET
79	1	X-DEF.
80	34	X-DEF.

RA FILNR 2088

9.1

LE C B O O K * * * B 8 2 1 5 K 1 0 * * *

START LENGTH FORMAT DEC 11.01.96 15.23.49 PAGE 1

ORIG: K10 COPY:

```

000100*****
000200* DCLGEN TABLE(H8215.LAND)
000300* LIBRARY(D7730.DB2COPY(B8215K10))
000400* ACTION(REPLACE)
000500* STRUCTURE(K10REC)
000600* QUOTE
000700* ... IS THE DCLGEN COMMAND THAT MADE THE FOLLOWING STATEMENTS
000800*****
000900* EXEC SQL DECLARE H8215.LAND TABLE
001000* ( K10NUMSEL CHAR(4) NOT NULL,
001100* K10NUMLAND DECIMAL(2, 0) NOT NULL,
001200* K10INILAND CHAR(2) NOT NULL,
001300* K10TEKLAND CHAR(34) NOT NULL,
001400* K10BRULOGON CHAR(8) NOT NULL,
001500* K10DATOPDAT TIMESTAMP NOT NULL,
001600* K10MARKSLET CHAR(1) NOT NULL,
001700* K10OPDTV DECIMAL(3, 0) NOT NULL
001800* ) END-EXEC.
001900*****
002000* COBOL DECLARATION FOR TABLE H8215.LAND
002100*****
002200 01 K10REC.
002300 10 K10NUMSEL PIC X(4).
002400 10 K10NUMLAND PIC S99V USAGE COMP-3.
002500 10 K10INILAND PIC X(2).
002600 10 K10TEKLAND PIC X(34).
002700 10 K10BRULOGON PIC X(8).
002800 10 K10DATOPDAT PIC X(26).
002900 10 K10MARKSLET PIC X(1).
003000 10 K10OPDTV PIC S999V USAGE COMP-3.
003100*****
003200* THE NUMBER OF COLUMNS DESCRIBED BY THIS DECLARATION IS 8
003300*****

```

1	79	X-DEF.
1	4	X-DEF.
5	2	PAKKET
7	2	X-DEF.
9	34	X-DEF.
43	8	X-DEF.
51	26	X-DEF.
77	1	X-DEF.
78	2	PAKKET

RA FILNR: 2089

10.1

ORIG: K11 COPY:

```
000100*****
000200* DCLGEN TABLE(H8215.AREALTYP) *
000300*        LIBRARY(D7730.DB2COPY(B8215K11)) *
000400*        ACTION(REPLACE) *
000500*        STRUCTURE(K11REC) *
000600*        QUOTE *
000700* ... IS THE DCLGEN COMMAND THAT MADE THE FOLLOWING STATEMENTS *
000800*****
000900* EXEC SQL DECLARE H8215.AREALTYP TABLE *
001000* ( K11NUMSEL                    CHAR(4) NOT NULL, *
001100*    K11TYPAREAL                DECIMAL(2, 0) NOT NULL, *
001200*    K11KODFORTE                CHAR(1) NOT NULL, *
001300*    K11TEKARETY                CHAR(34) NOT NULL, *
001400*    K11BRULOGON                CHAR(8) NOT NULL, *
001500*    K11DATOPDAT                TIMESTAMP NOT NULL, *
001600*    K11OPDTV                   DECIMAL(3, 0) NOT NULL, *
001700*    K11MARKSLET              CHAR(1) NOT NULL *
001800* ) END-EXEC. *
001900*****
002000* COBOL DECLARATION FOR TABLE H8215.AREALTYP *
002100*****
002200 01 K11REC. *
002300    10 K11NUMSEL                PIC X(4). *
002400    10 K11TYPAREAL               PIC S99V USAGE COMP-3. *
002500    10 K11KODFORTE               PIC X(1). *
002600    10 K11TEKARETY               PIC X(34). *
002700    10 K11BRULOGON               PIC X(8). *
002800    10 K11DATOPDAT               PIC X(26). *
002900    10 K11OPDTV                PIC S999V USAGE COMP-3. *
003000    10 K11MARKSLET               PIC X(1). *
003100*****
003200* THE NUMBER OF COLUMNS DESCRIBED BY THIS DECLARATION IS 8 *
003300*****
```

1	78	X-DEF.
1	4	X-DEF.
5	2	PAKKET
7	1	X-DEF.
8	34	X-DEF.
42	8	X-DEF.
50	26	X-DEF.
76	2	PAKKET
78	1	X-DEF.

RA FILNR 2090

11.6

L E C B O O K * * * B 8 2 1 5 K 1 4 * * *

START LENGTH FORMAT DEC 11.01.96 15.23.49 PAGE 1

ORIG: K14 COPY:

```

000100*****
000200* DCLGEN TABLE(H8215.DYREART) *
000300* LIBRARY(D7730.DB2COPY(B8215K14)) *
000400* ACTION(REPLACE) *
000500* LANGUAGE(COBOL) *
000600* STRUCTURE(K14REC) *
000700* QUOTE *
000800* ... IS THE DCLGEN COMMAND THAT MADE THE FOLLOWING STATEMENTS *
000900*****
001000 EXEC SQL DECLARE H8215.DYREART TABLE
001100 ( K14NUMSEL CHAR(4) NOT NULL,
001200 K14ARTDYR CHAR(2) NOT NULL,
001300 K14TEKDYREA CHAR(34) NOT NULL,
001400 K14BRULOGON CHAR(8) NOT NULL,
001500 K14DATOPDAT TIMESTAMP NOT NULL,
001600 K14OPDTV DECIMAL(3, 0) NOT NULL,
001700 K14MARKSLET CHAR(1) NOT NULL,
001800 K14FAKOMRD1 DECIMAL(8, 6) NOT NULL,
001900 K14FAKOMRD2 DECIMAL(8, 6) NOT NULL
002000 ) END-EXEC.
002100*****
002200* COBOL DECLARATION FOR TABLE H8215.DYREART *
002300*****
002400 01 K14REC.
002500 10 K14NUMSEL PIC X(4).
002600 10 K14ARTDYR PIC X(2).
002700 10 K14TEKDYREA PIC X(34).
002800 10 K14BRULOGON PIC X(8).
002900 10 K14DATOPDAT PIC X(26).
003000 10 K14OPDTV PIC S9(3)V USAGE COMP-3.
003100 10 K14MARKSLET PIC X(1).
003200 10 K14FAKOMRD1 PIC S9(2)V9(6) USAGE COMP-3.
003300 10 K14FAKOMRD2 PIC S9(2)V9(6) USAGE COMP-3.
003400*****
003500* THE NUMBER OF COLUMNS DESCRIBED BY THIS DECLARATION IS 9 *
003600*****

```

RA FILNR 2091

1	87	X-DEF.	
1	4	X-DEF.	
5	2	X-DEF.	
7	34	X-DEF.	
41	8	X-DEF.	
49	26	X-DEF.	
75	2	PAKKET	
77	1	X-DEF.	
78	5	PAKKET	6
83	5	PAKKET	6

14.1

L E C B O O K * * * B 8 2 1 5 K 1 5 * * *

START LENGTH FORMAT DEC 11.01.96 15.23.49 PAGE 1

ORIG: K15 COPY:

```

000100*****
000200* DCLGEN TABLE(H8215.BRUGSART) *
000300* LIBRARY(D7730.DB2COPY(B8215K15)) *
000400* ACTION(REPLACE) *
000500* STRUCTURE(K15REC) *
000600* QUOTE *
000700* ... IS THE DCLGEN COMMAND THAT MADE THE FOLLOWING STATEMENTS *
000800*****
000900 EXEC SQL DECLARE H8215.BRUGSART TABLE
001000 ( K15NUMSEL CHAR(4) NOT NULL,
001100 K15ARTBRUGS CHAR(2) NOT NULL,
001200 K15TEKBRUGS CHAR(34) NOT NULL,
001300 K15BRULOGON CHAR(8) NOT NULL,
001400 K15DATOPDAT TIMESTAMP NOT NULL,
001500 K15OPDTV DECIMAL(3,0) NOT NULL,
001600 K15MARKSLET CHAR(1) NOT NULL
001700 ) END-EXEC.
001800*****
001900* COBOL DECLARATION FOR TABLE H8215.BRUGSART *
002000*****
002100 01 K15REC.
002200 10 K15NUMSEL PIC X(4).
002300 10 K15ARTBRUGS PIC X(2).
002400 10 K15TEKBRUGS PIC X(34).
002500 10 K15BRULOGON PIC X(8).
002600 10 K15DATOPDAT PIC X(26).
002700 10 K15OPDTV PIC S999V USAGE COMP-3.
002800 10 K15MARKSLET PIC X(1).
002900*****
003000* THE NUMBER OF COLUMNS DESCRIBED BY THIS DECLARATION IS 7 *
003100*****

```

RA FILNR 2092

1	77	X-DEF.
1	4	X-DEF.
5	2	X-DEF.
7	34	X-DEF.
41	8	X-DEF.
49	26	X-DEF.
75	2	PAKKET
77	1	X-DEF.

15.1

ORIG: K16 COPY;

```
000100*****
000200* DCLGEN TABLE(H8215.SYGDOMDA) *
000300*        LIBRARY(D7730.DB2COPY(B8215K16)) *
000400*        ACTION(REPLACE) *
000500*        STRUCTURE(K16REC) *
000600*        QUOTE *
000700* ... IS THE DCLGEN COMMAND THAT MADE THE FOLLOWING STATEMENTS *
000800*****
000900        EXEC SQL DECLARE H8215.SYGDOMDA TABLE
001000        ( K16NUMSEL                CHAR(4) NOT NULL,
001100        K16KODSYGDO                CHAR(4) NOT NULL,
001200        K16ARTDYR                    CHAR(2) NOT NULL,
001300        K16BRULOGON                 CHAR(8) NOT NULL,
001400        K16DATOPDAT                 TIMESTAMP NOT NULL,
001500        K16OPDTV                     DECIMAL(3, 0) NOT NULL,
001600        K16MARKSLET                 CHAR(1) NOT NULL
001700        ) END-EXEC.
001800*****
001900* COBOL DECLARATION FOR TABLE H8215.SYGDOMDA *
002000*****
002100 01 K16REC.
002200        10 K16NUMSEL                PIC X(4).
002300        10 K16KODSYGDO               PIC X(4).
002400        10 K16ARTDYR                PIC X(2).
002500        10 K16BRULOGON               PIC X(8).
002600        10 K16DATOPDAT               PIC X(26).
002700        10 K16OPDTV                PIC S999V USAGE COMP-3.
002800        10 K16MARKSLET               PIC X(1).
002900*****
003000* THE NUMBER OF COLUMNS DESCRIBED BY THIS DECLARATION IS 7 *
003100*****
```

1	47	X-DEF.
1	4	X-DEF.
5	4	X-DEF.
9	2	X-DEF.
11	8	X-DEF.
19	26	X-DEF.
45	2	PAKKET
47	1	X-DEF.

RA FILNR 2093

16.1

```

ORIG: K17 COPY:
000100*****
000200* DCLGEN TABLE(H8215.SYGDOM) *
000300* LIBRARY(D7730.DB2COPY(B8215K17)) *
000400* ACTION(REPLACE) *
000500* STRUCTURE(K17REC) *
000600* QUOTE *
000700* ... IS THE DCLGEN COMMAND THAT MADE THE FOLLOWING STATEMENTS *
000800*****
000900 EXEC SQL DECLARE H8215.SYGDOM TABLE
001000 ( K17NUMSEL CHAR(4) NOT NULL,
001100 K17KODSYGDO CHAR(4) NOT NULL,
001200 K17TEKSYGDO CHAR(40) NOT NULL,
001300 K17TEKSYGSU CHAR(40) NOT NULL,
001400 K17BRULOGON CHAR(8) NOT NULL,
001500 K17DATOPDAT TIMESTAMP NOT NULL,
001600 K17MARKSLET CHAR(1) NOT NULL,
001700 K17OPDTV DECIMAL(3, 0) NOT NULL
001800 ) END-EXEC.
001900*****
002000* COBOL DECLARATION FOR TABLE H8215.SYGDOM *
002100*****
002200 01 K17REC.
002300 10 K17NUMSEL PIC X(4).
002400 10 K17KODSYGDO PIC X(4).
002500 10 K17TEKSYGDO PIC X(40).
002600 10 K17TEKSYGSU PIC X(40).
002700 10 K17BRULOGON PIC X(8).
002800 10 K17DATOPDAT PIC X(26).
002900 10 K17MARKSLET PIC X(1).
003000 10 K17OPDTV PIC S999V USAGE COMP-3.
003100*****
003200* THE NUMBER OF COLUMNS DESCRIBED BY THIS DECLARATION IS 8 *
003300*****

```

1	125	X-DEF.
1	4	X-DEF.
5	4	X-DEF.
9	40	X-DEF.
49	40	X-DEF.
89	8	X-DEF.
97	26	X-DEF.
123	1	X-DEF.
124	2	PAKKE

RA FILNR 2094

17.1

L E C B O O K * * * B 8 2 1 5 K 1 8 * * *

START LENGTH FORMAT DEC 11.01.96 15.23.49 PAGE 1

ORIG: K18 COPY:

```

000100*****
000200* DCLGEN TABLE(H8215.VARE) *
000300* LIBRARY(D7730.DB2COPY(B8215K18)) *
000400* ACTION(REPLACE) *
000500* STRUCTURE(K18REC) *
000600* QUOTE *
000700* ... IS THE DCLGEN COMMAND THAT MADE THE FOLLOWING STATEMENTS *
000800*****
000900 EXEC SQL DECLARE H8215.VARE TABLE
001000 ( K18NUMSEL CHAR(4) NOT NULL,
001100 K18NUMVARE DECIMAL(8, 0) NOT NULL,
001200 K18TEKVARE CHAR(40) NOT NULL,
001300 K18BRULOGON CHAR(8) NOT NULL,
001400 K18DATOPDAT TIMESTAMP NOT NULL,
001500 K18OPDTV DECIMAL(3, 0) NOT NULL,
001600 K18MARKSLET CHAR(1) NOT NULL
001700 ) END-EXEC.
001800*****
001900* COBOL DECLARATION FOR TABLE H8215.VARE *
002000*****
002100 01 K18REC.
002200 10 K18NUMSEL PIC X(4).
002300 10 K18NUMVARE PIC S99999999V USAGE COMP-3.
002400 10 K18TEKVARE PIC X(40).
002500 10 K18BRULOGON PIC X(8).
002600 10 K18DATOPDAT PIC X(26).
002700 10 K18OPDTV PIC S999V USAGE COMP-3.
002800 10 K18MARKSLET PIC X(1).
002900*****
003000* THE NUMBER OF COLUMNS DESCRIBED BY THIS DECLARATION IS 7 *
003100*****

```

1	86	X-DEF.
1	4	X-DEF.
5	5	PAKKET
10	40	X-DEF.
50	8	X-DEF.
58	26	X-DEF.
84	2	PAKKET
86	1	X-DEF.

RA FILNR 2095

18.1

ORIG: KB2 COPY:

```
000100*****
000200* DCLGEN TABLE(H8215.EJDMARK) *
000300* LIBRARY(D7730.DB2COPY(B8215KB2)) *
000400* ACTION(REPLACE) *
000500* LANGUAGE(COBOL) *
000600* STRUCTURE(KB2REC) *
000700* QUOTE *
000800* ... IS THE DCLGEN COMMAND THAT MADE THE FOLLOWING STATEMENTS *
000900*****
001000* EXEC SQL DECLARE H8215.EJDMARK TABLE *
001100* ( KB2NUMSEL CHAR(4) NOT NULL, *
001200* KB2NUMSAG DECIMAL(6, 0) NOT NULL, *
001300* KB2AARHOAAR DECIMAL(4, 0) NOT NULL, *
001400* KB2NUMKOMMU DECIMAL(3, 0) NOT NULL, *
001500* KB2NUMEJEND DECIMAL(7, 0) NOT NULL, *
001600* KB2NUMMAKO DECIMAL(3, 0) NOT NULL, *
001700* KB2NUMUDSK DECIMAL(7, 0) NOT NULL, *
001800* KB2NUMERKOR DECIMAL(3, 0) NOT NULL, *
001900* KB2DATOPDAT TIMESTAMP NOT NULL, *
002000* KB2BRULOGON CHAR(8) NOT NULL, *
002100* KB2OPDTV DECIMAL(3, 0) NOT NULL, *
002200* KB2MAREJFOR CHAR(1) NOT NULL *
002300* ) END-EXEC. *
002400*****
002500* COBOL DECLARATION FOR TABLE H8215.EJDMARK *
002600*****
002700 01 KB2REC. *
002800 10 KB2NUMSEL PIC X(4). *
002900 10 KB2NUMSAG PIC S9(6)V USAGE COMP-3. *
003000 10 KB2AARHOAAR PIC S9(4)V USAGE COMP-3. *
003100 10 KB2NUMKOMMU PIC S9(3)V USAGE COMP-3. *
003200 10 KB2NUMEJEND PIC S9(7)V USAGE COMP-3. *
003300 10 KB2NUMMAKO PIC S9(3)V USAGE COMP-3. *
003400 10 KB2NUMUDSK PIC S9(7)V USAGE COMP-3. *
003500 10 KB2NUMERKOR PIC S9(3)V USAGE COMP-3. *
003600 10 KB2DATOPDAT PIC X(26). *
003700 10 KB2BRULOGON PIC X(8). *
003800 10 KB2OPDTV PIC S9(3)V USAGE COMP-3. *
003900 10 KB2MAREJFOR PIC X(1). *
004000*****
004100* THE NUMBER OF COLUMNS DESCRIBED BY THIS DECLARATION IS 12 *
004200*****
```

RA FILNR 2040
Side 112.1

1	62	X-DEF.
1	4	X-DEF.
5	4	PAKKET
9	3	PAKKET
12	2	PAKKET
14	4	PAKKET
18	2	PAKKET
20	4	PAKKET
24	2	PAKKET
26	26	X-DEF.
52	8	X-DEF.
60	2	PAKKET
62	1	X-DEF.

L E C B O O K * * * B 8 2 1 5 K 1 9 * * *

START LENGTH FORMAT DEC 11.01.96 15.23.49 PAGE 1

ORIG: K19 COPY:

```

000100*****
000200* DCLGEN TABLE(H8215.VIRKART) *
000300* LIBRARY(D7730.DB2COPY(B8215K19)) *
000400* ACTION(REPLACE) *
000500* STRUCTURE(K19REC) *
000600* QUOTE *
000700* ... IS THE DCLGEN COMMAND THAT MADE THE FOLLOWING STATEMENTS *
000800*****
000900 EXEC SQL DECLARE H8215.VIRKART TABLE
001000 ( K19NUMSEL CHAR(4) NOT NULL,
001100 K19ARTDYR CHAR(2) NOT NULL,
001200 K19ARTBRUGS CHAR(2) NOT NULL,
001300 K19BRULOGON CHAR(8) NOT NULL,
001400 K19DATOPDAT TIMESTAMP NOT NULL,
001500 K19OPDTV DECIMAL(3, 0) NOT NULL,
001600 K19MARKSLET CHAR(1) NOT NULL,
001700 K19TEKVIRKA CHAR(34) NOT NULL
001800 ) END-EXEC.
001900*****
002000* COBOL DECLARATION FOR TABLE H8215.VIRKART *
002100*****
002200 01 K19REC.
002300 10 K19NUMSEL PIC X(4).
002400 10 K19ARTDYR PIC X(2).
002500 10 K19ARTBRUGS PIC X(2).
002600 10 K19BRULOGON PIC X(8).
002700 10 K19DATOPDAT PIC X(26).
002800 10 K19OPDTV PIC S999V USAGE COMP-3.
002900 10 K19MARKSLET PIC X(1).
003000 10 K19TEKVIRKA PIC X(34).
003100*****
003200* THE NUMBER OF COLUMNS DESCRIBED BY THIS DECLARATION IS 8 *
003300*****

```

1	79	X-DEF.
1	4	X-DEF.
5	2	X-DEF.
7	2	X-DEF.
9	8	X-DEF.
17	26	X-DEF.
43	2	PAKKET
45	1	X-DEF.
46	34	X-DEF.

RA FILNR 2096

19.1

ORIG: K20 COPY:

```
000100*****
000200* DCLGEN TABLE(H8215.VAREVIRK) *
000300* LIBRARY(D7730.DB2COPY(B8215K20)) *
000400* ACTION(REPLACE) *
000500* STRUCTURE(K20REC) *
000600* QUOTE *
000700* ... IS THE DCLGEN COMMAND THAT MADE THE FOLLOWING STATEMENTS *
000800*****
000900 EXEC SQL DECLARE H8215.VAREVIRK TABLE
001000 ( K20NUMSEL CHAR(4) NOT NULL,
001100 K20NUMVARE DECIMAL(8, 0) NOT NULL,
001200 K20ARTDYR CHAR(2) NOT NULL,
001300 K20ARTBRUGS CHAR(2) NOT NULL,
001400 K20BRULOGON CHAR(8) NOT NULL,
001500 K20DATOPDAT TIMESTAMP NOT NULL,
001600 K20MARKSLET CHAR(1) NOT NULL,
001700 K20OPDTV DECIMAL(3, 0) NOT NULL
001800 ) END-EXEC.
001900*****
002000* COBOL DECLARATION FOR TABLE H8215.VAREVIRK *
002100*****
002200 01 K20REC.
002300 10 K20NUMSEL PIC X(4).
002400 10 K20NUMVARE PIC S99999999V USAGE COMP-3.
002500 10 K20ARTDYR PIC X(2).
002600 10 K20ARTBRUGS PIC X(2).
002700 10 K20BRULOGON PIC X(8).
002800 10 K20DATOPDAT PIC X(26).
002900 10 K20MARKSLET PIC X(1).
003000 10 K20OPDTV PIC S999V USAGE COMP-3.
003100*****
003200* THE NUMBER OF COLUMNS DESCRIBED BY THIS DECLARATION IS 8 *
003300*****
```

1	50	X-DEF.
1	4	X-DEF.
5	5	PAKKET
10	2	X-DEF.
12	2	X-DEF.
14	8	X-DEF.
22	26	X-DEF.
48	1	X-DEF.
49	2	PAKKET

RA FILNR 2097

20.1

ORIG: K21 COPY:

```

000100*****
000200* DCLGEN TABLE(H8215.ADKOMST) *
000300*    LIBRARY(D7730.DB2COPY(B8215K21)) *
000400*    ACTION(REPLACE) *
000500*    STRUCTURE(K21REC) *
000600*    QUOTE *
000700* ... IS THE DCLGEN COMMAND THAT MADE THE FOLLOWING STATEMENTS *
000800*****
000900    EXEC SQL DECLARE H8215.ADKOMST TABLE
001000    ( K21NUMSEL                    CHAR(4) NOT NULL,
001100      K21IDEVIRK                DECIMAL(10, 0) NOT NULL,
001200      K21NUMEJEND                DECIMAL(7, 0) NOT NULL,
001300      K21NUMKOMMU                DECIMAL(3, 0) NOT NULL,
001400      K21DATOPHOE                DECIMAL(8, 0) NOT NULL,
001500      K21DATOPRET                TIMESTAMP NOT NULL,
001600      K21BRULOGON               CHAR(8) NOT NULL,
001700      K21DATOPDAT               TIMESTAMP NOT NULL,
001800      K21OPDTV                   DECIMAL(3, 0) NOT NULL
001900    ) END-EXEC.
002000*****
002100* COBOL DECLARATION FOR TABLE H8215.ADKOMST *
002200*****
002300 01 K21REC.
002400    10 K21NUMSEL                PIC X(4).
002500    10 K21IDEVIRK                PIC S999999999V USAGE COMP-3.
002600    10 K21NUMEJEND                PIC S99999999V USAGE COMP-3.
002700    10 K21NUMKOMMU                PIC S999V USAGE COMP-3.
002800    10 K21DATOPHOE                PIC S99999999V USAGE COMP-3.
002900    10 K21DATOPRET                PIC X(26).
003000    10 K21BRULOGON                PIC X(8).
003100    10 K21DATOPDAT                PIC X(26).
003200    10 K21OPDTV                   PIC S999V USAGE COMP-3.
003300*****
003400* THE NUMBER OF COLUMNS DESCRIBED BY THIS DECLARATION IS 9 *
003500*****

```

RA FILNR 2098

1	83	X-DEF.
1	4	X-DEF.
5	6	PAKKET
11	4	PAKKET
15	2	PAKKET
17	5	PAKKET
22	26	X-DEF.
48	8	X-DEF.
56	26	X-DEF.
82	2	PAKKET

21.1

ORIG: K25 COPY:

```
000100*****
000200* DCLGEN TABLE(H8215.EJERLAV) *
000300* LIBRARY(D7730.DB2COPY(B8215K25)) *
000400* ACTION(REPLACE) *
000500* STRUCTURE(K25REC) *
000600* QUOTE *
000700* ... IS THE DCLGEN COMMAND THAT MADE THE FOLLOWING STATEMENTS *
000800*****
000900 EXEC SQL DECLARE H8215.EJERLAV TABLE
001000 ( K25NUMSEL CHAR(4) NOT NULL,
001100 K25KODEJERL DECIMAL(7, 0) NOT NULL,
001200 K25TEKEJERL CHAR(40) NOT NULL,
001300 K25BRULOGON CHAR(8) NOT NULL,
001400 K25DATOPDAT TIMESTAMP NOT NULL,
001500 K25OPDTV DECIMAL(3, 0) NOT NULL,
001600 K25MARKSLET CHAR(1) NOT NULL,
001700 K25SOGTEKEJ CHAR(3) NOT NULL,
001800 K25FINTEKEJ CHAR(40) NOT NULL
001900 ) END-EXEC.
002000*****
002100* COBOL DECLARATION FOR TABLE H8215.EJERLAV *
002200*****
002300 01 K25REC.
002400 10 K25NUMSEL PIC X(4).
002500 10 K25KODEJERL PIC S9999999V USAGE COMP-3.
002600 10 K25TEKEJERL PIC X(40).
002700 10 K25BRULOGON PIC X(8).
002800 10 K25DATOPDAT PIC X(26).
002900 10 K25OPDTV PIC S999V USAGE COMP-3.
003000 10 K25MARKSLET PIC X(1).
003100 10 K25SOGTEKEJ PIC X(3).
003200 10 K25FINTEKEJ PIC X(40).
003300*****
003400* THE NUMBER OF COLUMNS DESCRIBED BY THIS DECLARATION IS 9 *
003500*****
```

1	128	X-DEF.
1	4	X-DEF.
5	4	PAKKET
9	40	X-DEF.
49	8	X-DEF.
57	26	X-DEF.
83	2	PAKKET
85	1	X-DEF.
86	3	X-DEF.
89	40	X-DEF.

RA FILNR 2099

25.1

ORIG: K26 COPY:

```
000100*****
000200* DCLGEN TABLE(H8215.BES) *
000300*     LIBRARY(D7730.DB2COPY(B8215K26)) *
000400*     ACTION(REPLACE) *
000500*     STRUCTURE(K26REC) *
000600*     QUOTE *
000700* ... IS THE DCLGEN COMMAND THAT MADE THE FOLLOWING STATEMENTS *
000800*****
000900     EXEC SQL DECLARE H8215.BES TABLE
001000         ( K26NUMSEL          CHAR(4) NOT NULL,
001100          K26ARTDYR          CHAR(2) NOT NULL,
001200          K26ARTBRUGS        CHAR(2) NOT NULL,
001300          K26IDEBESAE        DECIMAL(6, 0) NOT NULL,
001400          K26DATTIL          TIMESTAMP NOT NULL,
001500          K26IDEVIRK          DECIMAL(10, 0) NOT NULL,
001600          K26IDCHR           DECIMAL(6, 0) NOT NULL,
001700          K26NUMDYRL         DECIMAL(10, 0) NOT NULL,
001800          K26NUMPRAKS         CHAR(6) NOT NULL,
001900          K26DATOPHOE        DECIMAL(8, 0) NOT NULL,
002000          K26DATBESOP        DECIMAL(8, 0) NOT NULL,
002100          K26KODVETPR        CHAR(1) NOT NULL,
002200          K26NUMINDJO        CHAR(34) NOT NULL,
002300          K26DATINDBE        DECIMAL(8, 0) NOT NULL,
002400          K26BRULOGON        CHAR(8) NOT NULL,
002500          K26DATOPDAT        TIMESTAMP NOT NULL,
002600          K26OPDTV           DECIMAL(3, 0) NOT NULL,
002700          K26MARKUDOP        CHAR(1) NOT NULL,
002800          K26DATUDOP         DECIMAL(8, 0) NOT NULL
002900     ) END-EXEC.
003000*****
003100* COBOL DECLARATION FOR TABLE H8215.BES *
003200*****
003300 01 K26REC.
003400     10 K26NUMSEL          PIC X(4).
003500     10 K26ARTDYR          PIC X(2).
003600     10 K26ARTBRUGS        PIC X(2).
003700     10 K26IDEBESAE        PIC S999999V USAGE COMP-3.
003800     10 K26DATTIL          PIC X(26).
003900     10 K26IDEVIRK          PIC S9999999999V USAGE COMP-3.
004000     10 K26IDCHR           PIC S999999V USAGE COMP-3.
004100     10 K26NUMDYRL         PIC S9999999999V USAGE COMP-3.
004200     10 K26NUMPRAKS        PIC X(6).
004300     10 K26DATOPHOE        PIC S999999999V USAGE COMP-3.
004400     10 K26DATBESOP        PIC S999999999V USAGE COMP-3.
004500     10 K26KODVETPR        PIC X(1).
004600     10 K26NUMINDJO        PIC X(34).
004700     10 K26DATINDBE        PIC S999999999V USAGE COMP-3.
004800     10 K26BRULOGON        PIC X(8).
004900     10 K26DATOPDAT        PIC X(26).
005000     10 K26OPDTV           PIC S999V USAGE COMP-3.
005100     10 K26MARKUDOP        PIC X(1).
005200     10 K26DATUDOP        PIC S999999999V USAGE COMP-3.
005300*****
005400* THE NUMBER OF COLUMNS DESCRIBED BY THIS DECLARATION IS 19 *
005500*****
```

1	152	X-DEF.
1	4	X-DEF.
5	2	X-DEF.
7	2	X-DEF.
9	4	PAKKET
13	26	X-DEF.
39	6	PAKKET
45	4	PAKKET
49	6	PAKKET
55	6	X-DEF.
61	5	PAKKET
66	5	PAKKET
71	1	X-DEF.
72	34	X-DEF.
106	5	PAKKET
111	8	X-DEF.
119	26	X-DEF.
145	2	PAKKET
147	1	X-DEF.
148	5	PAKKET

RA FIENR 3000

26.1

ECBOOK *** B 8 2 1 5 K 2 7 ***

START LENGTH FORMAT DEC 11.01.96 15.23.49 PAGE 1

ORIG: K27 COPY:

```

00100*****
00200* DCLGEN TABLE(H8215.CHRLEV) *
00300* LIBRARY(D7730.DB2COPY(B8215K27)) *
00400* ACTION(REPLACE) *
00500* STRUCTURE(K27REC) *
00600* QUOTE *
00700* ... IS THE DCLGEN COMMAND THAT MADE THE FOLLOWING STATEMENTS *
00800*****
00900 EXEC SQL DECLARE H8215.CHRLEV TABLE
01000 ( K27NUMSEL CHAR(4) NOT NULL,
01100 K27IDCHR DECIMAL(6, 0) NOT NULL,
01200 K27NUMLEV DECIMAL(7, 0) NOT NULL,
01300 K27DATTIL TIMESTAMP NOT NULL,
01400 K27DATOPHOE DECIMAL(8, 0) NOT NULL,
01500 K27BRULOGON CHAR(8) NOT NULL,
01600 K27DATOPDAT TIMESTAMP NOT NULL,
01700 K27OPDTV DECIMAL(3, 0) NOT NULL
01800 ) END-EXEC.
01900*****
02000* COBOL DECLARATION FOR TABLE H8215.CHRLEV *
02100*****
02200 01 K27REC.
02300 10 K27NUMSEL PIC X(4).
02400 10 K27IDCHR PIC S999999V USAGE COMP-3.
02500 10 K27NUMLEV PIC S9999999V USAGE COMP-3.
02600 10 K27DATTIL PIC X(26).
02700 10 K27DATOPHOE PIC S99999999V USAGE COMP-3.
02800 10 K27BRULOGON PIC X(8).
02900 10 K27DATOPDAT PIC X(26).
03000 10 K27OPDTV PIC S999V USAGE COMP-3.
03100*****
03200* THE NUMBER OF COLUMNS DESCRIBED BY THIS DECLARATION IS 8 *
03300*****

```

1	79	X-DEF.
1	4	X-DEF.
5	4	PAKKET
9	4	PAKKET
13	26	X-DEF.
39	5	PAKKET
44	8	X-DEF.
52	26	X-DEF.
78	2	PAKKET

RA FILNR 3001

27.1

ORIG: K28 COPY:

```

00100*****
00200* DCLGEN TABLE(H8215.MERKER) *
00300* LIBRARY(D7730.DB2COPY(B8215K28)) *
00400* ACTION(REPLACE) *
00500* STRUCTURE(K28REC) *
00600* QUOTE *
00700* ... IS THE DCLGEN COMMAND THAT MADE THE FOLLOWING STATEMENTS *
00800*****
00900 EXEC SQL DECLARE H8215.MERKER TABLE
01000 ( K28NUMSEL CHAR(4) NOT NULL,
01100 K28IDCHR DECIMAL(6, 0) NOT NULL,
01200 K28ARTDYR CHAR(2) NOT NULL,
01300 K28DATUDMAR DECIMAL(8, 0) NOT NULL,
01400 K28NUMUDMAR DECIMAL(2, 0) NOT NULL,
01500 K28NUMFRAMA CHAR(4) NOT NULL,
01600 K28NUMTILMA CHAR(4) NOT NULL,
01700 K28ANTMAERK DECIMAL(5, 0) NOT NULL,
01800 K28KODFARVE CHAR(2) NOT NULL,
01900 K28BRULOGON CHAR(8) NOT NULL,
02000 K28DATOPDAT TIMESTAMP NOT NULL,
02100 K28OPDTV DECIMAL(3, 0) NOT NULL
02200 ) END-EXEC.
02300*****
02400* COBOL DECLARATION FOR TABLE H8215.MERKER *
02500*****
02600 01 K28REC.
02700 10 K28NUMSEL PIC X(4).
02800 10 K28IDCHR PIC S999999V USAGE COMP-3.
02900 10 K28ARTDYR PIC X(2).
03000 10 K28DATUDMAR PIC S99999999V USAGE COMP-3.
03100 10 K28NUMUDMAR PIC S99V USAGE COMP-3.
03200 10 K28NUMFRAMA PIC X(4).
03300 10 K28NUMTILMA PIC X(4).
03400 10 K28ANTMAERK PIC S99999V USAGE COMP-3.
03500 10 K28KODFARVE PIC X(2).
03600 10 K28BRULOGON PIC X(8).
03700 10 K28DATOPDAT PIC X(26).
03800 10 K28OPDTV PIC S999V USAGE COMP-3.
03900*****
04000* THE NUMBER OF COLUMNS DESCRIBED BY THIS DECLARATION IS 12 *
04100*****

```

1	66	X-DEF.
1	4	X-DEF.
5	4	PAKKET
9	2	X-DEF.
11	5	PAKKET
16	2	PAKKET
18	4	X-DEF.
22	4	X-DEF.
26	3	PAKKET
29	2	X-DEF.
31	8	X-DEF.
39	26	X-DEF.
65	2	PAKKET

RA FILNR 3002

28.1

L E C B O O K * * * B 8 2 1 5 K 2 9 * * *

START LENGTH FORMAT DEC 11.01.96 15.23.49 PAGE 1

ORIG: K29 COPY:

```

000100*****
000200* DCLGEN TABLE(H8215.EJERERKL) *
000300* LIBRARY(D7730.DB2COPY(B8215K29)) *
000400* ACTION(REPLACE) *
000500* STRUCTURE(K29REC) *
000600* QUOTE *
000700* ... IS THE DCLGEN COMMAND THAT MADE THE FOLLOWING STATEMENTS *
000800*****
000900 EXEC SQL DECLARE H8215.EJERERKL TABLE
001000 ( K29NUMSEL CHAR(4) NOT NULL,
001100 K29IDCHR DECIMAL(6, 0) NOT NULL,
001200 K29ARTDYSR CHAR(2) NOT NULL,
001300 K29DATUDEJE DECIMAL(8, 0) NOT NULL,
001400 K29NUMUDEJE DECIMAL(2, 0) NOT NULL,
001500 K29NUMFRAEE CHAR(4) NOT NULL,
001600 K29NUMTILEE CHAR(4) NOT NULL,
001700 K29ANTEJERE DECIMAL(3, 0) NOT NULL,
001800 K29BRULOGON CHAR(8) NOT NULL,
001900 K29DATOPDAT TIMESTAMP NOT NULL,
002000 K29OPDTV DECIMAL(3, 0) NOT NULL
002100 ) END-EXEC.
002200*****
002300* COBOL DECLARATION FOR TABLE H8215.EJERERKL *
002400*****
002500 01 K29REC.
002600 10 K29NUMSEL PIC X(4).
002700 10 K29IDCHR PIC S999999V USAGE COMP-3.
002800 10 K29ARTDYSR PIC X(2).
002900 10 K29DATUDEJE PIC S99999999V USAGE COMP-3.
003000 10 K29NUMUDEJE PIC S99V USAGE COMP-3.
003100 10 K29NUMFRAEE PIC X(4).
003200 10 K29NUMTILEE PIC X(4).
003300 10 K29ANTEJERE PIC S999V USAGE COMP-3.
003400 10 K29BRULOGON PIC X(8).
003500 10 K29DATOPDAT PIC X(26).
003600 10 K29OPDTV PIC S999V USAGE COMP-3.
003700*****
003800* THE NUMBER OF COLUMNS DESCRIBED BY THIS DECLARATION IS 11 *
003900*****

```

RA FILNR 3003

1	63	X-DEF.
1	4	X-DEF.
5	4	PAKKET
9	2	X-DEF.
11	5	PAKKET
16	2	PAKKET
18	4	X-DEF.
22	4	X-DEF.
26	2	PAKKET
28	8	X-DEF.
36	26	X-DEF.
62	2	PAKKET

29.1

3004

ORIG: K30 COPY:

```
00100*****
00200* DCLGEN TABLE(H8215.PRAKSIS) *
00300* LIBRARY(D7730.DB2COPY(B8215K30)) *
00400* ACTION(REPLACE) *
00500* STRUCTURE(K30REC) *
00600* QUOTE *
00700* ... IS THE DCLGEN COMMAND THAT MADE THE FOLLOWING STATEMENTS *
00800*****
00900 EXEC SQL DECLARE H8215.PRAKSIS TABLE
01000 ( K30NUMSEL CHAR(4) NOT NULL,
01100 K30NUMPRAKS CHAR(6) NOT NULL,
01200 K30DATFIL TIMESTAMP NOT NULL,
01300 K30IDEADRES DECIMAL(10, 0) NOT NULL,
01400 K30TEKSTATU CHAR(44) NOT NULL,
01500 K30NUMPRATI CHAR(6) NOT NULL,
01600 K30DATOPHOE DECIMAL(8, 0) NOT NULL,
01700 K30TEKBEMPR CHAR(44) NOT NULL,
01800 K30BRULOGON CHAR(8) NOT NULL,
01900 K30DATOPDAT TIMESTAMP NOT NULL,
02000 K30OPDTV DECIMAL(3, 0) NOT NULL
02100 ) END-EXEC.
02200*****
02300* COBOL DECLARATION FOR TABLE H8215.PRAKSIS *
02400*****
02500 01 K30REC.
02600 10 K30NUMSEL PIC X(4).
02700 10 K30NUMPRAKS PIC X(6).
02800 10 K30DATFIL PIC X(26).
02900 10 K30IDEADRES PIC S9999999999V USAGE COMP-3.
03000 10 K30TEKSTATU PIC X(44).
03100 10 K30NUMPRATI PIC X(6).
03200 10 K30DATOPHOE PIC S9999999999V USAGE COMP-3.
03300 10 K30TEKBEMPR PIC X(44).
03400 10 K30BRULOGON PIC X(8).
03500 10 K30DATOPDAT PIC X(26).
03600 10 K30OPDTV PIC S999V USAGE COMP-3.
03700*****
03800* THE NUMBER OF COLUMNS DESCRIBED BY THIS DECLARATION IS 11 *
03900*****
```

RA FILNR 3004

1	177	X-DEF.
1	4	X-DEF.
5	6	X-DEF.
11	26	X-DEF.
37	6	PAKKET
43	44	X-DEF.
87	6	X-DEF.
93	5	PAKKET
98	44	X-DEF.
142	8	X-DEF.
150	26	X-DEF.
176	2	PAKKET

30.1

3005

LE C B O O K * * * B 8 2 1 5 K 3 1 * * *

START LENGTH FORMAT DEC 11.01.96 15.23.49 PAGE 1

ORIG: K31 COPY:

```
000100*****
000200* DCLGEN TABLE(H8215.DYRLEGE) *
000300*    LIBRARY(D7730.DB2COPY(B8215K31)) *
000400*    ACTION(REPLACE) *
000500*    STRUCTURE(K31REC) *
000600*    QUOTE *
000700* ... IS THE DCLGEN COMMAND THAT MADE THE FOLLOWING STATEMENTS *
000800*****
000900    EXEC SQL DECLARE H8215.DYRLEGE TABLE
001000    ( K31NUMSEL                    CHAR(4) NOT NULL,
001100      K31NUMDYRL                  DECIMAL(10, 0) NOT NULL,
001200      K31DATTIL                    TIMESTAMP NOT NULL,
001300      K31NUMPRAKS                  CHAR(6) NOT NULL,
001400      K31IDEADRES                  DECIMAL(10, 0) NOT NULL,
001500      K31NUMCPR                    DECIMAL(10, 0) NOT NULL,
001600      K31DATOPHOE                  DECIMAL(8, 0) NOT NULL,
001700      K31BRULOGON                CHAR(8) NOT NULL,
001800      K31DATOPDAT                  TIMESTAMP NOT NULL,
001900      K31OPDTV                    DECIMAL(3, 0) NOT NULL
002000    ) END-EXEC.
002100*****
002200* COBOL DECLARATION FOR TABLE H8215.DYRLEGE *
002300*****
002400 01 K31REC.
002500    10 K31NUMSEL                    PIC X(4).
002600    10 K31NUMDYRL                   PIC S999999999V USAGE COMP-3.
002700    10 K31DATTIL                    PIC X(26).
002800    10 K31NUMPRAKS                   PIC X(6).
002900    10 K31IDEADRES                   PIC S999999999V USAGE COMP-3.
003000    10 K31NUMCPR                    PIC S999999999V USAGE COMP-3.
003100    10 K31DATOPHOE                   PIC S999999999V USAGE COMP-3.
003200    10 K31BRULOGON                PIC X(8).
003300    10 K31DATOPDAT                   PIC X(26).
003400    10 K31OPDTV                    PIC S999V USAGE COMP-3.
003500*****
003600* THE NUMBER OF COLUMNS DESCRIBED BY THIS DECLARATION IS 10 *
003700*****
```

RA FILNR 3005

1	95	X-DEF.
1	4	X-DEF.
5	6	PAKKET
11	26	X-DEF.
37	6	X-DEF.
43	6	PAKKET
49	6	PAKKET
55	5	PAKKET
60	8	X-DEF.
68	26	X-DEF.
94	2	PAKKET

31.1

ORIG: KB3 COPY:

```
000100*****
000200* DCLGEN TABLE(H8215.AREALHEK) *
000300* LIBRARY(D7730.DB2COPY(B8215KB3)) *
000400* ACTION(REPLACE) *
000500* STRUCTURE(KB3REC) *
000600* QUOTE *
000700* ... IS THE DCLGEN COMMAND THAT MADE THE FOLLOWING STATEMENTS *
000800*****
000900 EXEC SQL DECLARE H8215.AREALHEK TABLE
001000 ( KB3NUMSEL CHAR(4) NOT NULL,
001100 KB3NUMSAG DECIMAL(6, 0) NOT NULL,
001200 KB3AARH0AAR DECIMAL(4, 0) NOT NULL,
001300 KB3TYPAREAL DECIMAL(2, 0) NOT NULL,
001400 KB3ANTARART DECIMAL(6, 1) NOT NULL,
001500 KB3DATOPDAT TIMESTAMP NOT NULL,
001600 KB3BRULOGON CHAR(8) NOT NULL,
001700 KB3OPDTV DECIMAL(3, 0) NOT NULL
001800 ) END-EXEC.
001900*****
002000* COBOL DECLARATION FOR TABLE H8215.AREALHEK *
002100*****
002200 01 KB3REC.
002300 10 KB3NUMSEL PIC X(4).
002400 10 KB3NUMSAG PIC S999999V USAGE COMP-3.
002500 10 KB3AARH0AAR PIC S9999V USAGE COMP-3.
002600 10 KB3TYPAREAL PIC S99V USAGE COMP-3.
002700 10 KB3ANTARART PIC S999999V USAGE COMP-3.
002800 10 KB3DATOPDAT PIC X(26).
002900 10 KB3BRULOGON PIC X(8).
003000 10 KB3OPDTV PIC S999V USAGE COMP-3.
003100*****
003200* THE NUMBER OF COLUMNS DESCRIBED BY THIS DECLARATION IS 8 *
003300*****
```

1	53	X-DEF.
1	4	X-DEF.
5	4	PAKKET
9	3	PAKKET
12	2	PAKKET
14	4	PAKKET
18	26	X-DEF.
44	8	X-DEF.
52	2	PAKKET

RA FILNR 2041

SIDE 113.1

E C B O O K * * * B 8 2 1 5 K 3 2 * * *

START LENGTH FORMAT DEC 11.01.96 15.23.49 PAGE 1

ORIG: K32 COPY:

```
000100*****
000200* DCLGEN TABLE(H8215.DYRLPRAK)
000300* LIBRARY(D7730.DB2COPY(B8215K32))
000400* ACTION(REPLACE)
000500* STRUCTURE(K32REC)
000600* QUOTE
000700* ... IS THE DCLGEN COMMAND THAT MADE THE FOLLOWING STATEMENTS
000800*****
000900 EXEC SQL DECLARE H8215.DYRLPRAK TABLE
001000 ( K32NUMSEL CHAR(4) NOT NULL,
001100 K32NUMDYRL DECIMAL(10, 0) NOT NULL,
001200 K32NUMPRAKS CHAR(6) NOT NULL,
001300 K32DATITL TIMESTAMP NOT NULL,
001400 K32BRULOGON CHAR(8) NOT NULL,
001500 K32DATOPDAT TIMESTAMP NOT NULL,
001600 K32OPDTV DECIMAL(3, 0) NOT NULL
001700 ) END-EXEC.
001800*****
001900* COBOL DECLARATION FOR TABLE H8215.DYRLPRAK
002000*****
002100 01 K32REC.
002200 10 K32NUMSEL PIC X(4).
002300 10 K32NUMDYRL PIC S9999999999V USAGE COMP-3.
002400 10 K32NUMPRAKS PIC X(6).
002500 10 K32DATITL PIC X(26).
002600 10 K32BRULOGON PIC X(8).
002700 10 K32DATOPDAT PIC X(26).
002800 10 K32OPDTV PIC S999V USAGE COMP-3.
002900*****
003000* THE NUMBER OF COLUMNS DESCRIBED BY THIS DECLARATION IS 7
003100*****
```

1	78	X-DEF.
1	4	X-DEF.
5	6	PAKKET
11	6	X-DEF.
17	26	X-DEF.
43	8	X-DEF.
51	26	X-DEF.
77	2	PAKKET

RA FILNR: 3006

32.1

ORIG: K33 COPY;

```
000100*****
000200* DCLGEN TABLE(H8215.ANIMO) *
000300*        LIBRARY(D7730.DB2COPY(B8215K33)) *
000400*        ACTION(REPLACE) *
000500*        STRUCTURE(K33REC) *
000600*        QUOTE *
000700* ... IS THE DCLGEN COMMAND THAT MADE THE FOLLOWING STATEMENTS *
000800*****
000900        EXEC SQL DECLARE H8215.ANIMO TABLE
001000        ( K33NUMSEL                CHAR(4) NOT NULL,
001100        K33IDEANIMO                DECIMAL(5, 0) NOT NULL,
001200        K33DATTIL                TIMESTAMP NOT NULL,
001300        K33NUMANIMO                CHAR(12) NOT NULL,
001400        K33DATCERTI                DECIMAL(8, 0) NOT NULL,
001500        K33NUMVARE                DECIMAL(8, 0) NOT NULL,
001600        K33BEMVARE                CHAR(39) NOT NULL,
001700        K33DATAFSEN                DECIMAL(8, 0) NOT NULL,
001800        K33ANTDYRAF                DECIMAL(6, 0) NOT NULL,
001900        K33NUMLANDM                DECIMAL(2, 0) NOT NULL,
002000        K33NUMREMOD                DECIMAL(2, 0) NOT NULL,
002100        K33NUMKRKDM                DECIMAL(3, 0) NOT NULL,
002200        K33NUMLAAFS                DECIMAL(2, 0) NOT NULL,
002300        K33NUMREAFS                DECIMAL(2, 0) NOT NULL,
002400        K33NUMKLAFS                DECIMAL(3, 0) NOT NULL,
002500        K33NAVMODT                CHAR(35) NOT NULL,
002600        K33NAVVEJAN                CHAR(35) NOT NULL,
002700        K33NUMPOSTA                DECIMAL(4, 0) NOT NULL,
002800        K33IDCHR                DECIMAL(6, 0) NOT NULL,
002900        K33ARTBRUGS                CHAR(2) NOT NULL,
003000        K33ARTDYR                CHAR(2) NOT NULL,
003100        K33DATANKOM                DECIMAL(8, 0) NOT NULL,
003200        K33ANTDYRAN                DECIMAL(6, 0) NOT NULL,
003300        K33FINVEJAN                CHAR(35) NOT NULL,
003400        K33KODSTATU                CHAR(1) NOT NULL,
003500        K33BRULOGN                CHAR(8) NOT NULL,
003600        K33DATOPDAT                TIMESTAMP NOT NULL,
003700        K33OPDTV                DECIMAL(3, 0) NOT NULL
003800        ) END-EXEC.
003900*****
004000* COBOL DECLARATION FOR TABLE H8215.ANIMO *
004100*****
004200 01 K33REC.
004300    10 K33NUMSEL                PIC X(4).
004400    10 K33IDEANIMO                PIC S999999V USAGE COMP-3.
004500    10 K33DATTIL                PIC X(26).
004600    10 K33NUMANIMO                PIC X(12).
004700    10 K33DATCERTI                PIC S99999999V USAGE COMP-3.
004800    10 K33NUMVARE                PIC S99999999V USAGE COMP-3.
004900    10 K33BEMVARE                PIC X(39).
005000    10 K33DATAFSEN                PIC S99999999V USAGE COMP-3.
005100    10 K33ANTDYRAF                PIC S999999V USAGE COMP-3.
005200    10 K33NUMLANDM                PIC S99V USAGE COMP-3.
005300    10 K33NUMREMOD                PIC S99V USAGE COMP-3.
005400    10 K33NUMKRKDM                PIC S999V USAGE COMP-3.
005500    10 K33NUMLAAFS                PIC S99V USAGE COMP-3.
005600    10 K33NUMREAFS                PIC S99V USAGE COMP-3.
005700    10 K33NUMKLAFS                PIC S999V USAGE COMP-3.
005800    10 K33NAVMODT                PIC X(35).
```

1	277	X-DEF.
1	4	X-DEF.
5	3	PAKKET
8	26	X-DEF.
34	12	X-DEF.
46	5	PAKKET
51	5	PAKKET
56	39	X-DEF.
95	5	PAKKET
100	4	PAKKET
104	2	PAKKET
106	2	PAKKET
108	2	PAKKET
110	2	PAKKET
112	2	PAKKET
114	2	PAKKET
116	35	X-DEF.

RA FILNR 3007

33.1

ORIG: K33 COPY:

05900	10	K33NAVVEJAN	PIC X(35).	151	35	X-DEF.
06000	10	K33NUMPOSTA	PIC S9999V USAGE COMP-3.	186	3	PAKKET
06100	10	K33IDCHR	PIC S999999V USAGE COMP-3.	189	4	PAKKET
06200	10	K33ARTBRUGS	PIC X(2).	193	2	X-DEF.
06300	10	K33ARTDYR	PIC X(2).	195	2	X-DEF.
06400	10	K33DATANKOM	PIC S99999999V USAGE COMP-3.	197	5	PAKKET
06500	10	K33ANTDYRAN	PIC S9999999V USAGE COMP-3.	202	4	PAKKET
06600	10	K33FINVEJAN	PIC X(35).	206	35	X-DEF.
06700	10	K33KODSTATU	PIC X(1).	241	1	X-DEF.
06800	10	K33BRULOGON	PIC X(8).	242	8	X-DEF.
06900	10	K33DATOPDAT	PIC X(26).	250	26	X-DEF.
07000	10	K33OPDTV	PIC S999V USAGE COMP-3.	276	2	PAKKET

07100*****
 07200* THE NUMBER OF COLUMNS DESCRIBED BY THIS DECLARATION IS 28 *
 07300*****

ORIG: K34 COPY:

```
00100*****
00200* DCLGEN TABLE(H8215.EFVETR) *
00300* LIBRARY(D7730.DB2COPY(B8215K34)) *
00400* ACTION(REPLACE) *
00500* STRUCTURE(K34REC) *
00600* QUOTE *
00700* ... IS THE DCLGEN COMMAND THAT MADE THE FOLLOWING STATEMENTS *
00800*****
00900 EXEC SQL DECLARE H8215.EFVETR TABLE
01000 ( K34NUMSEL CHAR(4) NOT NULL,
01100 K34NUMLAND DECIMAL(2, 0) NOT NULL,
01200 K34NUMKRDYK DECIMAL(2, 0) NOT NULL,
01300 K34NUMKRELO DECIMAL(3, 0) NOT NULL,
01400 K34TEKEFVET CHAR(34) NOT NULL,
01500 K34BRULOGON CHAR(8) NOT NULL,
01600 K34DATOPDAT TIMESTAMP NOT NULL,
01700 K34MARKSLET CHAR(1) NOT NULL,
01800 K34OPDTV DECIMAL(3, 0) NOT NULL
01900 ) END-EXEC.
02000*****
02100* COBOL DECLARATION FOR TABLE H8215.EFVETR *
02200*****
02300 01 K34REC.
02400 10 K34NUMSEL PIC X(4).
02500 10 K34NUMLAND PIC S99V USAGE COMP-3.
02600 10 K34NUMKRDYK PIC S99V USAGE COMP-3.
02700 10 K34NUMKRELO PIC S999V USAGE COMP-3.
02800 10 K34TEKEFVET PIC X(34).
02900 10 K34BRULOGON PIC X(8).
03000 10 K34DATOPDAT PIC X(26).
03100 10 K34MARKSLET PIC X(1).
03200 10 K34OPDTV PIC S999V USAGE COMP-3.
03300*****
03400* THE NUMBER OF COLUMNS DESCRIBED BY THIS DECLARATION IS 9 *
03500*****
```

1	81	X-DEF.
1	4	X-DEF.
5	2	PAKKET
7	2	PAKKET
9	2	PAKKET
11	34	X-DEF.
45	8	X-DEF.
53	26	X-DEF.
79	1	X-DEF.
80	2	PAKKET

RA FILNR 3008

34.1

ECBOOK ***** B 8 2 1 5 K 3 5 *****

START LENGTH FORMAT DEC 11.01.96 15.23.49 PAGE 1

ORIG: K35 COPY;

```
00100*****
00200* DCLGEN TABLE(H8215.KREDS)
00300* LIBRARY(D7730.DB2COPY(B8215K35))
00400* ACTION(REPLACE)
00500* STRUCTURE(K35REC)
00600* QUOTE
00700* ... IS THE DCLGEN COMMAND THAT MADE THE FOLLOWING STATEMENTS
00800*****
00900 EXEC SQL DECLARE H8215.KREDS TABLE
01000 ( K35NUMSEL CHAR(4) NOT NULL,
01100 K35NUMKRELO DECIMAL(3, 0) NOT NULL,
01200 K35TEKKRE CHAR(34) NOT NULL,
01300 K35BRULOGON CHAR(8) NOT NULL,
01400 K35DATOPDAT TIMESTAMP NOT NULL,
01500 K35OPDTV DECIMAL(3, 0) NOT NULL,
01600 K35MARKSLET CHAR(1) NOT NULL,
01700 K35NUMDYRL DECIMAL(10, 0) NOT NULL
01800 ) END-EXEC.
01900*****
02000* COBOL DECLARATION FOR TABLE H8215.KREDS
02100*****
02200 01 K35REC.
02300 10 K35NUMSEL PIC X(4).
02400 10 K35NUMKRELO PIC S999V USAGE COMP-3.
02500 10 K35TEKKRE PIC X(34).
02600 10 K35BRULOGON PIC X(8).
02700 10 K35DATOPDAT PIC X(26).
02800 10 K35OPDTV PIC S999V USAGE COMP-3.
02900 10 K35MARKSLET PIC X(1).
03000 10 K35NUMDYRL PIC S9999999999V USAGE COMP-3.
03100*****
03200* THE NUMBER OF COLUMNS DESCRIBED BY THIS DECLARATION IS 8
03300*****
```

1	83	X-DEF.
1	4	X-DEF.
5	2	PAKKET
7	34	X-DEF.
41	8	X-DEF.
49	26	X-DEF.
75	2	PAKKET
77	1	X-DEF.
78	6	PAKKET

RA FILNR 3009

35.1

IRIG: K36 COPY:

```
0100*****
0200* DCLGEN TABLE(H8215.VETRHEND) *
0300* LIBRARY(D7730.DB2COPY(B8215K36)) *
0400* ACTION(REPLACE) *
0500* STRUCTURE(K36REC) *
0600* QUOTE *
0700* ... IS THE DCLGEN COMMAND THAT MADE THE FOLLOWING STATEMENTS *
0800*****
0900 EXEC SQL DECLARE H8215.VETRHEND TABLE
1000 ( K36NUMSEL CHAR(4) NOT NULL,
1100 K36IDCHR DECIMAL(6, 0) NOT NULL,
1200 K36ARTDYR CHAR(2) NOT NULL,
1300 K36IDEVETHA DECIMAL(4, 0) NOT NULL,
1400 K36DATTIL TIMESTAMP NOT NULL,
1500 K36IDEANIMO DECIMAL(5, 0) NOT NULL,
1600 K36ARTBRUGS CHAR(2) NOT NULL,
1700 K36KODSYGDO CHAR(4) NOT NULL,
1800 K36BRULOGON CHAR(8) NOT NULL,
1900 K36DATOPDAT TIMESTAMP NOT NULL,
2000 K36OPDTV DECIMAL(3, 0) NOT NULL
2100 ) END-EXEC.
2200*****
2300* COBOL DECLARATION FOR TABLE H8215.VETRHEND *
2400*****
2500 01 K36REC.
2600 10 K36NUMSEL PIC X(4).
2700 10 K36IDCHR PIC S999999V USAGE COMP-3.
2800 10 K36ARTDYR PIC X(2).
2900 10 K36IDEVETHA PIC S9999V USAGE COMP-3.
3000 10 K36DATTIL PIC X(26).
3100 10 K36IDEANIMO PIC S99999V USAGE COMP-3.
3200 10 K36ARTBRUGS PIC X(2).
3300 10 K36KODSYGDO PIC X(4).
3400 10 K36BRULOGON PIC X(8).
3500 10 K36DATOPDAT PIC X(26).
3600 10 K36OPDTV PIC S999V USAGE COMP-3.
3700*****
3800* THE NUMBER OF COLUMNS DESCRIBED BY THIS DECLARATION IS 11 *
3900*****
```

1	84	X-DEF.
1	4	X-DEF.
5	4	PAKKET
9	2	X-DEF.
11	3	PAKKET
14	26	X-DEF.
40	3	PAKKET
43	2	X-DEF.
45	4	X-DEF.
49	8	X-DEF.
57	26	X-DEF.
83	2	PAKKET

RA FILNR 3010

36.1

3011

ORIG: K37 COPY:

```
00100*****
00200* DCLGEN TABLE(H8215.EJENDERH) *
00300* LIBRARY(D7730.DB2COPY(B8215K37)) *
00400* ACTION(REPLACE) *
00500* STRUCTURE(K37REC) *
00600* QUOTE *
00700* ... IS THE DCLGEN COMMAND THAT MADE THE FOLLOWING STATEMENTS *
00800*****
00900 EXEC SQL DECLARE H8215.EJENDERH TABLE
01000 ( K37NUMSEL CHAR(4) NOT NULL,
01100 K37IDCHR DECIMAL(6, 0) NOT NULL,
01200 K37DATTIL TIMESTAMP NOT NULL,
01300 K37IDEADRES DECIMAL(10, 0) NOT NULL,
01400 K37NAVBRU CHAR(35) NOT NULL,
01500 K37SOGNABRU CHAR(35) NOT NULL,
01600 K37BRULOGON CHAR(8) NOT NULL,
01700 K37DATOPDAT TIMESTAMP NOT NULL,
01800 K37OPDTV DECIMAL(3, 0) NOT NULL,
01900 K37DATUDCHR DECIMAL(8, 0) NOT NULL,
02000 K37IDEADFOR DECIMAL(10, 0) NOT NULL,
02100 K37NUMKOMMU DECIMAL(3, 0) NOT NULL,
02200 K37NUMEJEND DECIMAL(7, 0) NOT NULL,
02300 K37KODRETUR CHAR(1) NOT NULL
02400 ) END-EXEC.
02500*****
02600* COBOL DECLARATION FOR TABLE H8215.EJENDERH *
02700*****
02800 01 K37REC.
02900 10 K37NUMSEL PIC X(4).
03000 10 K37IDCHR PIC S9999999V USAGE COMP-3.
03100 10 K37DATTIL PIC X(26).
03200 10 K37IDEADRES PIC S99999999999V USAGE COMP-3.
03300 10 K37NAVBRU PIC X(35).
03400 10 K37SOGNABRU PIC X(35).
03500 10 K37BRULOGON PIC X(8).
03600 10 K37DATOPDAT PIC X(26).
03700 10 K37OPDTV PIC S999V USAGE COMP-3.
03800 10 K37DATUDCHR PIC S999999999V USAGE COMP-3.
03900 10 K37IDEADFOR PIC S99999999999V USAGE COMP-3.
04000 10 K37NUMKOMMU PIC S999V USAGE COMP-3.
04100 10 K37NUMEJEND PIC S9999999V USAGE COMP-3.
04200 10 K37KODRETUR PIC X(1).
04300*****
04400* THE NUMBER OF COLUMNS DESCRIBED BY THIS DECLARATION IS 14 *
04500*****
```

RA FILNR 3011

1	164	X-DEF.
1	4	X-DEF.
5	4	PAKKET
9	26	X-DEF.
35	6	PAKKET
41	35	X-DEF.
76	35	X-DEF.
111	8	X-DEF.
119	26	X-DEF.
145	2	PAKKET
147	5	PAKKET
152	6	PAKKET
158	2	PAKKET
160	4	PAKKET
164	1	X-DEF.

37.1

ORIG: K38 COPY:

```

00100*****
00200* DCLGEN TABLE(H8215.EJENDDYR) *
00300* LIBRARY(D7730.DB2COPY(B8215K38)) *
00400* ACTION(REPLACE) *
00500* STRUCTURE(K38REC) *
00600* QUOTE *
00700* ... IS THE DCLGEN COMMAND THAT MADE THE FOLLOWING STATEMENTS *
00800*****
00900 EXEC SQL DECLARE H8215.EJENDDYR TABLE
01000 ( K38NUMSEL CHAR(4) NOT NULL,
01100 K38IDCHR DECIMAL(6, 0) NOT NULL,
01200 K38ARTDYR CHAR(2) NOT NULL,
01300 K38BRULOGON CHAR(8) NOT NULL,
01400 K38DATOPDAT TIMESTAMP NOT NULL,
01500 K38OPDTV DECIMAL(3, 0) NOT NULL
01600 ) END-EXEC.
01700*****
01800* COBOL DECLARATION FOR TABLE H8215.EJENDDYR *
01900*****
02000 01 K38REC.
02100 10 K38NUMSEL PIC X(4).
02200 10 K38IDCHR PIC S999999V USAGE COMP-3.
02300 10 K38ARTDYR PIC X(2).
02400 10 K38BRULOGON PIC X(8).
02500 10 K38DATOPDAT PIC X(26).
02600 10 K38OPDTV PIC S999V USAGE COMP-3.
02700*****
02800* THE NUMBER OF COLUMNS DESCRIBED BY THIS DECLARATION IS 6 *
02900*****

```

1	46	X-DEF.
1	4	X-DEF.
5	4	PAKKET
9	2	X-DEF.
11	8	X-DEF.
19	26	X-DEF.
45	2	PAKKET

RA FILNR 3012

38.1

3013

E C B O O K * * * B 8 2 1 5 K 4 8 * * * START LENGTH FORMAT DEC 11.01.96 15.23.49 PAGE 1

ORIG: K48 COPY:

```
00100*****
00200* DCLGEN TABLE(H8215.EDIANIMO) *
00300* LIBRARY(D7730.DB2COPY(B8215K48)) *
00400* ACTION(REPLACE) *
00500* STRUCTURE(K48REC) *
00600* QUOTE *
00700* ... IS THE DCLGEN COMMAND THAT MADE THE FOLLOWING STATEMENTS *
00800*****
00900 EXEC SQL DECLARE H8215.EDIANIMO TABLE
01000 ( K48NUMSEL CHAR(4) NOT NULL,
01100 K48IDEAMINO DECIMAL(8, 0) NOT NULL,
01200 K48NUMLIANI DECIMAL(3, 0) NOT NULL,
01300 K48TEKBEMAN CHAR(76) NOT NULL,
01400 K48DATOPDAT TIMESTAMP NOT NULL,
01500 K48BRULOGON CHAR(8) NOT NULL,
01600 K48OPDTV DECIMAL(3, 0) NOT NULL
01700 ) END-EXEC.
01800*****
01900* COBOL DECLARATION FOR TABLE H8215.EDIANIMO *
02000*****
02100 01 K48REC.
02200 10 K48NUMSEL PIC X(4).
02300 10 K48IDEAMINO PIC S99999999V USAGE COMP-3.
02400 10 K48NUMLIANI PIC S999V USAGE COMP-3.
02500 10 K48TEKBEMAN PIC X(76).
02600 10 K48DATOPDAT PIC X(26).
02700 10 K48BRULOGON PIC X(8).
02800 10 K48OPDTV PIC S999V USAGE COMP-3.
02900*****
03000* THE NUMBER OF COLUMNS DESCRIBED BY THIS DECLARATION IS 7 *
03100*****
```

1	123	X-DEF.
1	4	X-DEF.
5	5	PAKKET
10	2	PAKKET
12	76	X-DEF.
88	26	X-DEF.
114	8	X-DEF.
122	2	PAKKET

RA FILNR 3013

48.1

E C B O O K * * * B 8 2 1 5 K 5 0 * * *

START LENGTH FORMAT DEC 11.01.96 15.23.49 PAGE 1

ORIG: K50 COPY:

```
00100*****
00200* DCLGEN TABLE(H8215.INDBVIRK)
00300* LIBRARY(D7730.DB2COPY(B8215K50))
00400* ACTION(REPLACE)
00500* STRUCTURE(K50REC)
00600* QUOTE
00700* ... IS THE DCLGEN COMMAND THAT MADE THE FOLLOWING STATEMENTS
00800*****
00900 EXEC SQL DECLARE H8215.INDBVIRK TABLE
01000 ( K50NUMSEL CHAR(4) NOT NULL,
01100 K50IDEVIRK DECIMAL(10, 0) NOT NULL,
01200 K50DATGLFOR DECIMAL(8, 0) NOT NULL,
01300 K50NUMLBANS DECIMAL(2, 0) NOT NULL,
01400 K50DATSELOP DECIMAL(8, 0) NOT NULL,
01500 K50NUMREGNU DECIMAL(4, 0) NOT NULL,
01600 K50NUMKONUM DECIMAL(10, 0) NOT NULL,
01700 K50KODORDNI CHAR(1) NOT NULL,
01800 K50MARKONTR CHAR(1) NOT NULL,
01900 K50MARSTKRE CHAR(1) NOT NULL,
02000 K50MAROYKTR CHAR(1) NOT NULL,
02100 K50NUMCPR DECIMAL(10, 0) NOT NULL,
02200 K50DATMODTA DECIMAL(8, 0) NOT NULL,
02300 K50DATUDSEN DECIMAL(8, 0) NOT NULL,
02400 K50KODUDTKO CHAR(1) NOT NULL,
02500 K50DATOPDAT TIMESTAMP NOT NULL,
02600 K50BRULOGON CHAR(8) NOT NULL,
02700 K50OPDTV DECIMAL(3, 0) NOT NULL,
02800 K50NUMANS DECIMAL(15, 0) NOT NULL,
02900 K50NUMUDSK DECIMAL(7, 0) NOT NULL
03000 ) END-EXEC.
03100*****
03200* COBOL DECLARATION FOR TABLE H8215.INDBVIRK
03300*****
03400 01 K50REC.
03500 10 K50NUMSEL PIC X(4).
03600 10 K50IDEVIRK PIC S999999999V USAGE COMP-3.
03700 10 K50DATGLFOR PIC S99999999V USAGE COMP-3.
03800 10 K50NUMLBANS PIC S99V USAGE COMP-3.
03900 10 K50DATSELOP PIC S99999999V USAGE COMP-3.
04000 10 K50NUMREGNU PIC S9999V USAGE COMP-3.
04100 10 K50NUMKONUM PIC S999999999V USAGE COMP-3.
04200 10 K50KODORDNI PIC X(1).
04300 10 K50MARKONTR PIC X(1).
04400 10 K50MARSTKRE PIC X(1).
04500 10 K50MAROYKTR PIC X(1).
04600 10 K50NUMCPR PIC S9999999999V USAGE COMP-3.
04700 10 K50DATMODTA PIC S99999999V USAGE COMP-3.
04800 10 K50DATUDSEN PIC S99999999V USAGE COMP-3.
04900 10 K50KODUDTKO PIC X(1).
05000 10 K50DATOPDAT PIC X(26).
05100 10 K50BRULOGON PIC X(8).
05200 10 K50OPDTV PIC S999V USAGE COMP-3.
05300 10 K50NUMANS PIC S999999999999999V USAGE COMP-3.
05400 10 K50NUMUDSK PIC S9999999V USAGE COMP-3.
05500*****
05600* THE NUMBER OF COLUMNS DESCRIBED BY THIS DECLARATION IS 20
05700*****
```

RA FILNR 3014

1	100	X-DEF.
1	4	X-DEF.
5	6	PAKKET
11	5	PAKKET
16	2	PAKKET
18	5	PAKKET
23	3	PAKKET
26	6	PAKKET
32	1	X-DEF.
33	1	X-DEF.
34	1	X-DEF.
35	1	X-DEF.
36	6	PAKKET
42	5	PAKKET
47	5	PAKKET
52	1	X-DEF.
53	26	X-DEF.
79	8	X-DEF.
87	2	PAKKET
89	8	PAKKET
97	4	PAKKET

50.1

ORIG: KB4 COPY:

```

000100*****
000200* DCLGEN TABLE(H8215.MARKPLAN) *
000300* LIBRARY(D7730.DB2COPY(B8215KB4)) *
000400* ACTION(REPLACE) *
000500* LANGUAGE(COBOL) *
000600* STRUCTURE(KB4REC) *
000700* QUOTE *
000800* ... IS THE DCLGEN COMMAND THAT MADE THE FOLLOWING STATEMENTS *
000900*****
001000 EXEC SQL DECLARE H8215.MARKPLAN TABLE
001100 ( KB4NUMSEL CHAR(4) NOT NULL,
001200 KB4NUMSAG DECIMAL(6, 0) NOT NULL,
001300 KB4AARHOAAR DECIMAL(4, 0) NOT NULL,
001400 KB4NUMMARK CHAR(4) NOT NULL,
001500 KB4NUMMAKO DECIMAL(3, 0) NOT NULL,
001600 KB4TYPART CHAR(5) NOT NULL,
001700 KB4NUMMAKO2 DECIMAL(3, 0) NOT NULL,
001800 KB4NUMMAKO3 DECIMAL(3, 0) NOT NULL,
001900 KB4NUMMAKO4 DECIMAL(3, 0) NOT NULL,
002000 KB4ANTAMARK DECIMAL(5, 1) NOT NULL,
002100 KB4DATOPDAT TIMESTAMP NOT NULL,
002200 KB4BRULOGON CHAR(8) NOT NULL,
002300 KB4MARGARTI CHAR(1) NOT NULL,
002400 KB4MARVIDFO CHAR(1) NOT NULL,
002500 KB4AARTILMG DECIMAL(4, 0) NOT NULL,
002600 KB4AARTILMV DECIMAL(4, 0) NOT NULL,
002700 KB4NUMLMARK DECIMAL(3, 0) NOT NULL,
002800 KB4OPDTV DECIMAL(3, 0) NOT NULL,
002900 KB4TYPAREAL DECIMAL(2, 0) NOT NULL
003000 ) END-EXEC.
003100*****
003200* COBOL DECLARATION FOR TABLE H8215.MARKPLAN *
003300*****
003400 01 KB4REC.
003500 10 KB4NUMSEL PIC X(4).
003600 10 KB4NUMSAG PIC S9(6)V USAGE COMP-3.
003700 10 KB4AARHOAAR PIC S9(4)V USAGE COMP-3.
003800 10 KB4NUMMARK PIC X(4).
003900 10 KB4NUMMAKO PIC S9(3)V USAGE COMP-3.
004000 10 KB4TYPART PIC X(5).
004100 10 KB4NUMMAKO2 PIC S9(3)V USAGE COMP-3.
004200 10 KB4NUMMAKO3 PIC S9(3)V USAGE COMP-3.
004300 10 KB4NUMMAKO4 PIC S9(3)V USAGE COMP-3.
004400 10 KB4ANTAMARK PIC S9(4)V9(1) USAGE COMP-3.
004500 10 KB4DATOPDAT PIC X(26).
004600 10 KB4BRULOGON PIC X(8).
004700 10 KB4MARGARTI PIC X(1).
004800 10 KB4MARVIDFO PIC X(1).
004900 10 KB4AARTILMG PIC S9(4)V USAGE COMP-3.
005000 10 KB4AARTILMV PIC S9(4)V USAGE COMP-3.
005100 10 KB4NUMLMARK PIC S9(3)V USAGE COMP-3.
005200 10 KB4OPDTV PIC S9(3)V USAGE COMP-3.
005300 10 KB4TYPAREAL PIC S9(2)V USAGE COMP-3.
005400*****
005500* THE NUMBER OF COLUMNS DESCRIBED BY THIS DECLARATION IS 19 *
005600*****

```

1	79	X-DEF.
1	4	X-DEF.
5	4	PAKKET
9	3	PAKKET
12	4	X-DEF.
16	2	PAKKET
18	5	X-DEF.
23	2	PAKKET
25	2	PAKKET
27	2	PAKKET
29	3	PAKKET
32	26	X-DEF.
58	8	X-DEF.
66	1	X-DEF.
67	1	X-DEF.
68	3	PAKKET
71	3	PAKKET
74	2	PAKKET
76	2	PAKKET
78	2	PAKKET

RA FILNR 2042

SIDE 114.1

1

ORIG: K51 COPY;

000100*****
000200* DCLGEN TABLE(H8215.INDBEJEN) *
000300* LIBRARY(D7730.DB2COPY(B8215K51)) *
000400* ACTION(REPLACE) *
000500* STRUCTURE(K51REC) *
000600* QUOTE *
000700* ... IS THE DCLGEN COMMAND THAT MADE THE FOLLOWING STATEMENTS *
000800*****
000900 EXEC SQL DECLARE H8215.INDBEJEN TABLE *
001000 (K51NUMSEL CHAR(4) NOT NULL, *
001100 K51IDEVIRK DECIMAL(10, 0) NOT NULL, *
001200 K51DATGLFOR DECIMAL(8, 0) NOT NULL, *
001300 K51NUMLBANS DECIMAL(2, 0) NOT NULL, *
001400 K51NUMKOMMU DECIMAL(3, 0) NOT NULL, *
001500 K51NUMEJEND DECIMAL(7, 0) NOT NULL, *
001600 K51TEKEJEND CHAR(35) NOT NULL, *
001700 K51SUMEJDAR DECIMAL(6, 1) NOT NULL, *
001800 K51AFVEJDHA DECIMAL(6, 1) NOT NULL, *
001900 K51AFVEJDPR DECIMAL(5, 2) NOT NULL, *
002000 K51SUMBFARE DECIMAL(6, 1) NOT NULL, *
002100 K51DATOPDAT TIMESTAMP NOT NULL, *
002200 K51BRULOGON CHAR(8) NOT NULL, *
002300 K51OPDTV DECIMAL(3, 0) NOT NULL *
002400) END-EXEC. *
002500*****
002600* COBOL DECLARATION FOR TABLE H8215.INDBEJEN *
002700*****
002800 01 K51REC. *
002900 10 K51NUMSEL PIC X(4). *
003000 10 K51IDEVIRK PIC S999999999V USAGE COMP-3. *
003100 10 K51DATGLFOR PIC S999999999V USAGE COMP-3. *
003200 10 K51NUMLBANS PIC S99V USAGE COMP-3. *
003300 10 K51NUMKOMMU PIC S999V USAGE COMP-3. *
003400 10 K51NUMEJEND PIC S99999999V USAGE COMP-3. *
003500 10 K51TEKEJEND PIC X(35). *
003600 10 K51SUMEJDAR PIC S999999V9 USAGE COMP-3. *
003700 10 K51AFVEJDHA PIC S999999V9 USAGE COMP-3. *
003800 10 K51AFVEJDPR PIC S999V99 USAGE COMP-3. *
003900 10 K51SUMBFARE PIC S999999V9 USAGE COMP-3. *
004000 10 K51DATOPDAT PIC X(26). *
004100 10 K51BRULOGON PIC X(8). *
004200 10 K51OPDTV PIC S999V USAGE COMP-3. *
004300*****
004400* THE NUMBER OF COLUMNS DESCRIBED BY THIS DECLARATION IS 14 *
004500*****

RA FILNR 3015

1	109	X-DEF.
1	4	X-DEF.
5	6	PAKKET
11	5	PAKKET
16	2	PAKKET
18	2	PAKKET
20	4	PAKKET
24	35	X-DEF.
59	4	PAKKET
63	4	PAKKET
67	3	PAKKET
70	4	PAKKET
74	26	X-DEF.
100	8	X-DEF.
108	2	PAKKET

SP.1

1
1
2

LE C B O O K * * * B 8 2 1 5 K 5 2 * * *

START LENGTH FORMAT DEC 11.01.96 15.23.49 PAGE 1

ORIG: K52 COPY:

```

000100*****
000200* DCLGEN TABLE(H8215.INDBFORP) *
000300* LIBRARY(D7730.DB2COPY(B8215K52)) *
000400* ACTION(REPLACE) *
000500* STRUCTURE(K52REC) *
000600* QUOTE *
000700* ... IS THE DCLGEN COMMAND THAT MADE THE FOLLOWING STATEMENTS *
000800*****
000900 EXEC SQL DECLARE H8215.INDBFORP TABLE
001000 ( K52NUMSEL CHAR(4) NOT NULL,
001100 K52IDEVIRK DECIMAL(10, 0) NOT NULL,
001200 K52DATGLFOR DECIMAL(8, 0) NOT NULL,
001300 K52NUMLBANS DECIMAL(2, 0) NOT NULL,
001400 K52NUMFORPA DECIMAL(3, 0) NOT NULL,
001500 K52ANTARFOR DECIMAL(6, 1) NOT NULL,
001600 K52AFVFRPHA DECIMAL(6, 1) NOT NULL,
001700 K52AFVFRPPR DECIMAL(5, 2) NOT NULL,
001800 K52NUMMSKIT CHAR(3) NOT NULL,
001900 K52DATOPDAT TIMESTAMP NOT NULL,
002000 K52BRULOGON CHAR(8) NOT NULL,
002100 K52OPDTV DECIMAL(3, 0) NOT NULL,
002200 ) END-EXEC.
002300*****
002400* COBOL DECLARATION FOR TABLE H8215.INDBFORP *
002500*****
002600 01 K52REC.
002700 10 K52NUMSEL PIC X(4).
002800 10 K52IDEVIRK PIC S999999999V USAGE COMP-3.
002900 10 K52DATGLFOR PIC S99999999V USAGE COMP-3.
003000 10 K52NUMLBANS PIC S99V USAGE COMP-3.
003100 10 K52NUMFORPA PIC S999V USAGE COMP-3.
003200 10 K52ANTARFOR PIC S999999V USAGE COMP-3.
003300 10 K52AFVFRPHA PIC S999999V USAGE COMP-3.
003400 10 K52AFVFRPPR PIC S999999V USAGE COMP-3.
003500 10 K52NUMMSKIT PIC X(3).
003600 10 K52DATOPDAT PIC X(26).
003700 10 K52BRULOGON PIC X(8).
003800 10 K52OPDTV PIC S999V USAGE COMP-3.
003900*****
004000* THE NUMBER OF COLUMNS DESCRIBED BY THIS DECLARATION IS 12 *
004100*****

```

1	69	X-DEF.
1	4	X-DEF.
5	6	PAKKET
11	5	PAKKET
16	2	PAKKET
18	2	PAKKET
20	4	PAKKET
24	4	PAKKET
28	3	PAKKET
31	3	X-DEF.
34	26	X-DEF.
60	8	X-DEF.
68	2	PAKKET

RA FILNR 3016

62.1

3017

ORIG: K53 COPY:

```
000100*****
000200* DCLGEN TABLE(H8215.INDBAREA) *
000300* LIBRARY(D7730.DB2COPY(B8215K53)) *
000400* ACTION(REPLACE) *
000500* STRUCTURE(K53REC) *
000600* QUOTE *
000700* ... IS THE DCLGEN COMMAND THAT MADE THE FOLLOWING STATEMENTS *
000800*****
000900 EXEC SQL DECLARE H8215.INDBAREA TABLE
001000 ( K53NUMSEL CHAR(4) NOT NULL,
001100 K53IDEVIRK DECIMAL(10, 0) NOT NULL,
001200 K53DATGLFOR DECIMAL(8, 0) NOT NULL,
001300 K53NUMLBANS DECIMAL(2, 0) NOT NULL,
001400 K53TYPAREAL DECIMAL(2, 0) NOT NULL,
001500 K53ANTARART DECIMAL(6, 1) NOT NULL,
001600 K53AFVBEDHA DECIMAL(6, 1) NOT NULL,
001700 K53AFVBEDPR DECIMAL(5, 2) NOT NULL,
001800 K53BERFAPRC DECIMAL(4, 2) NOT NULL,
001900 K53BRULOGON CHAR(8) NOT NULL,
002000 K53DATOPDAT TIMESTAMP NOT NULL,
002100 K53OPDTV DECIMAL(3, 0) NOT NULL
002200 ) END-EXEC.
002300*****
002400* COBOL DECLARATION FOR TABLE H8215.INDBAREA *
002500*****
002600 01 K53REC.
002700 10 K53NUMSEL PIC X(4).
002800 10 K53IDEVIRK PIC S999999999V USAGE COMP-3.
002900 10 K53DATGLFOR PIC S99999999V USAGE COMP-3.
003000 10 K53NUMLBANS PIC S99V USAGE COMP-3.
003100 10 K53TYPAREAL PIC S99V USAGE COMP-3.
003200 10 K53ANTARART PIC S999999V USAGE COMP-3.
003300 10 K53AFVBEDHA PIC S999999V USAGE COMP-3.
003400 10 K53AFVBEDPR PIC S999V99 USAGE COMP-3.
003500 10 K53BERFAPRC PIC S99V99 USAGE COMP-3.
003600 10 K53BRULOGON PIC X(8).
003700 10 K53DATOPDAT PIC X(26).
003800 10 K53OPDTV PIC S999V USAGE COMP-3.
003900*****
004000* THE NUMBER OF COLUMNS DESCRIBED BY THIS DECLARATION IS 12 *
004100*****
```

RA FILENR: 3017

1	69	X-DEF.	
1	4	X-DEF.	
5	6	PAKKET	
11	5	PAKKET	
16	2	PAKKET	
18	2	PAKKET	
20	4	PAKKET	1
24	4	PAKKET	1
28	3	PAKKET	2
31	3	PAKKET	2
34	8	X-DEF.	
42	26	X-DEF.	
68	2	PAKKET	

63.1

ORIG: K55 COPY:

```
000100*****
000200* DCLGEN TABLE(H8215.ARLIGTAL)
000300* LIBRARY(D7730.DB2COPY(B8215K55))
000400* ACTION(REPLACE)
000500* STRUCTURE(K55REC)
000600* QUOTE
000700* ... IS THE DCLGEN COMMAND THAT MADE THE FOLLOWING STATEMENTS
000800*****
000900 EXEC SQL DECLARE H8215.ARLIGTAL TABLE
001000 ( K55NUMSEL CHAR(4) NOT NULL,
001100 K55ARTDYR CHAR(2) NOT NULL,
001200 K55ARTBRUGS CHAR(2) NOT NULL,
001300 K55IDEBESAE DECIMAL(6, 0) NOT NULL,
001400 K55DATGLFOR DECIMAL(8, 0) NOT NULL,
001500 K55DATTIL TIMESTAMP NOT NULL,
001600 K55ANTDYR1 DECIMAL(7, 0) NOT NULL,
001700 K55ANTDYR2 DECIMAL(7, 0) NOT NULL,
001800 K55KODSTAM CHAR(1) NOT NULL,
001900 K55DATOPHOE DECIMAL(8, 0) NOT NULL,
002000 K55DATOPDAT TIMESTAMP NOT NULL,
002100 K55BRULOGON CHAR(8) NOT NULL,
002200 K55OPDTV DECIMAL(3, 0) NOT NULL,
002300 K55ANTDYR3 DECIMAL(7, 0) NOT NULL,
002400 ) END-EXEC.
002500*****
002600* COBOL DECLARATION FOR TABLE H8215.ARLIGTAL
002700*****
002800 01 K55REC.
002900 10 K55NUMSEL PIC X(4).
003000 10 K55ARTDYR PIC X(2).
003100 10 K55ARTBRUGS PIC X(2).
003200 10 K55IDEBESAE PIC S999999V USAGE COMP-3.
003300 10 K55DATGLFOR PIC S99999999V USAGE COMP-3.
003400 10 K55DATTIL PIC X(26).
003500 10 K55ANTDYR1 PIC S9999999V USAGE COMP-3.
003600 10 K55ANTDYR2 PIC S9999999V USAGE COMP-3.
003700 10 K55KODSTAM PIC X(1).
003800 10 K55DATOPHOE PIC S99999999V USAGE COMP-3.
003900 10 K55DATOPDAT PIC X(26).
004000 10 K55BRULOGON PIC X(8).
004100 10 K55OPDTV PIC S999V USAGE COMP-3.
004200 10 K55ANTDYR3 PIC S99999999V USAGE COMP-3.
004300*****
004400* THE NUMBER OF COLUMNS DESCRIBED BY THIS DECLARATION IS 14
004500*****
```

1	97	X-DEF.
1	4	X-DEF.
5	2	X-DEF.
7	2	X-DEF.
9	4	PAKKET
13	5	PAKKET
18	26	X-DEF.
44	4	PAKKET
48	4	PAKKET
52	1	X-DEF.
53	5	PAKKET
58	26	X-DEF.
84	8	X-DEF.
92	2	PAKKET
94	4	PAKKET

RM FILNR 3018

56.1

ORIG: K56 COPY:

```
000100*****
000200* DCLGEN TABLE(H8215.INDBMAFO)
000300* LIBRARY(D7730.DB2COPY(B8215K56))
000400* ACTION(REPLACE)
000500* STRUCTURE(K56REC)
000600* QUOTE
000700* ... IS THE DCLGEN COMMAND THAT MADE THE FOLLOWING STATEMENTS
000800*****
000900 EXEC SQL DECLARE H8215.INDBMAFO TABLE
001000 ( K56NUMSEL CHAR(4) NOT NULL,
001100 K56IDEVIRK DECIMAL(10, 0) NOT NULL,
001200 K56DATGLFOR DECIMAL(8, 0) NOT NULL,
001300 K56NUMLBANS DECIMAL(2, 0) NOT NULL,
001400 K56NUMFORPA DECIMAL(3, 0) NOT NULL,
001500 K56NUMMATRI DECIMAL(5, 0) NOT NULL,
001600 K56BOGMATRI CHAR(3) NOT NULL,
001700 K56KODEJERL DECIMAL(7, 0) NOT NULL,
001800 K56DATOPDAT TIMESTAMP NOT NULL,
001900 K56BRULOGON CHAR(8) NOT NULL,
002000 K56OPDTV DECIMAL(3, 0) NOT NULL
002100 ) END-EXEC.
002200*****
002300* COBOL DECLARATION FOR TABLE H8215.INDBMAFO
002400*****
002500 01 K56REC.
002600 10 K56NUMSEL PIC X(4).
002700 10 K56IDEVIRK PIC S999999999V USAGE COMP-3.
002800 10 K56DATGLFOR PIC S999999999V USAGE COMP-3.
002900 10 K56NUMLBANS PIC S99V USAGE COMP-3.
003000 10 K56NUMFORPA PIC S999V USAGE COMP-3.
003100 10 K56NUMMATRI PIC S99999V USAGE COMP-3.
003200 10 K56BOGMATRI PIC X(3).
003300 10 K56KODEJERL PIC S99999999V USAGE COMP-3.
003400 10 K56DATOPDAT PIC X(26).
003500 10 K56BRULOGON PIC X(8).
003600 10 K56OPDTV PIC S999V USAGE COMP-3.
003700*****
003800* THE NUMBER OF COLUMNS DESCRIBED BY THIS DECLARATION IS 11
003900*****
```

1	65	X-DEF.
1	4	X-DEF.
5	6	PAKKET
11	5	PAKKET
16	2	PAKKET
18	2	PAKKET
20	3	PAKKET
23	3	X-DEF.
26	4	PAKKET
30	26	X-DEF.
56	8	X-DEF.
64	2	PAKKET

RA FILNR 3019

56.1

ORIG: K59 COPY:

```

000100*****
000200* DCLGEN TABLE(H8215.TARSKVAR) *
000300* LIBRARY(D7730.DB2COPY(B8215K59)) *
000400* ACTION(REPLACE) *
000500* STRUCTURE(K59REC) *
000600* QUOTE *
000700* ... IS THE DCLGEN COMMAND THAT MADE THE FOLLOWING STATEMENTS *
000800*****
000900 EXEC SQL DECLARE H8215.TARSKVAR TABLE
001000 ( K59NUMSEL CHAR(4) NOT NULL,
001100 K59KODTSVDI CHAR(2) NOT NULL,
001200 K59DATTIL TIMESTAMP NOT NULL,
001300 K59FAKTSVDI DECIMAL(7, 2) NOT NULL,
001400 K59TEKTRSKE CHAR(40) NOT NULL,
001500 K59DATOPDAT TIMESTAMP NOT NULL,
001600 K59BRULOGON CHAR(8) NOT NULL,
001700 K59OPDTV DECIMAL(3, 0) NOT NULL
001800 ) END-EXEC.
001900*****
002000* COBOL DECLARATION FOR TABLE H8215.TARSKVAR *
002100*****
002200 01 K59REC.
002300 10 K59NUMSEL PIC X(4).
002400 10 K59KODTSVDI PIC X(2).
002500 10 K59DATTIL PIC X(26).
002600 10 K59FAKTSVDI PIC S99999V99 USAGE COMP-3.
002700 10 K59TEKTRSKE PIC X(40).
002800 10 K59DATOPDAT PIC X(26).
002900 10 K59BRULOGON PIC X(8).
003000 10 K59OPDTV PIC S999V USAGE COMP-3.
003100*****
003200* THE NUMBER OF COLUMNS DESCRIBED BY THIS DECLARATION IS 8 *
003300*****

```

1	112	X-DEF.
1	4	X-DEF.
5	2	X-DEF.
7	26	X-DEF.
33	4	PAKKET
37	40	X-DEF.
77	26	X-DEF.
103	8	X-DEF.
111	2	PAKKET

RA FICAR: 3020

59.1

L E C B O O K * * * B 8 2 1 5 K 6 0 * * *

START LENGTH FORMAT DEC 11.01.96 15.23.49 PAGE 1

ORIG: K60 COPY:

```

000100*****
000200* DCLGEN TABLE(H8215.EJENDRET) *
000300* LIBRARY(D7730.DB2COPY(B8215K60)) *
000400* STRUCTURE(K60REC) *
000500* QUOTE *
000600* ... IS THE DCLGEN COMMAND THAT MADE THE FOLLOWING STATEMENTS *
000700*****
000800 EXEC SQL DECLARE H8215.EJENDRET TABLE
000900 ( K60NUMSEL CHAR(4) NOT NULL,
001000 K60DATIND TIMESTAMP NOT NULL,
001100 K60NUMREC DECIMAL(7, 0) NOT NULL,
001200 K60RNUKOM CHAR(3) NOT NULL,
001300 K60RNUKOD CHAR(7) NOT NULL,
001400 K60NAVFIROM CHAR(35) NOT NULL,
001500 K60NAVFOR CHAR(35) NOT NULL,
001600 K60NAVEFTR CHAR(35) NOT NULL,
001700 K60NAVCO CHAR(35) NOT NULL,
001800 K60NAVVEJ CHAR(35) NOT NULL,
001900 K60NAVBY CHAR(35) NOT NULL,
002000 K60RNUPOST CHAR(4) NOT NULL,
002100 K60RKODVEJ CHAR(4) NOT NULL,
002200 K6ORDAOPH CHAR(8) NOT NULL,
002300 K60BRULOGON CHAR(8) NOT NULL,
002400 K60DATOPDAT TIMESTAMP NOT NULL,
002500 K60FEJNRKOM DECIMAL(3, 0) NOT NULL,
002600 K60FEJNREJD DECIMAL(3, 0) NOT NULL,
002700 K60FEJNRPOS DECIMAL(3, 0) NOT NULL,
002800 K60FEJNROPH DECIMAL(3, 0) NOT NULL,
002900 K60FEJVEJN DECIMAL(3, 0) NOT NULL,
003000 K60FEJKODVE DECIMAL(3, 0) NOT NULL,
003100 K60LEVLOGON CHAR(8) NOT NULL,
003200 K60KODANN CHAR(1) NOT NULL,
003300 K60OPDTV DECIMAL(3, 0) NOT NULL,
003400 K60RBENYTEJ CHAR(2) NOT NULL,
003500 K60RAREAVUR CHAR(11) NOT NULL,
003600 K60RAREAMAT CHAR(11) NOT NULL,
003700 K60FEJBENUT DECIMAL(3, 0) NOT NULL,
003800 K60FEJARVUR DECIMAL(3, 0) NOT NULL,
003900 K60FEJARMAT DECIMAL(3, 0) NOT NULL,
004000 K60RVEREJD CHAR(11) NOT NULL,
004100 K60RVERGRUN CHAR(11) NOT NULL,
004200 K60RVERSTUE CHAR(11) NOT NULL,
004300 K60RVERSTGR CHAR(11) NOT NULL,
004400 K60RDATVURD CHAR(8) NOT NULL,
004500 K60FEJNRVEJ DECIMAL(3, 0) NOT NULL,
004600 K60FEJNRVGR DECIMAL(3, 0) NOT NULL,
004700 K60FEJNRVST DECIMAL(3, 0) NOT NULL,
004800 K60FEJNRVSG DECIMAL(3, 0) NOT NULL,
004900 K60FEJNRDVU DECIMAL(3, 0) NOT NULL,
005000 K60RNUMHUSB CHAR(1) NOT NULL,
005100 K60RNAVETAG CHAR(2) NOT NULL,
005200 K60RNAVSIDE CHAR(4) NOT NULL,
005300 K60RNUMHUSN CHAR(3) NOT NULL,
005400 K60FEJNRHUS DECIMAL(3, 0) NOT NULL,
005500 ) END-EXEC.
005600*****
005700* COBOL DECLARATION FOR TABLE H8215.EJENDRET *
005800*****

```

ORIG: K60 COPY:

005900	01	K60REC.			1	431	X-DEF.
006000	10	K60NUMSEL	PIC X(4).		1	4	X-DEF.
006100	10	K60DATIND	PIC X(26).		5	26	X-DEF.
006200	10	K60NUMREC	PIC S9999999V USAGE COMP-3.		31	4	PAKKET
006300	10	K60RNUKOM	PIC X(3).		35	3	X-DEF.
006400	10	K60RNUJED	PIC X(7).		38	7	X-DEF.
006500	10	K60NAVFIAMA	PIC X(35).		45	35	X-DEF.
006600	10	K60NAVFOR	PIC X(35).		80	35	X-DEF.
006700	10	K60NAVEFTER	PIC X(35).		115	35	X-DEF.
006800	10	K60NAVCO	PIC X(35).		150	35	X-DEF.
006900	10	K60NAVVEJ	PIC X(35).		185	35	X-DEF.
007000	10	K60NAVBY	PIC X(35).		220	35	X-DEF.
007100	10	K60RNUPOST	PIC X(4).		255	4	X-DEF.
007200	10	K60RKODVEJ	PIC X(4).		259	4	X-DEF.
007300	10	K60RDAOPH	PIC X(8).		263	8	X-DEF.
007400	10	K60BRULOGON	PIC X(8).		271	8	X-DEF.
007500	10	K60DATOPDAT	PIC X(26).		279	26	X-DEF.
007600	10	K60FEJNRKOM	PIC S999V USAGE COMP-3.		305	2	PAKKET
007700	10	K60FEJNREJD	PIC S999V USAGE COMP-3.		307	2	PAKKET
007800	10	K60FEJNRPOS	PIC S999V USAGE COMP-3.		309	2	PAKKET
007900	10	K60FEJNRPH	PIC S999V USAGE COMP-3.		311	2	PAKKET
008000	10	K60FEJVEJN	PIC S999V USAGE COMP-3.		313	2	PAKKET
008100	10	K60FEJKODVE	PIC S999V USAGE COMP-3.		315	2	PAKKET
008200	10	K60LEVLOGON	PIC X(8).		317	8	X-DEF.
008300	10	K60KODANN	PIC X(1).		325	1	X-DEF.
008400	10	K60OPDTV	PIC S999V USAGE COMP-3.		326	2	PAKKET
008500	10	K60RBENYTEJ	PIC X(2).		328	2	X-DEF.
008600	10	K60RAREAVUR	PIC X(11).		330	11	X-DEF.
008700	10	K60RAREAMAT	PIC X(11).		341	11	X-DEF.
008800	10	K60FEJBENUT	PIC S999V USAGE COMP-3.		352	2	PAKKET
008900	10	K60FEJARVUR	PIC S999V USAGE COMP-3.		354	2	PAKKET
009000	10	K60FEJARMAT	PIC S999V USAGE COMP-3.		356	2	PAKKET
009100	10	K60RVEREJD	PIC X(11).		358	11	X-DEF.
009200	10	K60RVERGRUN	PIC X(11).		369	11	X-DEF.
009300	10	K60RVERSTUE	PIC X(11).		380	11	X-DEF.
009400	10	K60RVERSTGR	PIC X(11).		391	11	X-DEF.
009500	10	K60RDATVURD	PIC X(8).		402	8	X-DEF.
009600	10	K60FEJNRVEJ	PIC S999V USAGE COMP-3.		410	2	PAKKET
009700	10	K60FEJNRVGR	PIC S999V USAGE COMP-3.		412	2	PAKKET
009800	10	K60FEJNRVST	PIC S999V USAGE COMP-3.		414	2	PAKKET
009900	10	K60FEJNRVSG	PIC S999V USAGE COMP-3.		416	2	PAKKET
010000	10	K60FEJNRDVU	PIC S999V USAGE COMP-3.		418	2	PAKKET
010100	10	K60RNUMHUSB	PIC X(1).		420	1	X-DEF.
010200	10	K60RNAVETAG	PIC X(2).		421	2	X-DEF.
010300	10	K60RNAVSIDE	PIC X(4).		423	4	X-DEF.
010400	10	K60RNUMHUSN	PIC X(3).		427	3	X-DEF.
010500	10	K60FEJNRHUS	PIC S999V USAGE COMP-3.		430	2	PAKKET

010600*****
010700* THE NUMBER OF COLUMNS DESCRIBED BY THIS DECLARATION IS 46 *
010800*****

RA FILNE 3021

60.1

L E C B O O K * * * B 8 2 1 5 K 6 2 * * *

START LENGTH FORMAT DEC 11.01.96 15.23.49 PAGE 1

ORIG: K62 COPY:

```

000100*****
000200* DCLGEN TABLE(H8215.VIRKRET) *
000300* LIBRARY(D7730.DB2COPY(B8215K62)) *
000400* LANGUAGE(COBOL) *
000500* STRUCTURE(K62REC) *
000600* QUOTE *
000700* ... IS THE DCLGEN COMMAND THAT MADE THE FOLLOWING STATEMENTS *
000800*****
000900 EXEC SQL DECLARE H8215.VIRKRET TABLE
001000 ( K62NUMSEL CHAR(4) NOT NULL,
001100 K62DATIND TIMESTAMP NOT NULL,
001200 K62NUMREC DECIMAL(7, 0) NOT NULL,
001300 K62NUMSE CHAR(8) NOT NULL,
001400 K62RNUCPR CHAR(10) NOT NULL,
001500 K62NUMAKTIE CHAR(10) NOT NULL,
001600 K62RIDBRAN CHAR(6) NOT NULL,
001700 K62RDAOPH CHAR(8) NOT NULL,
001800 K62RNUKOM CHAR(3) NOT NULL,
001900 K62RNUSENY CHAR(8) NOT NULL,
002000 K62RNUCPRNY CHAR(10) NOT NULL,
002100 K62TEKKONTA CHAR(35) NOT NULL,
002200 K62NAVFIRMA CHAR(35) NOT NULL,
002300 K62NAVFOR CHAR(35) NOT NULL,
002400 K62NAVEFTER CHAR(35) NOT NULL,
002500 K62NAVCO CHAR(35) NOT NULL,
002600 K62NAVVEJ CHAR(35) NOT NULL,
002700 K62NAVBY CHAR(35) NOT NULL,
002800 K62RNUPOST CHAR(4) NOT NULL,
002900 K62RKODVEJ CHAR(4) NOT NULL,
003000 K62KODOPVRK CHAR(1) NOT NULL,
003100 K62BRULOGON CHAR(8) NOT NULL,
003200 K62DATOPDAT TIMESTAMP NOT NULL,
003300 K62FEJNRSE DECIMAL(3, 0) NOT NULL,
003400 K62FEJNRCPR DECIMAL(3, 0) NOT NULL,
003500 K62FEJNRBRA DECIMAL(3, 0) NOT NULL,
003600 K62FEJNROPH DECIMAL(3, 0) NOT NULL,
003700 K62FEJNRKOM DECIMAL(3, 0) NOT NULL,
003800 K62FEJNRSEN DECIMAL(3, 0) NOT NULL,
003900 K62FEJNRCPN DECIMAL(3, 0) NOT NULL,
004000 K62FEJNRPOS DECIMAL(3, 0) NOT NULL,
004100 K62FEJVEJN DECIMAL(3, 0) NOT NULL,
004200 K62FEJKODVE DECIMAL(3, 0) NOT NULL,
004300 K62LEVLOGON CHAR(8) NOT NULL,
004400 K62KODANN CHAR(1) NOT NULL,
004500 K62OPDTV DECIMAL(3, 0) NOT NULL,
004600 K62RNUMHUSB CHAR(1) NOT NULL,
004700 K62RNAVETAG CHAR(2) NOT NULL,
004800 K62RNAVSIDE CHAR(4) NOT NULL,
004900 K62RNUMHUSN CHAR(3) NOT NULL,
005000 K62FEJNRHUS DECIMAL(3, 0) NOT NULL
005100 ) END-EXEC.
005200*****
005300* COBOL DECLARATION FOR TABLE H8215.VIRKRET *
005400*****
005500 01 K62REC.
005600 10 K62NUMSEL PIC X(4).
005700 10 K62DATIND PIC X(26).
005800 10 K62NUMREC PIC S9(7)V USAGE COMP-3.

```

1	428	X-DEF.
1	4	X-DEF.
5	26	X-DEF.
31	4	PAKKET

RA FILNR 3022

62.1

ORIG: K62 COPY:

005900	10	K62NUMSE	PIC X(8).	35	8	X-DEF.
006000	10	K62RNUCPR	PIC X(10).	43	10	X-DEF.
006100	10	K62NUMAKTIE	PIC X(10).	53	10	X-DEF.
006200	10	K62RIDBRAN	PIC X(6).	63	6	X-DEF.
006300	10	K62RDAOPH	PIC X(8).	69	8	X-DEF.
006400	10	K62RNUKOM	PIC X(3).	77	3	X-DEF.
006500	10	K62RNUSENY	PIC X(8).	80	8	X-DEF.
006600	10	K62RNUCPRNY	PIC X(10).	88	10	X-DEF.
006700	10	K62TEKKONTA	PIC X(35).	98	35	X-DEF.
006800	10	K62NAVFIRMA	PIC X(35).	133	35	X-DEF.
006900	10	K62NAVFOR	PIC X(35).	168	35	X-DEF.
007000	10	K62NAVEFTER	PIC X(35).	203	35	X-DEF.
007100	10	K62NAVCO	PIC X(35).	238	35	X-DEF.
007200	10	K62NAVVEJ	PIC X(35).	273	35	X-DEF.
007300	10	K62NAVBY	PIC X(35).	308	35	X-DEF.
007400	10	K62RNUPOST	PIC X(4).	343	4	X-DEF.
007500	10	K62RKODVEJ	PIC X(4).	347	4	X-DEF.
007600	10	K62KODOPVRK	PIC X(1).	351	1	X-DEF.
007700	10	K62BRULOGON	PIC X(8).	352	8	X-DEF.
007800	10	K62DATOPDAT	PIC X(26).	360	26	X-DEF.
007900	10	K62FEJNRSE	PIC S9(3)V USAGE COMP-3.	386	2	PAKKET
008000	10	K62FEJNRCPR	PIC S9(3)V USAGE COMP-3.	388	2	PAKKET
008100	10	K62FEJNRBRA	PIC S9(3)V USAGE COMP-3.	390	2	PAKKET
008200	10	K62FEJNROPH	PIC S9(3)V USAGE COMP-3.	392	2	PAKKET
008300	10	K62FEJNRKOM	PIC S9(3)V USAGE COMP-3.	394	2	PAKKET
008400	10	K62FEJNRSEN	PIC S9(3)V USAGE COMP-3.	396	2	PAKKET
008500	10	K62FEJNRCPN	PIC S9(3)V USAGE COMP-3.	398	2	PAKKET
008600	10	K62FEJNRPOS	PIC S9(3)V USAGE COMP-3.	400	2	PAKKET
008700	10	K62FEJVEJN	PIC S9(3)V USAGE COMP-3.	402	2	PAKKET
008800	10	K62FEJKODVE	PIC S9(3)V USAGE COMP-3.	404	2	PAKKET
008900	10	K62LEVLOGON	PIC X(8).	406	8	X-DEF.
009000	10	K62KODANN	PIC X(1).	414	1	X-DEF.
009100	10	K62OPDTV	PIC S9(3)V USAGE COMP-3.	415	2	PAKKET
009200	10	K62RNUMHUSB	PIC X(1).	417	1	X-DEF.
009300	10	K62RNAVETAG	PIC X(2).	418	2	X-DEF.
009400	10	K62RNAVSIDE	PIC X(4).	420	4	X-DEF.
009500	10	K62RNUMHUSN	PIC X(3).	424	3	X-DEF.
009600	10	K62FEJNRHUS	PIC S9(3)V USAGE COMP-3.	427	2	PAKKET

009700*****
 009800* THE NUMBER OF COLUMNS DESCRIBED BY THIS DECLARATION IS 41 *
 009900*****